



LED

4" TRIMLESS REGRESS SLIM SELECTABLE CCT



G-96722
Round



G-96822
Square

ITEM	G-96722				
DESCRIPTION	RS4/15W/R/LED/TL/SCCT	EQUIV. WATTAGE	150W	CUTOUT	3.85"
COLOR TEMP	27, 30, 35, 41, 50k	CRI	90>	mA	350
OUTPUT LUMEN	1300	DIMMABLE	Triac Or 0-10 Dimming	OUTPUT VOLTS	33-38V
INPUT VOLTS	120-277V	OD	6.29"	PLATE	G-19969
WATTAGE	15W	HEIGHT	2.00"	PACK	18

ITEM	G-96822				
DESCRIPTION	RS4/15W/SQ/LED/TL/SCCT	EQUIV. WATTAGE	150W	CUTOUT	Sq 3.23" Rd 4.40"
COLOR TEMP	27, 30, 35, 41, 50k	CRI	90>	mA	350
OUTPUT LUMEN	1400	DIMMABLE	Triac Or 0-10 Dimming	OUTPUT VOLTS	33-38V
INPUT VOLTS	120-277V	OD	6.29"	PLATE	G-19981 (3)
WATTAGE	15W	HEIGHT	2.03"	PACK	18

Content

Led 4" Trimless Regress Slim	
Selectable CCT	1
Accessories	2
Dimensions	2
Installation Instructions	2
Dimmer List	3



Lifetime:
50,000 hours



Dimmable: 5%
Triac or 0-10



Warranty:
3 years



Multi Volts:
120-277V



Accessories



Emergency LED Driver

15W G-48410

60W G-95521

30W G-48411

25W G-95525



Multi Driver Converter

Use with G-95825 14W



Extension Cords

G-20247 5ft

G-19822 20ft

G-20248 10ft


G-19823 30ft




New Construction Plate

Dimensions








Trimmed Round



Trimmed Square



Installation Instructions



Dimmer List

BRAND	SERIES	MODEL	LOAD	BRAND	SERIES	MODEL	LOAD
LUTRON	SKYLARK CONTOUR	LECL-153P	150W	LUTRON	TOGGLER	TGCL-153P	150W
		CTCL-150H	150W		ARIADNI	AYCL-153P	150W
		LGCL-153PLH	150W		MAESTRO	MACL-153M	600W
		CTCL-153P	150W	LEVITON	ILLUMATECH	IPL06	150W
		SCL-153P	150W		SURESLIDE	6672	150W
		S-600P	600W			6674	150W
	CASETA	PD-6WCL	150W	EATON	SMART DIMMER	AAL06	300W
		PD-5NE	150W	PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
		PD-10NXD	250W	GE	ROCKER	10464	150W
	DIVA	DVCL-153P	150W		TOGGLE	18027	150W