



# Goodlite

**2024 CATALOG**

**LIFE'S LIGHT SOURCE**

# CATALOG INDEX

SILENT SERIES ..... 3-5

## ASTER SERIES

1" INTERCHANGEABLE MODULE ..... 6-7

2" INTERCHANGEABLE MODULE ..... 8-9

3" INTERCHANGEABLE MODULE ..... 10-11

3.5" INTERCHANGEABLE MODULE ..... 12-13

4" INTERCHANGEABLE MODULE ..... 14-15

6" INTERCHANGEABLE MODULE ..... 16

## VENUS SERIES

5" TRIMMED LUMINAIRE ..... 16-17

TRIMLESS LUMINAIRE'S ..... 17-19

## SATURN SERIES

TRIMLESS REGRESS ..... 20-21

TRIMLESS REGRESS MULTIPLE ..... 22-27

TRIMMED FLUSHED ..... 28-32

TRIMMED REGRESS ..... 32-37

TRIMMED REGRESS MULTIPLE ..... 38-43

PURA SERIES ..... 44-45

## FLARION SERIES

ROUND FLOATING GIMBAL ..... 46

MULTIPLE FLOATING GIMBAL ..... 47-52

DIPPER SERIES ..... 53-54

## REGULUS SERIES

TRIMMED ..... 55-56

TRIMLESS ..... 56-57

## STAR SERIES

ROUND ..... 58-60

FABULON SERIES ..... 60

## STAR SERIES

SQUARE ..... 61-62

TRIMLESS ..... 63-64

FIRE RATED ..... 64-66

COMMERCIAL SERIES ..... 67-68

DOWNLIGHT ACCESORIES ..... 69-74

GLIMMER SERIES ..... 74-75  
(EDGELESS SURFACE MOUNT)

SPICA SERIES ..... 76  
(DISK SURFACE MOUNT)

GLAWRE` SERIES ..... 77-78  
(SURFACE MOUNT FIXTURE)

## NEPTUNE SERIES

CENTER BASKET FIXTURE ..... 79

CENTER LINE FIXTURE ..... 80

CENTER INDIRECT FIXTURE ..... 81

BACKLIT FLAT PANEL ..... 82-83

## STEP LIGHT

TRIMMED ..... 84-85

TRIMLESS ..... 85

## TAPE LIGHT

TAPE LIGHT ..... 86-87

PROFILE ..... 88-89

POWER SUPPLY ..... 90

RETROFIT'S ..... 91-92

## TUBE SERIES

T5 ..... 93-94

T8 ..... 95-98

U-BEND ..... 98-99

A SERIES ..... 99-105

MR SERIES ..... 105-106

PAR SERIES ..... 107-108

BR SERIES ..... 109-110

MINIATURE SERIES ..... 111-114

CANDELABRA SERIES ..... 115-117

DECORATIVE SERIES ..... 118-121

G SERIES ..... 121-124

CONTACT INFO ..... 125



SILENT



1 INCH APERTURE MODULE

1"


Cut Out: 5.85"

**G-11120**

ST/L/M/15W/LED/SCCT



Installation View



<b>Lumens:</b>	1200
<b>Wattage:</b>	15W
<b>Voltage:</b>	Input 24V
<b>CRI:</b>	90+
<b>Beam Angle:</b>	50° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6



Accessories:

NC Plate: G-19975 (7)

SILENT ACCESSORIES

FROSTED LENS OPTION

**G-11722**

ST/L/FR/80-DEGREE



SILENT EXTRACTOR

**G-11724**


ST/EXTRAC



SILENT

ROUND TRIMMED KITS

1"





Pack: 100

SILENT

SQUARE TRIMMED KITS

1"



Pack: 100

SILENT

ROUND TRIMLESS KITS

1"




Pack: 100

SILENT

1"

SQUARE TRIMLESS KITS



Pack: 100

SILENT

ROUND DROP TRIM KITS

1"




Pack: 100

SILENT

SQUARE DROP TRIM KITS

1"



Pack: 100



**ASTER**

1" INTERCHANGEABLE MODULE

1"



**G-48470**  
M1/7W/LED/5CCT

7W



ITEM	G-10940	G-10941	G-10939
DESCRIPTION	L1/24-DEGREE	L1/40-DEGREE	L1/FROSTED/80°

<b>Lumens:</b>	600
<b>Wattage:</b>	7W
<b>Voltage:</b>	120V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18

5CCT COLOR SELECTABLE
CRI 90+ TRUE COLORS
AIR TIGHT
WET LOCATION
DIMMABLE DOWN TO 5%
IC RATED
LENS CHANGEABLE
JA8 TITLE 24
ETL US
FC

**Accessories:**  
Multi Light: G-95823 7W

**ASTER**

1" INTERCHANGEABLE HO MODULE

1"



**G-48468**  
M1/15W/LED/5CCT

15W



ITEM	G-10940	G-10941	G-10939
DESCRIPTION	L1/40-DEGREE	L1/60-DEGREE	L1/FROSTED/80°

<b>Lumens:</b>	1100
<b>Wattage:</b>	15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	60° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18
<b>NOT IC RATED</b>	


5CCT COLOR SELECTABLE
CRI 90+ TRUE COLORS
AIR TIGHT
WET LOCATION
DIMMABLE DOWN TO 5%
LENS CHANGEABLE
JA8 TITLE 24
ETL US
FC

**Accessories:**  
Multi Light: G-95825 14W

ASTER


1" INTERCHANGEABLE TRIMS

1"



1" INTERCHANGEABLE TRIMLESS KITS

1"



STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMMED	1.90"	2.25"	Regular 2.72" / HO 4.47"	G-19975 (0)	8/128
TRIMLESS ROUND	2.30"	3.94"	Regular 2.84" / HO 4.60"	G-19975 (1)	36
TRIMLESS SQUARE	Sq 2.72" Rd 3.82"	5.51"	Regular 3.23" / HO 5.15"	G-19975 (4)	36

**ASTER**

2" INTERCHANGEABLE MODULE

2"



**G-48340**  
M2/8W/LED/SCCT

8W



Clear Lens



Frosted Lens

ITEM	G-10946	G-10947	G-10948	G-10944
DESCRIPTION	L2/24-DEGREE	L2/40-DEGREE	L2/60-DEGREE	L2/FROSTED/80°

<b>Lumens:</b>	800
<b>Wattage:</b>	8W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**  
**Multi Light:** G-95823 8W

**ASTER**

2" INTERCHANGEABLE MODULE

2"



**G-20215**  
M2/14W/WS2/LED/SCCT

14/8W



Clear Lens



Frosted Lens

ITEM	G-10946	G-10947	G-10948	G-10944
DESCRIPTION	L2/24-DEGREE	L2/40-DEGREE	L2/60-DEGREE	L2/FROSTED/80°

<b>Lumens:</b>	1200/750
<b>Wattage:</b>	14W/8W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	60° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**  
**Multi Light:** G-95823 8W  
G-95825 14W

**ASTER**

2" INTERCHANGEABLE HO MODULE

2"



**G-20213**  
M2/20W/WS2/LED/SCCT

20/14W



Clear Lens



Frosted Lens

ITEM	G-10946	G-10947	G-10948	G-10944
DESCRIPTION	L2/24-DEGREE	L2/40-DEGREE	L2/60-DEGREE	L2/FROSTED/80°

<b>Lumens:</b>	1700/1200
<b>Wattage:</b>	20W/14W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	60° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18
<b>IC rated-at 14W</b>	




**Accessories:**  
**Multi Light:** G-95825 14W  
G-95826 20W



ASTER


2" INTERCHANGEABLE TRIMS

2"



2" INTERCHANGEABLE TRIMLESS KITS

2"



STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMMED	2.50"	3.15"	Regular 2.85" / HO 5.50"	G-19975 (1)	8/64
TRIMLESS ROUND	2.80"	4.53"	Regular 2.89" / HO 5.47"	G-19975 (2)	36
TRIMLESS SQUARE	Sq 3.10" Rd 4.32"	6.50"	Regular 3.68" / HO 6.26"	G-19975 (5)	36

ASTER

3" INTERCHANGEABLE MODULE

3"



**G-96022**  
M3/9W/LED/5CCT

9W



Clear Lens



Frosted Lens

ITEM	G-98922	G-98923	G-98924	G-98920
DESCRIPTION	L3/24-DEGREE	L3/40-DEGREE	L3/60-DEGREE	L3/FROSTED/80°

<b>Lumens:</b>	850
<b>Wattage:</b>	9W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**  
Multi Light: G-95824 9W

ASTER

3" INTERCHANGEABLE HO MODULE

3"



**G-96023**  
M3/15W/LED/5CCT

15W



Clear Lens



Frosted Lens

ITEM	G-98922	G-98923	G-98924	G-98920
DESCRIPTION	L3/24-DEGREE	L3/40-DEGREE	L3/60-DEGREE	L3/FROSTED/80°

<b>Lumens:</b>	1400
<b>Wattage:</b>	15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	60° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**  
Multi Light: G-95825 14W

ASTER

3" INTERCHANGEABLE HO MODULE

3"



**G-96024**  
M3/24W/LED/5CCT NON-IC

24W



Clear Lens



Frosted Lens

ITEM	G-98922	G-98923	G-98924	G-98920
DESCRIPTION	L3/24-DEGREE	L3/40-DEGREE	L3/60-DEGREE	L3/FROSTED/80°

<b>Lumens:</b>	1800
<b>Wattage:</b>	24W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	60° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18
<b>NOT IC RATED</b>	



**Accessories:**  
Multi Light: G-95826 24W

ASTER

3" INTERCHANGEABLE TRIMS

3"



3" INTERCHANGEABLE TRIMLESS KIT

3"



STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMMED	2.95"	3.70"	Regular 3.50" / HO 5.50"	G-19975 (2)	8/64
WALL TRIM WASH	2.95"	3.70"	Regular 4.18" / HO 6.13"	G-19975 (2)	8/64
TRIMLESS ROUND	3.10"	4.72"	Regular 3.52" / HO 5.46"	G-19975 (2)	36
TRIMLESS SQUARE	Sq 3.46" Rd 4.90"	7.09"	Regular 4.30" / HO 6.25"	G-19975 (6)	36



**ASTER**


3.5" INTERCHANGEABLE MODULE

3.5"



**G-48323**  
M4/15W/LED/5CCT 60°  
60° Beam Angle

**G-48324**  
M4/15W/LED/5CCT  
40° Beam Angle  
120/277V Triac or 0-10



<b>Lumens:</b>	1100
<b>Wattage:</b>	15W
<b>Voltage:</b>	120V
<b>CRI:</b>	90>
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED
- LENS CHANGEABLE



**Accessories:**  
NC Plates: G-19975 (3)

**ASTER**


3.5" INTERCHANGEABLE HO MODULE

3.5"



**G-48313**  
M4/23W/LED/HO/5CCT 60°  
60° Beam Angle

**G-48325**  
M4/23W/LED/HO/5CCT  
40° Beam Angle



<b>Lumens:</b>	1800
<b>Wattage:</b>	23W
<b>Voltage:</b>	120V
<b>CRI:</b>	90>
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED




**Accessories:**  
NC Plates: G-19975 (3)

ASTER

3.5" INTERCHANGEABLE TRIMS

3.5"



3.5" INTERCHANGEABLE DEEP REGRESS TRIMS

3.5"



STYLE	CUT OUT	OD	HEIGHT	PACK
REGULAR TRIMS	3.75"	4.50"	Regular 3.15" / HO 4.85"	24
DEEP TRIM	3.75"	4.92"	Regular 4.29" / HO 6.25"	24

**ASTER**

4" INTERCHANGEABLE MODULE

4"



**G-10020**  
M4/15W/WS2/LED/SCCT

9/15W



Clear Lens



Frosted Lens

ITEM	G-11022	G-11023	G-11024	G-11020
DESCRIPTION	L4/24-DEGREE	L4/40-DEGREE	L4/60-DEGREE	L4/FROSTED/80°

<b>Lumens:</b>	950/1550
<b>Wattage:</b>	9/15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12

- 5 CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED
- LENS CHANGEABLE



**Accessories:**

**Multi Light:** G-95824 9W  
G-95825 14W

**ASTER**

4" INTERCHANGEABLE HO MODULE

4"



**G-10025**  
M4/32W/WS2/LED/SCCT

20/32W



Clear Lens



Frosted Lens

ITEM	G-11022	G-11023	G-11024	G-11020
DESCRIPTION	L4/24-DEGREE	L4/40-DEGREE	L4/60-DEGREE	L4/FROSTED/80°

<b>Lumens:</b>	3000/2000
<b>Wattage:</b>	20/32W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	60° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6
<b>IC rated-at 20W</b>	

- 5 CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED
- LENS CHANGEABLE



**Accessories:**

**Multi Light:** G-95826 20W



ASTER


4" INTERCHANGEABLE TRIMS

4"



4" INTERCHANGEABLE TRIMLESS KITS

4"



STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMMED	4.25"	4.92"	Regular 3.29" / HO 5.15"	G-19975 (4)	36
WALL TRIM WASH	4.25"	5.12"	Regular 4.48" / HO 6.34"	G-19975 (4)	36
TRIMLESS ROUND	4.25"	6.89"	Regular 3.19" / HO 5.05"	G-19975 (4)	36
TRIMLESS SQUARE	Sq 4.80" Rd 6.75"	9.45"	Regular 4.04" / HO 5.90"	G-19982 (7)	36

ASTER

6" INTERCHANGEABLE MODULE

6"



**G-48420**

M6/24W/LED/5CCT

24W



**G-48421**

T6/RD/W

Round




**G-48425**

T6/SQ/W

Square

ITEM	SHAPE	CUTOUT
G-48421	Round	5.75"
G-48425	Square	6.25"



<b>Lumens:</b>	1800
<b>Wattage:</b>	24W
<b>Voltage:</b>	120V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**  
NC Plates: G-19975 (7)

VENUS

5" REGRESS LUMINAIRE

5"

Cut Out: 5.00"



**G-20216**

R5/40W/WS3/R/LED/5CCT


White



**G-20195**

R5/40W/WS3/R/LED/5CCT/BK

Black



<b>Lumens:</b>	2000/2600/3500
<b>Wattage:</b>	23W,30W,40W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90>
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**  
NC Plate: G-19975 (6)  
Multi Light: G-95826 22W

VENUS

5" REGRESS LUMINAIRE

5"

Cut Out: 5.00"




**G-20218**  
R5/23W/SQ/LED/5CCT  
White

<b>Lumens:</b>	2000
<b>Wattage:</b>	23W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**G-20196**  
R5/40W/WS3/SQ/LED/5CCT/BK  
Black

<b>Lumens:</b>	2000/2600/3500
<b>Wattage:</b>	23W,30W,40W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



Accessories:

NC Plate: G-19975 (6)

Multi Light: G-95826 22W

VENUS


1" TRIMLESS LUMINAIRE

1"

Cut Out: 2.07"



**G-48469**  
R1/7W/R/LED/5CCT



<b>Lumens:</b>	500
<b>Wattage:</b>	7W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



Accessories:

NC Plate: G-19975 (0)

VENUS

2" TRIMLESS LUMINAIRE

2"

Cut Out: 2.56"




**G-48414**  
R2/8W/R/LED/TL/5CCT  
White

**G-48415**  
R2/8W/R/LED/TL/5CCT/BK  
Black

SQUARE MESH (ADD-ON)

<b>G-48413</b> T2/SQ/LED/W/TL	<b>G-48412</b> T2/SQ/LED/B/TL
----------------------------------	----------------------------------



<b>Lumens:</b>	600
<b>Wattage:</b>	8W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



Accessories:

NC Plate: G-19975 (1)

**VENUS**

**2" TRIMLESS HO LUMINAIRE**




SQUARE MESH (ADD-ON)

<b>G-48413</b> T2/SQ/LED/W/TL	<b>G-48412</b> T2/SQ/LED/B/TL
----------------------------------	----------------------------------

**2"**

Cut Out: 2.56"




<b>Lumens:</b>	950
<b>Wattage:</b>	14W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**  
NC Plate: G-19975 (1)

**VENUS**

**3.5" TRIMLESS LUMINAIRE**



**3.5"**

Cut Out: 3.10"


<b>Lumens:</b>	850
<b>Wattage:</b>	12W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**  
NC Plate: G-19975 (2)

**VENUS**

**3.5" HO TRIMLESS LUMINAIRE**



**3.5"**

Cut Out: 3.04"

<b>Lumens:</b>	1450
<b>Wattage:</b>	16W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**  
NC Plate: G-19975 (2)



VENUS

3.5" TRIMLESS LUMINAIRE

3.5"

Cut Out: Sq 3.40" - Rd 4.65"




**G-20233**  
R3.5/12W/SQ/LED/TL/5CCT

White

**G-20234**  
R3.5/12W/SQ/LED/TL/5CCT B

Black



<b>Lumens:</b>	850
<b>Wattage:</b>	12W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**  
NC Plate: G-19975 ( 5 )

VENUS


4" TRIMLESS LUMINAIRE

4"

Cut Out: 3.72"



**G-48400**  
R4/18W/R/LED/TL/5CCT



<b>Lumens:</b>	1600
<b>Wattage:</b>	18W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**  
NC Plate: G-19975 ( 3 )

VENUS


6" TRIMLESS LUMINAIRE

6"

Cut Out: 5.33"



**G-48406**  
R6/24W/R/LED/TL/5CCT



<b>Lumens:</b>	1800
<b>Wattage:</b>	24W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	12




**Accessories:**  
NC Plate: G-19975 ( 6 )

**SATURN**

1.5" TRIMLESS GIMBAL

**1.5"**

Cut Out: 2.56"



<b>Lumens:</b>	1000
<b>Wattage:</b>	12W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18




**Accessories:**  
NC Plate: G-19975 ( 1 )

**SATURN**

2" TRIMLESS GIMBAL

**2"**

Cut Out: 2.94"



<b>Lumens:</b>	600
<b>Wattage:</b>	8W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18





**Accessories:**  
NC Plate: G-19975 ( 2 )

**SATURN**

2" HO TRIMLESS GIMBAL

**2"**

Cut Out: 2.94"



<b>Lumens:</b>	1000
<b>Wattage:</b>	12W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18




**Accessories:**  
NC Plate: G-19975 ( 2 )

SATURN

3.5" TRIMLESS GIMBAL

3.5"

Cut Out: 3.65"



<b>Lumens:</b>	1400
<b>Wattage:</b>	14W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**

**NC Plate:** G-19975 ( 3 )


**Multi Light:** G-95825 14W

SATURN

4" TRIMLESS GIMBAL

4"

Cut Out: 4.50"



<b>Lumens:</b>	1000
<b>Wattage:</b>	13W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**


**NC Plate:** G-19975 ( 5 )

SATURN

4" HO TRIMLESS GIMBAL

4"

Cut Out: 4.50"



<b>Lumens:</b>	1500
<b>Wattage:</b>	17W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**

**NC Plate:** G-19975 ( 5 )



**SATURN**

**3" SINGLE HEAD TRIMLESS REGRESS MULTIPLE**

**3"**

Cut Out: SQ 3.50" - RD 5"

**G-95620**

R3/8W/GRS/LED/TL/5CCT



White



**G-95720**

R3/8W/GRS/LED/TL/5CCT B

Black



<b>Lumens:</b>	700
<b>Wattage:</b>	8W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

**NC Plate:** G-19975 (6)

**Multi Light:** G-95823 8W



**SATURN**

**3" DOUBLE HEAD TRIMLESS REGRESS MULTIPLE**

**3"**

Cut Out: 3.35" X 6.30"

**G-95621**

R3/15W/GR/LED/M2/TL/5CCT


White



**G-95721**

R3/15W/GR/LED/M2/TL/5CCT B

Black



<b>Lumens:</b>	1400 (700 each head)
<b>Wattage:</b>	15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

**NC Plate:** G-48318 (1)





**SATURN**

**3" TRIPLE HEAD TRIMLESS REGRESS MULTIPLE**

**3"**

**G-95622**

R3/23W/GR/LED/M3/TL/5CCT


White



**G-95722**

R3/23W/GR/LED/M3/TL/5CCT B

Black



<b>Lumens:</b>	1800 (600 each head)
<b>Wattage:</b>	23W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**  
NC Plate: G-48318 (3)

**SATURN**


**3" FOUR HEAD TRIMLESS REGRESS MULTIPLE**

**3"**

**G-97126**

R3/30W/GR/M4/LED/TL/5CCT


White



**G-97127**

R3/30W/GR/M4/LED/TL/5CCT BK

Black



<b>Lumens:</b>	2800 (700 each head)
<b>Wattage:</b>	30W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6



**Accessories:**  
NC Plate: G-48449 (1)

**SATURN**

3.5" SINGLE HEAD TRIMLESS REGRESS MULTIPLE

**3.5"**

Cut Out: Sq 3.95" - Rd 5.70"

**G-95623**

R3.5/14W/GRS/LED/TL/5CCT


White



**G-95723**

R3.5/14W/GRS/LED/TL/5CCT B

Black



<b>Lumens:</b>	1200
<b>Wattage:</b>	14W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

NC Plate: G-19975 (7)

Multi Light: G-95825 14W



**SATURN**

3.5" DOUBLE HEAD TRIMLESS REGRESS MULTIPLE


**3.5"**

Cut Out: 3.95"X 7.68"

**G-95624**

R3.5/28W/GR/LED/M2/TL/5CCT



White



**G-95724**

R3.5/28W/GR/LED/M2/TL/5CCT B

Black



<b>Lumens:</b>	2400 (1200 each head)
<b>Wattage:</b>	28W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12

**Accessories:**

NC Plate: G-48448 (0)





**SATURN**

3.5" TRIPLE HEAD TRIMLESS REGRESS MULTIPLE

**G-95625**

R3.5/42W/GR/LED/M3/TL/5CCT

White



**G-95725**


R3.5/42W/GR/LED/M3/TL/5CCT B

Black



3.5"

Cut Out: 3.95" X 11.85"



<b>Lumens:</b>	3300 (1100 each head)
<b>Wattage:</b>	42W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	12



**Accessories:**

NC Plate: G-48448 (1)

**SATURN**

3.5" FOUR HEAD TRIMLESS REGRESS MULTIPLE

**G-97220**

R3.5/52W/GR/M4/LED/TL/5CCT

White



**G-97221**


R3.5/52W/GR/M4/LED/TL/5CCT BK

Black



3.5"

Cut Out: 3.95" X 15.30"



<b>Lumens:</b>	4800 (1200 each head)
<b>Wattage:</b>	52W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6



**Accessories:**


NC Plate: G-48449 (2)

**SATURN**

**4" SINGLE HEAD TRIMLESS REGRESS MULTIPLE**

**4"**


Cut Out: Sq 4.56" - Rd 6.46"



**G-99221**

SN28W/GR/M1/5CCT/TL/WH


White



**G-99321**

SN28W/GR/M1/5CCT/TL/BK

Black



<b>Lumens:</b>	1800/2700
<b>Wattage:</b>	20/28W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12
<b>IC rated-at</b>	<b>20W</b>

**Accessories:**

NC Plate: G-19982 (7)

Multi Light: G-95826 20W



**JA8**  
TITLE 24




**SATURN**

**4" DOUBLE HEAD TRIMLESS REGRESS MULTIPLE**

**4"**

Cut Out: 4.56" X 9.60"



**G-99222**

SN56W/GR/M2/5CCT/TL/WH


White



**G-99322**

SN56W/GR/M2/5CCT/TL/BK

Black



<b>Lumens:</b>	3200/5200
<b>Wattage:</b>	36/56W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	4
<b>IC rated-at</b>	<b>36W</b>

**Accessories:**

NC Plate: G-98823 (1)



**JA8**  
TITLE 24






SATURN

4" TRIPLE HEAD TRIMLESS REGRESS MULTIPLE


4"

**G-99223**

SN84W/GR/M3/5CCT/TL/WH



White



**G-99323**

SN84W/GR/M3/5CCT/TL/BK



Black

<b>Lumens:</b>	4800/7800
<b>Wattage:</b>	54/84W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	4
<b>IC rated-at</b>	<b>54W</b>



**Accessories:**  
NC Plate: G-98823 (3)


SATURN

4" FOUR HEAD TRIMLESS REGRESS MULTIPLE


4"

**G-99224**

SN112W/GR/M4/5CCT/TL/WH




White



**G-99324**

SN112W/GR/M4/5CCT/TL/BK



Black

<b>Lumens:</b>	6400/10400
<b>Wattage:</b>	72/112W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	2



**Accessories:**  
NC Plate: G-98823 (5)

**SATURN**

2" FLUSHED GIMBAL

2"

Cut Out: 2.00"

**G-19833**

R2/5W/GR/LED/5CCT


White



**G-19834**

R2/5W/GR/LED/B/5CCT


Black



**G-19835**

R2/5W/GR/LED/BN/5CCT


Brushed Nickel



**G-19836**

R2/5W/GR/LED/BZ/5CCT


Bronze



**G-19837**

R2/5W/GR/LED/BB/5CCT

Brushed Brass



Lumens:	450
Wattage:	5W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90\* TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

- Accessories:**
- NC Plate: G-19975 (0)
  - Multi Light: G-95823 5W

**SATURN**


2" FLUSHED GIMBAL

2"

Cut Out: 2.00"

**G-19839**

R2/5W/GS/LED/5CCT



Lumens:	450
Wattage:	5W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90\* TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

- Accessories:**
- NC Plate: G-19975 (0)
  - Multi Light: G-95823 5W

SATURN

3" FLUSHED GIMBAL

3"

Cut Out: 2.75"

**G-19845**

R3/8W/GR/LED/5CCT  
120/277V Triac/0-10

White



**G-19846**

R3/8W/GR/LED/B/5CCT  
120/277V Triac/0-10


Black



**G-19847**

R3/8W/GR/LED/BN/5CCT

Brushed Nickel



**G-19848**

R3/8W/GR/LED/BZ/5CCT


Bronze



**G-19849**

R3/8W/GR/LED/BB/5CCT  
120/277V Triac/0-10

Brushed Brass



Lumens:	700
Wattage:	8W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90\* TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

Accessories:

- NC Plate: G-19975 (1)
- Multi Light: G-95823 8W

SATURN


3" FLUSHED GIMBAL

3"

Cut Out: 2.75"

**G-19851**

R3/8W/GS/LED/5CCT



Lumens:	650
Wattage:	8W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90\* TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

Accessories:

- NC Plate: G-19975 (1)
- Multi Light: G-95823 8W




**SATURN**

3" HO FLUSHED GIMBAL

**3"**

Cut Out: 2.75"



<b>Lumens:</b>	1050
<b>Wattage:</b>	11W
<b>Voltage:</b>	120/227V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**


- NC Plate: G-19975 (1)
- Multi Light: G-95824 10W

**SATURN**

3.5" FLUSHED GIMBAL

**3.5"**

Cut Out: 3.62"



<b>Lumens:</b>	1400
<b>Wattage:</b>	14W
<b>Voltage:</b>	120/227V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**

- NC Plate: G-19975 (3)
- Multi Light: G-95825 14W



SATURN

4" FLUSHED GIMBAL

4"

Cut Out: 4.00"



**G-20001**  
R4/14W/GR/LED/5CCT  
White



**G-48357**  
R4/14W/GR/B/LED/5CCT  
120/277V Triac/0-10  
Black




**G-48358**  
R4/14W/GR/BN/LED/5CCT  
Brushed Nickel



**G-48359**  
R4/14W/GR/BZ/LED/5CCT  
120/277V Triac/0-10  
Bronze



**G-20005**  
R4/14W/GR/BB/LED/5CCT  
Brushed Brass



Lumens:	1200
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

- Accessories:**
- NC Plate: G-19975 (4)
  - Multi Light: G-95825 14W

SATURN


4" FLUSHED GIMBAL

4"

Cut Out: 4.00"



**G-20006**  
R4/14W/SQ/LED/5CCT



Lumens:	1100
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC


- Accessories:**
- NC Plate: G-19975 (4)
  - Multi Light: G-95825 14W

SATURN

4" HO FLUSHED GIMBAL

4"

Cut Out: 4.00"



<b>Lumens:</b>	1750
<b>Wattage:</b>	20W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12




**Accessories:**  
 NC Plate: G-19975 (4)  
 Multi Light: G-95826 20W

SATURN

6" FLUSHED GIMBAL

6"

Cut Out: 6.25"



<b>Lumens:</b>	1400
<b>Wattage:</b>	18W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	12




**Accessories:**  
 NC Plate: G-19975 (7)

SATURN

2" REGRESS GIMBAL

2"

Cut Out: 2.45"



<b>Lumens:</b>	400
<b>Wattage:</b>	5W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**  
 NC Plate: G-19975 (1)  
 Multi Light: G-95823 5W

SATURN

2" REGRESS GIMBAL

2"

Cut Out: 2.45"




**G-20088**  
R2/SW/GSR/LED/SCCT

White

**G-20083**  
R2/SW/GSR/LED/SCCT B

Black



Lumens:	400
Wattage:	5W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:

NC Plate: G-19975 (1)

Multi Light: G-95823 5W

SATURN

3" REGRESS GIMBAL

3"

Cut Out: 3.35"



**G-20089**  
R3/8W/GRR/LED/SCCT  
120/277V Triac/0-10

White



**G-48360**  
R3/8W/GRR/LED/B/5CCT

Black



**G-48361**  
R3/8W/GRR/LED/BN/5CCT

Brushed Nickel




**G-48362**  
R3/8W/GRR/LED/BZ/5CCT

Bronze



**G-48368**  
R3/8W/GRR/LED/BB/5CCT

Brushed Brass



Lumens:	700
Wattage:	8W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:

NC Plate: G-19975 (3)

Multi Light: G-95823 8W



**SATURN**

3" REGRESS GIMBAL

3"

Cut Out: 3.35"

**G-20090**

R3/8W/GSR/LED/5CCT  
120/277V Triac/0-10

White



**G-48363**

R3/8W/GSR/LED/B/5CCT  
120/277V Triac/0-10


Black



**G-48364**

R3/8W/GSR/LED/BN/5CCT

Brushed Nickel



**G-48365**

R3/8W/GRR/LED/BZ/5CCT


Bronze



**G-48369**

R3/8W/GSR/LED/BB/5CCT

Brushed Brass



Lumens:	700
Wattage:	8W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

**Accessories:**

- NC Plate: G-19975 (3)
- Multi Light: G-95823 8W

**SATURN**

3" HO REGRESS GIMBAL

3"

Cut Out: 3.35"

**G-97320**

R3/11W/GRR/LED/SCCT


White



**G-97321**

R3/11W/GRR/LED/SCCT BK

Black



Lumens:	1050
Wattage:	11W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

**Accessories:**


- NC Plate: G-19975 (3)
- Multi Light: G-95824 10W

SATURN

3" HO REGRESS GIMBAL

3"

Cut Out: 3.35"



<b>Lumens:</b>	1050
<b>Wattage:</b>	11W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18




**Accessories:**  
 NC Plate: G-19975 ( 3 )  
 Multi Light: G-95824 10W

SATURN

3.5" REGRESS GIMBAL

3.5"

Cut Out: 4.00"



<b>Lumens:</b>	1400
<b>Wattage:</b>	14W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18




**Accessories:**  
 NC Plate: G-19975 ( 4 )  
 Multi Light: G-95825 14W

SATURN

4" REGRESS GIMBAL

4"

Cut Out: 4.55"



<b>Lumens:</b>	1100
<b>Wattage:</b>	14W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**  
 NC Plate: G-19975 ( 5 )  
 Multi Light: G-95825 14W

**SATURN**

**4" HO REGRESS GIMBAL**


**4"**

Cut Out: 4.55"



**G-97420**  
R4/20W/GRR/LED/SCCT  
White

**G-97421**  
R4/20W/GRR/LED/SCCT BK  
120/277V Triac/0-10  
Black



<b>Lumens:</b>	1750
<b>Wattage:</b>	20W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12



**Accessories:**  
NC Plate: G-19975 ( 5 )  
Multi Light: G-95826 20W

**SATURN**

**4" REGRESS GIMBAL**


**4"**

Cut Out: 4.55"



**G-20092**  
R4/14W/GSR/LED/SCCT  
White

**G-48367**  
R4/14W/GSR/LED/BK/SCCT  
120/277V Triac/0-10  
Black



<b>Lumens:</b>	1200
<b>Wattage:</b>	14W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**  
NC Plate: G-19975 ( 5 )  
Multi Light: G-95825 14W

**SATURN**

**4" HO REGRESS GIMBAL**


**4"**

Cut Out: 4.55"



**G-97425**  
R4/20W/GSR/LED/SCCT  
White

**G-97426**  
R4/20W/GSR/LED/SCCT BK  
Black



<b>Lumens:</b>	1750
<b>Wattage:</b>	20W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12



**Accessories:**  
NC Plate: G-19975 ( 5 )  
Multi Light: G-95826 20W



SATURN

6" REGRESS GIMBAL

6"

Cut Out: 6.00"

G-20093


R6/22W/GRR/LED/5CCT

White

G-20095

R6/22W/GRR/LED/5CCT BK

Black



<b>Lumens:</b>	2200
<b>Wattage:</b>	22W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6

Accessories:

NC Plate: G-19975 (7)

Multi Light: G-95826 22W



SATURN

6" REGRESS GIMBAL

6"

Cut Out: SQ 6.00" RD 6.80"

G-20094

R6/22W/GRS/LED/5CCT

White

G-20096


R6/22W/GRS/LED/5CCT BK

Black



<b>Lumens:</b>	2200
<b>Wattage:</b>	22W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6

<b>Lumens:</b>	2200/3400
<b>Wattage:</b>	22/40W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6
<b>IC rated-at 22W</b>	



Accessories:

NC Plate: G-19982 (7)

Multi Light: G-95826 22W



**SATURN**


2" DOUBLE HEAD REGRESS MULTIPLE

2"

Cut Out: 2.70"-5.12"

**G-48314**

R2/10W/GR/M2/LED/5CCT



<b>Lumens:</b>	900 (450 each head)
<b>Wattage:</b>	10W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

**Accessories:**

NC Plate: G-48318 (0)

**SATURN**


2" TRIPLE HEAD REGRESS MULTIPLE

2"

Cut Out: 2.70"-7.48"

**G-48315**

R2/15W/GR/M3/LED/5CCT



<b>Lumens:</b>	1200 (400 each head)
<b>Wattage:</b>	15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

**Accessories:**


NC Plate: G-48318 (2)

SATURN

3" DOUBLE HEAD REGRESS MULTIPLE

3"

Cut Out: 3.35" x 6.30"



<b>Lumens:</b>	1200 (600 each head)
<b>Wattage:</b>	15W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18




**Accessories:**  
NC Plate: G-48318 (1)

SATURN

3" DOUBLE HEAD REGRESS MULTIPLE

3"

Cut Out: 3.35" x 9.45"



<b>Lumens:</b>	1800 (600 each head)
<b>Wattage:</b>	23W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18




**Accessories:**  
NC Plate: G-48318 (3)

SATURN

3" FOUR HEAD REGRESS MULTIPLE

3"

Cut Out: 3.5" x 12.5"



<b>Lumens:</b>	2800 (700 each head)
<b>Wattage:</b>	30W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6



**Accessories:**  
NC Plate: G-48449 (1)



**SATURN**

3.5" SINGLE HEAD REGRESS MULTIPLE

**3.5"**

Cut Out: SQ 4.00" - RD 5.15"

**G-48441**


R3.5/14W/GR/M1/LED/5CCT

White

**G-48440**

R3.5/14W/GR/M1/LED/5CCT BK

Black



<b>Lumens:</b>	1400
<b>Wattage:</b>	14W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

NC Plate: G-19975 ( 6 )

Multi Light: G-95825 14W



**SATURN**

3.5" DOUBLE HEAD REGRESS MULTIPLE

**3.5"**

Cut Out: 3.94" x 7.68"

**G-48442**


R3.5/28W/GR/M2/LED/5CCT

White

**G-48444**

R3.5/28W/GR/M2/LED/5CCT B

Black



<b>Lumens:</b>	2400 (1200 each head)
<b>Wattage:</b>	28W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12

**Accessories:**

NC Plate: G-48448 ( 0 )



**SATURN**

3.5" TRIPLE HEAD REGRESS MULTIPLE

3.5"

Cut Out: 3.94" x 11.42"

**G-48443**

R3.5/42W/GR/M3/LED/5CCT


White



**G-48445**

R3.5/42W/GR/M3/LED/5CCT B

Black



<b>Lumens:</b>	3300 (1100 each head)
<b>Wattage:</b>	42W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	12



**Accessories:**

NC Plate: G-48448 (1)

**SATURN**

3.5" FOUR HEAD REGRESS MULTIPLE

3.5"

Cut Out: 4" X 15.3"

**G-97128**

R3.5/52W/GR/M4/LED/5CCT


White



**G-97129**

R3.5/52W/GR/M4/LED/5CCT BK

Black



<b>Lumens:</b>	4800 (1200 each head)
<b>Wattage:</b>	52W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6



**Accessories:**



NC Plate: G-48449 (2)

**SATURN**

4" SINGLE HEAD REGRESS MULTIPLE

4"

Cut Out: 4.55"



<b>Lumens:</b>	1750
<b>Wattage:</b>	20W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

**NC Plate:** G-19975 ( 5 )

**Multi Light:** G-95826 20W



**JA8**  
TITLE 24

**ETL**  
US


**FC**

**SATURN**

4" DOUBLE HEAD REGRESS MULTIPLE

4"

Cut Out: 4.65"X 9.37"



<b>Lumens:</b>	3200/5200
<b>Wattage:</b>	36/56W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	4
<b>IC rated-at</b>	36W

**Accessories:**

**NC Plate:** G-98823 ( 1 )



**JA8**  
TITLE 24

**ETL**  
US

**FC**



SATURN

4" TRIPLE HEAD REGRESS MULTIPLE


4"

Cut Out: 4.65" X 14.40"

G-99023

SN/4/84W/GR/M3/5CCT/WH

White



G-99123

SN/4/84W/GR/M3/5CCT/BK

Black



<b>Lumens:</b>	4800/7800
<b>Wattage:</b>	54/84W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	4
<b>IC rated-at</b>	54W



JA8  
TITLE 24



Accessories:

NC Plate: G-98823 (3)

SATURN

4" FOUR HEAD REGRESS MULTIPLE



4"

Cut Out: 4.65" X 19.50"

G-99024

SN4/112W/GR/M4/5CCT/WH

White



G-99124

SN/4/112W/GR/M4/5CCT/BK

Black



<b>Lumens:</b>	6400/10400
<b>Wattage:</b>	72/112W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	60°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	2
<b>IC rated-at</b>	72W



JA8  
TITLE 24



Accessories:

NC Plate: G-98823 (5)


PURA

3.5" ROUND GIMBAL



PURA LENS OPTIONS

<b>G-98825</b> PR/L/24-DEGREE	<b>G-98827</b> PR/L/60-DEGREE
----------------------------------	----------------------------------



**3.5"**

Cut Out: 3.50"

<b>Lumens:</b>	1400/1850
<b>Wattage:</b>	14/19W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18
<b>IC rated-at 14W</b>	

Accessories:

NC Plate: G-19975 (3)

Multi Light: G-95825 14W / G-95825 18W

Lens: G-98825 24°/G-98826 40°/G-98827 60°




PURA

3.5" SINGLE HEAD MULTIPLE



PURA LENS OPTIONS

<b>G-98825</b> PR/L/24-DEGREE	<b>G-98827</b> PR/L/60-DEGREE
----------------------------------	----------------------------------



**3.5"**

Cut Out: 3.50"

<b>Lumens:</b>	1400/1850
<b>Wattage:</b>	14/19W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18
<b>IC rated-at 14W</b>	

Accessories:

NC Plate: G-19975 (3)


Multi Light: G-95825 14W / G-95825 18W

Lens: G-98825 24°/G-98826 40°/G-98827 60°




PURA

3.5" DOUBLE HEAD MULTIPLE



PURA LENS OPTIONS

<b>G-98825</b> PR/L/24-DEGREE	<b>G-98827</b> PR/L/60-DEGREE
----------------------------------	----------------------------------



**3.5"**

Cut Out: 3.50" x 7.10"

<b>Lumens:</b>	2600/3600
<b>Wattage:</b>	27/40W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12
<b>IC rated-at 27W</b>	

Accessories:

NC Plate: G-98822 (0)

Lens: G-98825 24°/G-98826 40°/G-98827 60°



PURA

3.5" TRIPLE HEAD MULTIPLE

**G-98723**

PR/3.5/60W/GR/M3/5CCT/WH



White

**G-98728**

PR/3.5/60W/GR/M3/5CCT/BK



Black

PURA LENS OPTIONS



G-98825


G-98827

PR/L/24-DEGREE

PR/L/60-DEGREE

3.5"

Cut Out: 3.50" x 10.70"



<b>Lumens:</b>	3750/5250
<b>Wattage:</b>	39/60W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6
<b>IC rated-at</b>	<b>39W</b>



Accessories:

NC Plate: G-98822 ( 2 )

Lens: G-98825 24°/G-98826 40°/G-98827 60°

PURA

3.5" FOUR HEAD MULTIPLE

**G-98724**

PR/3.5/80W/GR/M4/5CCT/WH



White

**G-98729**

PR/3.5/80W/GR/M4/5CCT/BK



Black

PURA LENS OPTIONS



G-98825


G-98827

PR/L/24-DEGREE

PR/L/60-DEGREE

3.5"

Cut Out: 3.50" x 14.30"



<b>Lumens:</b>	4900/6800
<b>Wattage:</b>	50/80W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6
<b>IC rated-at</b>	<b>50W</b>



Accessories:

NC Plate: G-98822 ( 4 )

Lens: G-98825 24°/G-98826 40°/G-98827 60°




**FLARION**

**3" FLOATING ROUND GIMBAL**



FLARION LENS OPTIONS

<b>G-01420</b>	<b>G-01422</b>
FL/L3/24-DEGREE	FL/L3/60-DEGREE



**3"**

Cut Out: 2.95"

<b>Lumens:</b>	700
<b>Wattage:</b>	8W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

<b>NC Plate:</b>	G-19975 ( 2 )
<b>Multi Light:</b>	G-95823 8W
<b>Lens:</b>	G-01420 24°/G-01421 40°/G-01422 60°




**FLARION**

**3.5" FLOATING ROUND GIMBAL**



FLARION LENS OPTIONS

<b>G-01425</b>	<b>G-01427</b>
FL/L3.5/24-DEGREE	FL/L3.5/60-DEGREE



**3.5"**

Cut Out: 3.65"

<b>Lumens:</b>	850
<b>Wattage:</b>	10W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

<b>NC Plate:</b>	G-19975 ( 3 )
<b>Multi Light:</b>	G-95823 10W
<b>Lens:</b>	G-01425 24°/G-01426 40°/G-01427 60°




**FLARION**

**4" FLOATING ROUND GIMBAL**



FLARION LENS OPTIONS

<b>G-01520</b>	<b>G-01522</b>
FL/L4/24-DEGREE	FL/L4/60-DEGREE



**4"**

Cut Out: 4.25"

<b>Lumens:</b>	1200
<b>Wattage:</b>	13W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

<b>NC Plate:</b>	G-19975 ( 4 )
<b>Multi Light:</b>	G-95824 12W
<b>Lens:</b>	G-01520 24°/G-01521 40°/G-01522 60°



FLARION

3" FLOATING SINGLE HEAD MULTIPLE

FLARION LENS OPTIONS

G-01420	G-01422
FL/L3/24-DEGREE	FL/L3/60-DEGREE

3"

Cut Out: 2.95"

**G-00821**

FL/3/8W/GR/M1/5CCT/WH


White



**G-00921**

FL/3/8W/GR/M1/5CCT/BK

Black



<b>Lumens:</b>	700
<b>Wattage:</b>	8W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

Accessories:

NC Plate: G-19975 (2)

Multi Light: G-95823 8W

Lens: G-01420 24°/G-01421 40°/G-01422 60°



FLARION

3" FLOATING DOUBLE HEAD MULTIPLE

FLARION LENS OPTIONS

G-01420	G-01422
FL/L3/24-DEGREE	FL/L3/60-DEGREE

3"

Cut Out: 2.95" X 6.15"

**G-00822**

FL/3/15W/GR/M2/5CCT/WH



White



**G-00922**

FL/3/15W/GR/M2/5CCT/BK

Black



<b>Lumens:</b>	1400 (700 each head)
<b>Wattage:</b>	15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

Accessories:

NC Plate: G-98821 (1)

Lens: G-01420 24°/G-01421 40°/G-01422 60°



**FLARION**

**3" FLOATING TRIPLE HEAD MULTIPLE**

FLARION LENS OPTIONS

<b>G-01420</b>	<b>G-01422</b>
FL/L3/24-DEGREE	FL/L3/60-DEGREE



**3"**

Cut Out: 2.95" X 9.45"

**G-00823**

FL/3/23W/GR/M3/5CCT/WH

White



**G-00923**

FL/3/23W/GR/M3/5CCT/BK

Black



<b>Lumens:</b>	2100 (700 each head)
<b>Wattage:</b>	23W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12



**Accessories:**

**NC Plate:** G-98821 (3)  
**Lens:** G-01420 24°/G-01421 40°/G-01422 60°

**FLARION**

**3" FLOATING FOUR HEAD MULTIPLE**

FLARION LENS OPTIONS

<b>G-01420</b>	<b>G-01422</b>
FL/L3/24-DEGREE	FL/L3/60-DEGREE



**3"**

Cut Out: 2.95" X 13.05"

**G-00824**

FL/3/32W/GR/M4/5CCT/WH

White



**G-00924**

FL/3/32W/GR/M4/5CCT/BK

Black



<b>Lumens:</b>	2800 (700 each head)
<b>Wattage:</b>	32W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6



**Accessories:**

**NC Plate:** G-98821 (5)  
**Lens:** G-01420 24°/G-01421 40°/G-01422 60°



**FLARION**

**3.5" FLOATING SINGLE HEAD MULTIPLE**

FLARION LENS OPTIONS

<b>G-01425</b>	<b>G-01427</b>
FL/L3.5/24-DEGREE	FL/L3.5/60-DEGREE



**3.5"**  
Cut Out: 3.65"


**G-01021**  
FL/3.5/10W/GR/M1/5CCT/WH

White



**G-01121**  
FL/3.5/10W/GR/M1/5CCT/BK

Black



<b>Lumens:</b>	850
<b>Wattage:</b>	10W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

<b>NC Plate:</b>	G-19975 ( 4 )
<b>Multi Light:</b>	G-95824 10W
<b>Lens:</b>	G-01425 24°/G-01426 40°/G-01427 60°

SCCT COLOR SELECTABLE | CRI 90+ TRUE COLORS | AIR TIGHT | WET LOCATION | DIMMABLE DOWN TO 5% | IC RATED | LENS CHANGEABLE

JA8 TITLE 24 | ETL US | FC

**FLARION**

**3.5" FLOATING DOUBLE HEAD MULTIPLE**

FLARION LENS OPTIONS

<b>G-01425</b>	<b>G-01427</b>
FL/L3.5/24-DEGREE	FL/L3.5/60-DEGREE



**3.5"**  
Cut Out: 3.65" X 7.60"


**G-01022**  
FL/3.5/20W/GR/M2/5CCT/WH

White



**G-01122**  
FL/3.5/20W/GR/M2/5CCT/BK

Black



<b>Lumens:</b>	1600 (800 each head)
<b>Wattage:</b>	20W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

<b>NC Plate:</b>	G-98822 ( 1 )
<b>Lens:</b>	G-01425 24°/G-01426 40°/G-01427 60°

SCCT COLOR SELECTABLE | CRI 90+ TRUE COLORS | AIR TIGHT | WET LOCATION | DIMMABLE DOWN TO 5% | IC RATED | LENS CHANGEABLE

JA8 TITLE 24 | ETL US | FC

**FLARION**

**3.5" FLOATING TRIPLE HEAD MULTIPLE**

FLARION LENS OPTIONS

<b>G-01425</b>	<b>G-01427</b>
FL/L3.5/24-DEGREE	FL/L3.5/60-DEGREE

**3.5"**

Cut Out: 3.65" X 11.85"



**G-01023**

FL/3.5/27W/GR/M3/5CCT/WH


White



**G-01123**

FL/3.5/27W/GR/M3/5CCT/BK

Black



<b>Lumens:</b>	2400 (800 each head)
<b>Wattage:</b>	27W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12



**Accessories:**

**NC Plate:** G-98822 ( 3 )

**Lens:** G-01425 24°/G-01426 40°/G-01427 60°

**FLARION**

**3.5" FLOATING FOUR HEAD MULTIPLE**

FLARION LENS OPTIONS

<b>G-01425</b>	<b>G-01427</b>
FL/L3.5/24-DEGREE	FL/L3.5/60-DEGREE

**3.5"**

Cut Out: 3.65" X 16.15"



**G-01024**

FL/3.5/36W/GR/M4/5CCT/WH


White



**G-01124**

FL/3.5/36W/GR/M4/5CCT/BK

Black



<b>Lumens:</b>	3200 (800 each head)
<b>Wattage:</b>	36W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6



**Accessories:**

**NC Plate:** G-98822 ( 5 )

**Lens:** G-01425 24°/G-01426 40°/G-01427 60°

**FLARION**

**4" FLOATING SINGLE HEAD MULTIPLE**

**G-01221**

FL/4/13W/GR/M1/5CCT/WH

White



**G-01321**

FL/4/13W/GR/M1/5CCT/BK

Black




FLARION LENS OPTIONS

G-01520	G-01522
FL/L4/24-DEGREE	FL/L4/60-DEGREE



**4"**

Cut Out: 4.25"



<b>Lumens:</b>	1200
<b>Wattage:</b>	13W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

- NC Plate:** G-19975 (4)
- Multi Light:** G-95824 12W
- Lens:** G-01520 24°/G-01521 40°/G-01522 60°

5CCT COLOR SELECTABLE | CRI 90° TRUE COLORS | AIR TIGHT | WET LOCATION | DIMMABLE DOWN TO 5% | IC RATED | LENS CHANGEABLE

JA8 TITLE 24 | ETL US | FC

**FLARION**

**4" FLOATING DOUBLE HEAD MULTIPLE**

**G-01222**

FL/4/26W/GR/M2/5CCT/WH

White



**G-01322**

FL/4/26W/GR/M2/5CCT/BK

Black




FLARION LENS OPTIONS

G-01520	G-01522
FL/L4/24-DEGREE	FL/L4/60-DEGREE



**4"**

Cut Out: 4.25" X 8.95"



<b>Lumens:</b>	2400 (1200 each head)
<b>Wattage:</b>	26W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**

- NC Plate:** G-98823 (0)
- Lens:** G-01520 24°/G-01521 40°/G-01522 60°

5CCT COLOR SELECTABLE | CRI 90° TRUE COLORS | AIR TIGHT | WET LOCATION | DIMMABLE DOWN TO 5% | IC RATED | LENS CHANGEABLE

JA8 TITLE 24 | ETL US | FC



**FLARION**

**4" FLOATING TRIPLE HEAD MULTIPLE**

FLARION LENS OPTIONS

G-01520	G-01522
FL/L4/24-DEGREE	FL/L4/60-DEGREE



**4"**



Cut Out: 4.25" X 13.85"



**G-01223**

FL/4/36W/GR/M3/5CCT/WH

White



**G-01323**

FL/4/36W/GR/M3/5CCT/BK

Black

<b>Lumens:</b>	3600 (1200 each head)
<b>Wattage:</b>	36W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12



**Accessories:**

**NC Plate:** G-98823 ( 2 )

**Lens:** G-01520 24°/G-01521 40°/G-01522 60°

**FLARION**

**4" FLOATING FOUR HEAD MULTIPLE**

FLARION LENS OPTIONS

G-01520	G-01522
FL/L4/24-DEGREE	FL/L4/60-DEGREE



**4"**


Cut Out: 4.25" X 18.80"



**G-01224**

FL/4/48W/GR/M4/5CCT/WH

White



**G-01324**

FL/4/48W/GR/M4/5CCT/BK

Black

<b>Lumens:</b>	4600 (1150 each head)
<b>Wattage:</b>	48W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40° Clear (by Default)
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6



**Accessories:**

**NC Plate:** G-98823 ( 4 )

**Lens:** G-01520 24°/G-01521 40°/G-01522 60°

DIPPER

2" ROUND RETRACTABLE DOWNLIGHT

2"

Cut Out: 1.92"

**G-21050**



DP2/RD/3W/5CCT/WT

White

**G-21064**

DP2/RD/3W/5CCT/BK

Black



<b>Lumens:</b>	170
<b>Wattage:</b>	3W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

**Accessories:**  
NC Plate: G-19975 (0)

DIPPER

2" SINGLE HEAD RETRACTABLE DOWNLIGHT

2"

Cut Out: 1.70" X 1.85"

**G-21051**



DP2/SQ/3W/5CCT/WT

White

**G-21065**

DP2/SQ/3W/5CCT/BK

Black



<b>Lumens:</b>	170
<b>Wattage:</b>	3W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

**Accessories:**  
NC Plate: G-21062 (0)

DIPPER


2" DOUBLE HEAD RETRACTABLE DOWNLIGHT



**G-21052**  
DP2/M2/6W/5CCT/WT  
White



**G-21066**  
DP2/M2/6W/5CCT/BK  
Black



<b>Lumens:</b>	400 (200 each head)
<b>Wattage:</b>	6W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18

- 5CCT COLOR SELECTABLE
- CRI 90° TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

JA8  
TITLE 24

ETL  
US

FC

Accessories:

NC Plate: G-21062 (1)

DIPPER


2" FIVE HEAD RETRACTABLE DOWNLIGHT



**G-21055**  
FL/4/48W/GR/M4/5CCT/WH  
White



**G-21069**  
DP2/M5/15W/5CCT/BK  
Black



<b>Lumens:</b>	980 (196 each head)
<b>Wattage:</b>	15W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	40°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18

- 5CCT COLOR SELECTABLE
- CRI 90° TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

JA8  
TITLE 24

ETL  
US

FC

Accessories:

NC Plate: G-21062 (3)



REGULUS

2" REGRESS SLIM

2"

Cut Out: 2.08"



**G-48508**


RS2/8W/R/LED/SCCT

Round

**G-48509**

RS2/8W/SQ/LED/SCCT

Square



<b>Lumens:</b>	500
<b>Wattage:</b>	8W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**

<b>NC Plate:</b>	G-19975 (0)
<b>Multi Light:</b>	G-95823 8W

REGULUS

3" REGRESS SLIM

3"

Cut Out: 2.91"



**G-48337**


RS3/10W/R/LED/SCCT

Round

**G-48338**

RS3/10W/SQ/LED/SCCT

Square



<b>Lumens:</b>	750
<b>Wattage:</b>	10W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**

<b>NC Plate:</b>	G-19975 (2)
<b>Multi Light:</b>	G-95824 10W

REGULUS

4" REGRESS SLIM

4"

Cut Out: 4.25"



**G-20241**

RS4/15W/R/LED/SCCT

Round


**G-20244**

RS4/15W/SQ/LED/SCCT

Square

TRIM REPLACEMENT

<b>G-48460</b>	<b>G-48461</b>
RT4/R/COVER/BLACK	RT4/SQ/COVER/BLACK



<b>Lumens:</b>	1400
<b>Wattage:</b>	15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**


<b>NC Plate:</b>	G-19975 (4)
<b>Multi Light:</b>	G-95825 14W

REGULUS

5" REGRESS SLIM

5"

Cut Out: 5.20"



<b>Lumens:</b>	1800
<b>Wattage:</b>	23W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**


<b>NC Plate:</b>	G-19975 (6)
<b>Multi Light:</b>	G-95826 22W

REGULUS

6" REGRESS SLIM

6"

Cut Out: 6.29"



<b>Lumens:</b>	950/1750/2700
<b>Wattage:</b>	10W/18W/28W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12



**Accessories:**


<b>NC Plate:</b>	G-19975 (7)
<b>Multi Light:</b>	G-95824 10W / G-95825 18W

REGULUS

3" TRIMLESS REGRESS SLIM

3"

Cut Out: 2.72"



<b>Lumens:</b>	750
<b>Wattage:</b>	10W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**

<b>NC Plate:</b>	G-19975 (1)
<b>Multi Light:</b>	G-95824 10W

REGULUS

3" TRIMLESS REGRESS SLIM


3"

Cut Out: SQ 2.45" RD 3.24"

**G-96821**

RS3/10W/SQ/LED/TL/SCCT

Square



Lumens:	750
Wattage:	10W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate:	G-19975 (3)
Multi Light:	G-95824 10W

REGULUS

4" TRIMLESS REGRESS SLIM


4"

Cut Out: 3.85"

**G-96722**

RS4/15W/R/LED/TL/SCCT

Round



Lumens:	1300
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate:	G-19975 (4)
Multi Light:	G-95825 14W

REGULUS

4" TRIMLESS REGRESS SLIM



4"

Cut Out: SQ 3.23" RD 4.40"

**G-96822**

RS4/15W/SQ/LED/TL/SCCT

Square



Lumens:	1300
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate:	G-19975 (5)
Multi Light:	G-95825 14W





STAR

2" ROUND FLUSHED SLIM

2"

Cut Out: 2.08"

**G-20219**  
S2/5W/R/LED/5CCT



<b>Lumens:</b>	300
<b>Wattage:</b>	5W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**

<b>NC Plate:</b>	G-19957 ( 0 )
<b>Multi Light:</b>	G-95823 5W


STAR

3" ROUND FLUSHED SLIM

3"

Cut Out: 2.94"

**G-20220**  
S3/8W/R/LED/5CCT



<b>Lumens:</b>	600
<b>Wattage:</b>	8W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**

<b>NC Plate:</b>	G-19975 ( 2 )
<b>Multi Light:</b>	G-95823 8W


STAR

4" ROUND FLUSHED SLIM

4"

Cut Out: 4.25"

**G-20221**  
S4/12W/R/LED/5CCT



<b>Lumens:</b>	1000
<b>Wattage:</b>	12W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18




**Accessories:**

<b>NC Plate:</b>	G-19975 ( 4 )
<b>Multi Light:</b>	G-95824 12W

STAR

5" ROUND FLUSHED SLIM

**G-20222**  
S5/15W/R/LED/SCCT



5"

Cut Out: 5.25"




<b>Lumens:</b>	1350
<b>Wattage:</b>	15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**  
**NC Plate:** G-19975 (6)  
**Multi Light:** G-95825 14W

STAR

6" ROUND FLUSHED SLIM

**G-20223**  
S6/20W/R/LED/SCCT



6"

Cut Out: 6.20"




<b>Lumens:</b>	1800
<b>Wattage:</b>	20W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18

**Accessories:**  
**NC Plate:** G-19975 (7)  
**Multi Light:** G-95826 20W

STAR

8" ROUND FLUSHED SLIM

**G-20224**  
S8/24W/R/LED/SCCT



8"

Cut Out: 8.25"



<b>Lumens:</b>	2200
<b>Wattage:</b>	24W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18


**Accessories:**  
**NC Plate:** G-19982 (8)

STAR

12" ROUND FLUSHED SLIM



**G-02320**  
S12/45W/R/LED/5CCT



**12"**

Cut Out: 11.90"

<b>Lumens:</b>	4000
<b>Wattage:</b>	45W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	6




FABULON

4" ROUND BAFFLE SLIM



**G-97822**  
SB4/12W/R/LED/5CCT



**4"**

Cut Out: 4.20"

<b>Lumens:</b>	1000
<b>Wattage:</b>	12W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18




**Accessories:**


<b>NC Plate:</b>	G-19975 (4)
<b>Multi Light:</b>	G-95824 12W

FABULON

6" ROUND BAFFLE SLIM



**G-97824**  
SB6/20W/R/LED/5CCT



**6"**

Cut Out: 6.20"

<b>Lumens:</b>	1800
<b>Wattage:</b>	20W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**

<b>NC Plate:</b>	G-19975 (7)
<b>Multi Light:</b>	G-95826 20W




STAR

2" SQUARE FLUSHED SLIM

2"

Cut Out: 2.08"

**G-20217**  
S2/5W/SQ/LED/5CCT



<b>Lumens:</b>	300
<b>Wattage:</b>	5W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**

<b>NC Plate:</b>	G-19975 ( 0 )
<b>Multi Light:</b>	G-95823 5W


STAR

3" SQUARE FLUSHED SLIM

3"

Cut Out: 2.94"

**G-20225**  
S3/8W/SQ/LED/5CCT



<b>Lumens:</b>	500
<b>Wattage:</b>	8W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**

<b>NC Plate:</b>	G-19975 ( 2 )
<b>Multi Light:</b>	G-95823 8W



STAR

4" SQUARE FLUSHED SLIM

4"

Cut Out: 4.25"

**G-20226**  
S4/12W/SQ/LED/5CCT



<b>Lumens:</b>	850
<b>Wattage:</b>	12W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



**Accessories:**


<b>NC Plate:</b>	G-19975 ( 4 )
<b>Multi Light:</b>	G-95824 12W

STAR


5" SQUARE FLUSHED SLIM

5"

Cut Out: 5.25"



**G-20227**  
S5/15W/SQ/LED/5CCT



<b>Lumens:</b>	1350
<b>Wattage:</b>	15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**


<b>NC Plate:</b>	G-19975 (6)
<b>Multi Light:</b>	G-95825 14W

STAR


6" SQUARE FLUSHED SLIM

6"

Cut Out: 6.20"



**G-20228**  
S6/18W/SQ/LED/5CCT



<b>Lumens:</b>	1400
<b>Wattage:</b>	18W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**

<b>NC Plate:</b>	G-19975 (7)
<b>Multi Light:</b>	G-95825 18W

STAR


8" SQUARE FLUSHED SLIM

8"

Cut Out: 8.25"



**G-20229**  
S8/24W/SQ/LED/3CCT



<b>Lumens:</b>	2200
<b>Wattage:</b>	24W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	30,41,50K
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



STAR

3" ROUND TRIMLESS FLUSHED



3"

Cut Out: 2.83"

**G-96621**

SR3/15W/R/5CCT/TL

Round



<b>Lumens:</b>	800/1200
<b>Wattage:</b>	10/15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18
<b>IC rated-at 10W</b>	



JA8  
TITLE 24



Accessories:

NC Plate: G-19975 ( 2 )

Multi Light: G-95824 10W / G-95825 14W

STAR

4" ROUND TRIMLESS FLUSHED



4"

Cut Out: 4.17"

**G-96622**

SR4/20W/R/5CCT/TL

Round



<b>Lumens:</b>	1400/1700
<b>Wattage:</b>	15/20W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18
<b>IC rated-at 15W</b>	



JA8  
TITLE 24



Accessories:

NC Plate: G-19975 ( 4 )

Multi Light: G-95825 14W / G-95826 20W

STAR

3" SQUARE TRIMLESS FLUSHED



3"

Cut Out: 2.28"

**G-96625**

SR3/15W/SQ/5CCT/TL

Square



<b>Lumens:</b>	750/1100
<b>Wattage:</b>	10/15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18
<b>IC rated-at 10W</b>	



JA8  
TITLE 24



Accessories:

NC Plate: G-19975 ( 3 )

Multi Light: G-95824 10W / G-95825 14W

STAR

4" SQUARE TRIMLESS FLUSHED



4"

Cut Out: 2.95"

**G-96626**

SR4/20W/SQ/5CCT/TL

Square



<b>Lumens:</b>	1400/1700
<b>Wattage:</b>	15/20W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18
<b>IC rated-at 15W</b>	



**Accessories:**  
**NC Plate:** G-19975 (4)  
**Multi Light:** G-95825 14W / G-98526 20W

FIRE RATED

3" FIRE RATED ROUND SLIM


3"

Cut Out: 2.85"

**G-96921**

S3/8W/R/LED/5CCT FR

Fire Rated



<b>Lumens:</b>	600
<b>Wattage:</b>	8W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Wire:</b>	FT6 Plenum rated
<b>Certified:</b>	UL 263 & ASTM E119
<b>Pack:</b>	18



**Accessories:**  
**NC Plate:** G-19975 (2)  
**Multi Light:** G-95823 8W

FIRE RATED

4" FIRE RATED ROUND SLIM


4"

Cut Out: 3.90"

**G-96922**

S4/12W/R/LED/5CCT FR

Fire Rated



<b>Lumens:</b>	925
<b>Wattage:</b>	12W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Wire:</b>	FT6 Plenum rated
<b>Certified:</b>	UL 263 & ASTM E119
<b>Pack:</b>	18



**Accessories:**  
**NC Plate:** G-19975 (4)  
**Multi Light:** G-95824 12W




**FIRE RATED**

5" FIRE RATED ROUND SLIM

5"

Cut Out: 4.90"

**G-96923**  
S5/15W/R/LED/SCCT FR  
Fire Rated



<b>Lumens:</b>	1200
<b>Wattage:</b>	15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Wire:</b>	FT6 Plenum rated
<b>Certified:</b>	UL 263 & ASTM E119
<b>Pack:</b>	18

**Accessories:**

<b>NC Plate:</b>	G-19975 (6)
<b>Multi Light:</b>	G-95825 14W


**FIRE RATED**

6" FIRE RATED ROUND SLIM

6"

Cut Out: 6.10"

**G-96924**  
RS6/18W/R/LED/SCCT FR  
Fire Rated



<b>Lumens:</b>	1600
<b>Wattage:</b>	18W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Wire:</b>	FT6 Plenum rated
<b>Certified:</b>	UL 263 & ASTM E119
<b>Pack:</b>	18

**Accessories:**

<b>NC Plate:</b>	G-19975 (7)
<b>Multi Light:</b>	G-95825 18W


**FIRE RATED**

3" FIRE RATED SQUARE SLIM

3"

Cut Out: 2.85"

**G-97021**  
S3/8W/SQ/LED/SCCT FR  
Fire Rated



<b>Lumens:</b>	550
<b>Wattage:</b>	8W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Wire:</b>	FT6 Plenum rated
<b>Certified:</b>	UL 263 & ASTM E119
<b>Pack:</b>	18

**Accessories:**

<b>NC Plate:</b>	G-19975 (2)
<b>Multi Light:</b>	G-92523 8W

**FIRE RATED**

**4" FIRE RATED SQUARE SLIM**


**4"**

Cut Out: 3.95"

**G-97022**

S4/12W/SQ/LED/5CCT FR

Fire Rated



<b>Lumens:</b>	850
<b>Wattage:</b>	12W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Wire:</b>	FT6 Plenum rated
<b>Certified:</b>	UL 263 & ASTM E119
<b>Pack:</b>	18



**Accessories:**  
**NC Plate:** G-19975 (4)  
**Multi Light:** G-95824 12W

**FIRE RATED**

**5" FIRE RATED SQUARE SLIM**


**5"**

Cut Out: 5.10"

**G-97023**

S5/15W/SQ/LED/5CCT FR

Fire Rated



<b>Lumens:</b>	1600
<b>Wattage:</b>	18W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Wire:</b>	FT6 Plenum rated
<b>Certified:</b>	UL 263 & ASTM E119
<b>Pack:</b>	18



**Accessories:**  
**NC Plate:** G-19975 (6)  
**Multi Light:** G-95825 18W

**FIRE RATED**

**6" FIRE RATED SQUARE SLIM**



**6"**

Cut Out: 6.10"

**G-97024**

S6/18W/SQ/LED/5CCT FR

Fire Rated



<b>Lumens:</b>	1600
<b>Wattage:</b>	18W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Wire:</b>	FT6 Plenum rated
<b>Certified:</b>	UL 263 & ASTM E119
<b>Pack:</b>	18



**Accessories:**  
**NC Plate:** G-19975 (7)  
**Multi Light:** G-95825 18W

COMMERCIAL


3" COMMERCIAL REGRESS DOWNLIGHT

3"

Cut Out: 2.95"

**G-98521**

RS3/10W-IC/15W-NIC/RD/LED/5CCT/BX



<b>Lumens:</b>	750/1050
<b>Wattage:</b>	10/15W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**

**NC Plate:** G-19975 ( 2 )

**Multi Light:** G-95824 10W / G-95825 14W

COMMERCIAL


4" COMMERCIAL REGRESS DOWNLIGHT

4"

Cut Out: 4.20"

**G-98522**

RS4/15W-IC/20W-NIC/RD/LED/5CCT/BX



<b>Lumens:</b>	1400/2000
<b>Wattage:</b>	15/20W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	18



**Accessories:**

**NC Plate:** G-19975 ( 4 )

**Multi Light:** G-95825 14W / G-95826 20W

COMMERCIAL


5" COMMERCIAL REGRESS DOWNLIGHT

5"

Cut Out: 5.20"

**G-98523**

RS5/23W-IC/32W-NIC/RD/LED/5CCT/BX



<b>Lumens:</b>	2000/3000
<b>Wattage:</b>	23/32W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12



**Accessories:**

**NC Plate:** G-19975 ( 6 )

**Multi Light:** G-95826 22W

COMMERCIAL


6" COMMERCIAL REGRESS DOWNLIGHT

6"

Cut Out: 6.20"

**G-98524**

RS6/28W-1C/48W-NIC/RD/LED/5CCT/BX



<b>Lumens:</b>	2700/5000
<b>Wattage:</b>	28/48W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac or 0-10V
<b>Pack:</b>	12



**Accessories:**  
NC Plate: G-19975 (7)

COMMERCIAL


8" COMMERCIAL REGRESS DOWNLIGHT

8"

Cut Out: 8.00"

**G-98526**

RS8/50W-1C/80W-NIC/RD/LED/5CCT/BX



<b>Lumens:</b>	5000/8000
<b>Wattage:</b>	50/80W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	100°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Triac at 58W/0-10V at 58/80W
<b>Pack:</b>	4



**Accessories:**  
NC Plate: G-19982 (8)




**STAR**

**BLACK ROUND COVERS**




- G-97920 2"**  
T2/RD/COVER/BLACK
- G-48370 3"**  
T3/R/COVER/BLACK
- G-48373 4"**  
T4/R/COVER/BLACK
- G-48376 5"**  
T5/R/COVER/BLACK
- G-48379 6"**  
T6/R/COVER/BLACK

**BLACK SQUARE COVERS**



- G-97925 2"**  
T2/SQ/COVER/BLACK
- G-48385 3"**  
T3/SQ/COVER/BLACK
- G-48388 4"**  
T4/SQ/COVER/BLACK
- G-48391 5"**  
T5/SQ/COVER/BLACK
- G-48394 6"**  
T6/SQ/COVER/BLACK

**BRUSHED NICKEL ROUND COVERS**




- G-97921 2"**  
T2/RD/COVER/NICKEL
- G-48371 3"**  
T3/R/COVER/NICKEL
- G-48374 4"**  
T4/R/COVER/NICKEL
- G-48377 5"**  
T5/R/COVER/NICKEL
- G-48380 6"**  
T6/R/COVER/NICKEL

**BRUSHED NICKEL SQUARE COVERS**



- G-97926 2"**  
T2/SQ/COVER/NICKEL
- G-48386 3"**  
T3/SQ/COVER/NICKEL
- G-48389 4"**  
T4/SQ/COVER/NICKEL
- G-48392 5"**  
T5/SQ/COVER/NICKEL
- G-48395 6"**  
T6/SQ/COVER/NICKEL

**BRONZE ROUND COVERS**



- G-97922 2"**  
T2/RD/COVER/BRONZE
- G-48372 3"**  
T3/R/COVER/BRONZE
- G-48375 4"**  
T4/R/COVER/BRONZE
- G-48378 5"**  
T5/R/COVER/BRONZE
- G-48381 6"**  
T6/R/COVER/BRONZE

**BRONZE SQUARE COVERS**




- G-97927 2"**  
T2/SQ/COVER/BRONZE
- G-48387 3"**  
T3/SQ/COVER/BRONZE
- G-48390 4"**  
T4/SQ/COVER/BRONZE
- G-48393 5"**  
T5/SQ/COVER/BRONZE
- G-48396 6"**  
T6/SQ/COVER/BRONZE

**BRUSHED BRASS ROUND COVERS**



- G-97923 2"**  
T2/RD/COVER/BRASS
- G-48382 3"**  
T3/R/COVER/BRASS
- G-48383 4"**  
T4/R/COVER/BRASS
- G-48384 5"**  
T5/R/COVER/BRASS
- G-48408 6"**  
T6/R/COVER/BRASS

**BRUSHED BRASS SQUARE COVERS**




- G-97928 2"**  
T2/SQ/COVER/BRASS
- G-48397 3"**  
T3/SQ/COVER/BRASS
- G-48398 4"**  
T4/SQ/COVER/BRASS
- G-48399 5"**  
T5/SQ/COVER/BRASS
- G-48409 6"**  
T6/SQ/COVER/BRASS

Pack: 10/100

ACCESSORIES

WHITE GOOF RING


**G-98420**  
Goof/2.2ID-3.75OD/R/White



**G-98421**  
Goof/2.75ID-4.5OD/R/White



**G-98422**  
Goof/4.50ID-6.5OD/R/White



**G-98423**  
Goof/6.5ID-8.0OD/R/White



Pack: 100

ACCESSORIES

MULTI LIGHT DRIVER

**G-95823**  
Multi Light Driver, 5,7,8 Watt  
5-7-8W



**G-95824**  
Multi Light Driver, 9,10,12 Watt  
9-10-12W



**G-95825**  
Multi Light Driver, 14,16,18 Watt  
14-16-18W



**G-95826**  
Multi Light Driver, 20,22,24 Watt  
20-22-24W




ACCESSORIES

EMERGENCY LED DRIVER 15W

15W



**G-48410**  
EM/15W/14.8Vdc/2000mA



mA:	2000mA
Voltage:	120/347V
Illumination time:	90 mins
Recharging time:	24 hours
Pack:	15




ACCESSORIES

EMERGENCY LED DRIVER 25W

25W



**G-95525**  
EM/120-347v /25w /170v DC/0-10  
NEW



mA:	3500mA
Voltage:	120/347V
Illumination time:	90 mins
Recharging time:	24 hours
Pack:	10




ACCESSORIES

EMERGENCY LED DRIVER 30W

30W



**G-48411**  
EM/30W/29.6Vdc/2000mA




mA:	2000mA
Voltage:	120/347V
Illumination time:	90 mins
Recharging time:	24 hours
Pack:	15




ACCESSORIES

EMERGENCY LED DRIVER 60W

60W



**G-95521**  
EM/60W/28.8Vdc/4000mA




mA:	4000mA
Voltage:	120/347V
Illumination time:	90 mins
Recharging time:	24 hours
Pack:	10



ACCESSORIES

LED 120-277 DRIVER



3 PIN

**G-48306**

5W/277V/3PIN/Driver

**Wattage:** 5W

**Voltage:** 120/277V

**mA:** 110

**G-48300**

8W/277V/3PIN/Driver/5CCT

**Wattage:** 8W

**Voltage:** 120/277V

**mA:** 170

**G-48301**

12W/277V/3PIN/Driver/5CCT

**Wattage:** 12W

**Voltage:** 120/277V

**mA:** 270

**G-48302**

15W/277V/3PIN/Driver/3CCT

**Wattage:** 14/15W

**Voltage:** 120/277V

**mA:** 340

**G-48303**

17W/277V/3PIN/Driver/5CCT

**Wattage:** 17W

**Voltage:** 120/277V

**mA:** 390

**G-48304**

23W/277V/3PIN/Driver/5CCT

**Wattage:** 23W

**Voltage:** 120/277V

**mA:** 540



2 PIN

**G-20127**

DIMMABLE

24W/277V/2PIN/Driver

**Wattage:** 24W

**Voltage:** 120/277V

**mA:** 550



TWIST LOCK

**G-48327**

25W/277V/Twist-Lock/Driver

**Wattage:** 25W

**Voltage:** 120/277V

**mA:** 600

ACCESSORIES

LED EXTENSION CORDS



2 PIN

**G-20210**

6FT

Extenders 6 Ft

**G-20211**

10FT

Extenders 10 Ft



3 PIN

**G-20247**

5FT

Extenders 5 Ft

**G-20248**

10FT

Extenders 10 Ft



TWIST LOCK

**G-48328**

10FT

Extenders 10 Ft




ACCESSORIES

NEW CONSTRUCTION PLATES

**G-19982**


Uni. Sizes 2-1/16", 3-1/3", 3.3/4", 4-5/16", 5-1/4", 6-5/16", 6-7/8", 8-7/16", 9-5/16", 10-5/16"



 Pack:10

**G-48318**


Uni. Sizes 5.11"/6.29"/7.48"/9.44" x 3.35"



 Pack:12

**G-19969**


Uni. Sizes 2.95"/4.33"/6.29"



 Pack:24

**G-48448**

Uni. Sizes 7.68"/11.42"/3.94"



 Pack:12

**G-19981**


Uni. Sizes 2.08"/2.75"/3.75"/5.20"



 Pack:24

**G-48449**


Uni. Sizes 9.92" X 2.83"/12.52" X 3.54"/15.27" X 4.33"



 Pack:12

**G-19979**


Uni. Sizes 2.12"/2.75"/3.15"/3.75"/4.25"/4.64"/5.34"/6.35"



 Pack:20

**G-19975**

Uni. Sizes 2.12"/2.75"/3.15"/3.75"/4.25"/4.64"/5.34"/6.35"




 Pack:24

ACCESSORIES

NEW CONSTRUCTION PLATES


**G-98821**

Uni. Sizes 3" - 5.71"/6.30"/8.70"/9.49"/11.73"/13.23"




**G-98822**

Uni. Sizes 3.70"-7.17"/7.68"/10.79"/12.00"/14.49"/16.22"




**G-98823**

Uni. Sizes 4.68"-9.05"/9.72"/14.05"/14.76"/19.13"/19.80"



**G-21062**

Uni. Sizes 2"W/2.00"-5.00"-5.78"-9.48"-18.74"



GLIMMER

5" EDGELESS SURFACE MOUNT FIXTURE


5"

**G-48540**  
ED5/12W/R/LED/SCCT

White

**G-48544**  
ED5/12W/R/LED/SCCT/BK

Black



<b>Lumens:</b>	780
<b>Wattage:</b>	12W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20



GLIMMER

7" EDGELESS SURFACE MOUNT FIXTURE

7"



Lumens:	1350
Wattage:	15W
Voltage:	120V
CRI:	90
Beam Angle:	120°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	12



GLIMMER

9" EDGELESS SURFACE MOUNT FIXTURE

9"



Lumens:	1550
Wattage:	18W
Voltage:	120V
CRI:	90
Beam Angle:	120°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	12



GLIMMER

11" EDGELESS SURFACE MOUNT FIXTURE

11"



Lumens:	2000
Wattage:	20W
Voltage:	120V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	8




SPICA

4" SURFACE MOUNT DISK LIGHT

4"

**G-19931**  
D4/12W/R/LED/SCCT



<b>Lumens:</b>	725
<b>Wattage:</b>	12W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20




SPICA

6" SURFACE MOUNT DISK LIGHT

6"

**G-19932**  
D6/15W/R/LED/SCCT



<b>Lumens:</b>	950
<b>Wattage:</b>	15W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20




SPICA

8" SURFACE MOUNT DISK LIGHT

8"

**G-19933**  
D8/27W/R/LED/SCCT



<b>Lumens:</b>	1875
<b>Wattage:</b>	27W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>CCT:</b>	27, 30, 35, 41, 50k
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10






GLAWRE'

1X1 SURFACE MOUNT FIXTURE

1X1

**G-12020**  
GL/SM/1X1/20W/WS3/LED/SCCT



<b>Lumens:</b>	1400/1800/2200
<b>Wattage:</b>	12W/16W/20W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	80
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50, 65k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	4

- SCCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED


- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

GLAWRE'

1X2 SURFACE MOUNT FIXTURE

1X2

**G-12021**  
GL/SM/1X2/30W/LED/WS3/SCCT



<b>Lumens:</b>	2100/2700/3300
<b>Wattage:</b>	18W/24W/30W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	80
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50, 65k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	4

- SCCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED


- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

GLAWRE'

1X4 SURFACE MOUNT FIXTURE

1X4

**G-12022**  
GL/SM/1X4/50W/LED/WS3/SCCT



<b>Lumens:</b>	3660/4720/5750
<b>Wattage:</b>	30W/40W/50W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	80
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50, 65k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	2

- SCCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC


GLAWRE'

2X2 SURFACE MOUNT FIXTURE

2X2

**G-12023**

GL/SM/2X2/50W/LED/WS3/5CCT



<b>Lumens:</b>	3660/4720/5750
<b>Wattage:</b>	30W/40W/50W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	80
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50, 65k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	4

- SCCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL US
- FC


GLAWRE'

2X4 SURFACE MOUNT FIXTURE

2X4

**G-12024**

GL/SM/2X4/62W/LED/WS3/5CCT



<b>Lumens:</b>	5000/6000/7500
<b>Wattage:</b>	40W/50W/62W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	80
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50, 65k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	2

- SCCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL US
- FC

NEPTUNE

2X2 CENTER BASKET FIXTURE


2X2

**G-98020**

F/2X2/50W/CB/WS3/4CCT

**G-98021 EM**

F/2X2/50W/CB/WS3/4CCT/EM 8w



<b>Lumens:</b>	3775/5150/6130
<b>Wattage:</b>	30/40/50W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	1

- 4CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

NEPTUNE

2X4 CENTER BASKET FIXTURE


2X4

**G-98022**

F/2X4/72W/CB/WS3/4CCT

**G-98023-EM**

F/2X4/72W/CB/WS3/4CCT/EM



<b>Lumens:</b>	6220/7410/8580
<b>Wattage:</b>	50W/60W/72W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	1

- 4CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

NEPTUNE

2X2 CENTER LINE FIXTURE


2X2

**G-98028**

F/2X2/50W/CL/WS3/5CCT

**G-98029-EM**

F/2X2/50W/CL/4CCT/WS3/EM



<b>Lumens:</b>	3280/4330/5390
<b>Wattage:</b>	30W/40W/50W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	1

- 
- 
- 
- 
- 
- 

- 
- 
- 
- 

NEPTUNE

2X4 CENTER LINE FIXTURE


2X4

**G-98120**

F/2X4/72W/CL/WS3/4CCT

**G-98121-EM**

F/2X4/72W/CL/4CCT/WS3/EM



<b>Lumens:</b>	5910/6920/7560
<b>Wattage:</b>	50W/60W/72W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	1

- 
- 
- 
- 
- 
- 

- 
- 
- 
-



NEPTUNE

2X2 CENTER INDIRECT FIXTURE


2X2

**G-98126**

F/2X2/50W/CI/WS3/4CCT

**G-98127-EM**

F/2X2/50W/CI/WS3/4CCT/EM



<b>Lumens:</b>	3310/4535/5360
<b>Wattage:</b>	30W/40W/50W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	1

- 4CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

NEPTUNE

2X4 CENTER INDIRECT FIXTURE


2X4

**G-98128**

F/2X4/72W/CI/WS3/4CCT

**G-98129-EM**

F/2X4/72W/CI/WS3/4CCT/EM



<b>Lumens:</b>	5400/6615/7780
<b>Wattage:</b>	50W/60W/72W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	1

- 4CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC



**NEPTUNE**

1X4 BACKLIT FLAT PANEL

1X4

**G-11920**

NP/BP/1X4/50W/WS3/5CCT



<b>Lumens:</b>	3750/5000/6250
<b>Wattage:</b>	30W/40W/50W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	80
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50, 65k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	1

- 
- 
- 
- 
- 
- 

- 
- 
- 
- 


**NEPTUNE**

2X2 BACKLIT FLAT PANEL

2X2

**G-11921**

NP/BP/2X2/50W/WS3/5CCT



<b>Lumens:</b>	3750/5000/6250
<b>Wattage:</b>	30W/40W/50W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	80
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50, 65k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	1

- 
- 
- 
- 
- 
- 

- 
- 
- 
-



NEPTUNE

2X4 BACKLIT FLAT PANEL

2X4

G-11922

NP/BP/2X4/70W/WS3/5CCT



<b>Lumens:</b>	6250/7500/8750
<b>Wattage:</b>	50W/60W/70W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	80
<b>Beam Angle:</b>	120°
<b>CCT:</b>	30, 35, 41, 50, 65k
<b>Dimmable:</b>	0-10V
<b>Pack:</b>	1

- 
- 
- 
- 
- 
- 

- 
- 
- 
- 

NEPTUNE

SURFACE MOUNT KIT 2X2, 2X4



G-98222

2X2/Surface/Kit

<b>Size:</b>	24.68" X 24.68"
<b>Height:</b>	4.52"
<b>Pack:</b>	6



G-98224

2X4/Surface/Kit

<b>Size:</b>	24.68" X 48.42"
<b>Height:</b>	4.52"
<b>Pack:</b>	6

FLANGE KIT 2X2, 2X4



G-48305

F/KIT/2X2 KIT

<b>Height:</b>	1.50"
<b>Pack:</b>	20



G-48307

F/KIT/2X4 KIT

<b>Height:</b>	1.50"
<b>Pack:</b>	20

## LED VERTICAL STEP LIGHT



**SELECTABLE** COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

<b>Lumens:</b>	125
<b>Wattage:</b>	3W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



## LED HORIZONTAL STEP LIGHT



**SELECTABLE** COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

<b>Lumens:</b>	250
<b>Wattage:</b>	5W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18



## LED UNIVERSAL STEP LIGHT



**SELECTABLE** COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

<b>Lumens:</b>	125
<b>Wattage:</b>	2W
<b>Voltage:</b>	120V
<b>CRI:</b>	90
<b>Dimmable:</b>	Yes
<b>Pack:</b>	18





### LED UNIVERSAL STEP LIGHT




Black

- G-20019** ST/2W/V/H/LED/30k B 3000K Warm White
- G-20021** ST/2W/V/H/LED/50k B 5000K Super White

Lumens:	125
Wattage:	2W
Voltage:	120V
CRI:	90
Dimmable:	No
Pack:	18



### VERTICAL TRIMLESS STEP LIGHT



**G-48530**  
ST/TL/3W/V/LED/SCCT W  
White


**G-48531**  
ST/TL/3W/V/LED/SCCT B  
Black

**SELECTABLE COLOR TEMPERATURE**  
2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	75
Wattage:	3W
Voltage:	120V
CRI:	90
Dimmable:	Yes
Pack:	18



### HORIZONTAL TRIMLESS STEP LIGHT



**G-48532**  
ST/TL/3W/H/LED/SCCT W  
White

**G-48533**  
ST/TL/3W/H/LED/SCCT B  
Black

**SELECTABLE COLOR TEMPERATURE**  
2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	110
Wattage:	3W
Voltage:	120V
CRI:	90
Dimmable:	Yes
Pack:	18



### 3 WATT COB TAPE LIGHT



<b>G-99420</b> TP/COB/10W/27K	2700K Soft White	Lumens:285 FT/950 M
<b>G-99421</b> TP/COB/10W/30K	3000K Warm White	Lumens:300 FT/1000 M
<b>G-99422</b> TP/COB/10W/35K	3500K Neutral White	Lumens:315 FT/1050 M
<b>G-99423</b> TP/COB/10W/41K	4100K Cool White	Lumens:315 FT/1050 M
<b>G-99424</b> TP/COB/10W/50K	5000K Super White	Lumens:315 FT/1050 M

**3W**  
16.4 FT

<b>Wattage:</b>	3W FT - 10W M
<b>Voltage:</b>	24V
<b>CRI:</b>	95
<b>Beam Angle:</b>	120°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	25

CONNECTORS



ITEM	G-48516	G-48517	G-48518
DESCRIPTION	C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6"/JUMPER/CONNECTOR



### 5.5 WATT COB TAPE LIGHT



<b>G-48485</b> T/COB/18W/27K	2700K Soft White	Lumens:548 FT/1800 M
<b>G-48486</b> T/COB/18W/30K	3000K Warm White	Lumens:564 FT/1850 M
<b>G-48487</b> T/COB/18W/35K	3500K Neutral White	Lumens:579 FT/1900 M
<b>G-48488</b> T/COB/18W/41K	4100K Cool White	Lumens:594 FT/1950 M
<b>G-48489</b> T/COB/18W/50K	5000K Super White	Lumens:609 FT/2000 M

**5.5W**  
16.4 FT

<b>Lumens:</b>	520 FT / 1700 M
<b>Wattage:</b>	5.5 FT / 18W M
<b>Voltage:</b>	24V DC
<b>CRI:</b>	>93
<b>Beam Angle:</b>	120°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20

CONNECTORS



ITEM	G-48516	G-48517	G-48518
DESCRIPTION	C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6"/JUMPER/CONNECTOR



### 5.5 WATT COB TAPE LIGHT



<b>G-48490</b> T/COB/18W/27K 100FT	2700K Soft White	Lumens:548 FT/1800 M
<b>G-48491</b> T/COB/18W/30K 100FT	3000K Warm White	Lumens:564 FT/1850 M
<b>G-48492</b> T/COB/18W/35K	3500K Neutral White	Lumens:579 FT/1900 M
<b>G-48493</b> T/COB/18W/41K 100FT	4100K Cool White	Lumens:594 FT/1950 M
<b>G-48494</b> T/COB/18W/50K 100FT	5000K Super White	Lumens:609 FT/2000 M

**5.5W**  
100 FT

<b>Wattage:</b>	5.5 FT / 18W M
<b>Voltage:</b>	24V DC
<b>CRI:</b>	95
<b>Beam Angle:</b>	120°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	25

CONNECTORS



ITEM	G-48516	G-48517	G-48518
DESCRIPTION	C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6"/JUMPER/CONNECTOR



### 5.5 WATT 2835 TAPE LIGHT



<b>G-48495</b> T160/2835/18W/27K	2700K Soft White	Lumens:883 Ft / 2900 M
<b>G-48496</b> T160/2835/18W/30K	3000K Warm White	Lumens:892 Ft / 2928 M
<b>G-48497</b> T160/2835/18W/35K	3500K Neutral White	Lumens:913 Ft / 2998 M
<b>G-48498</b> T160/2835/18W/41K	4100K Cool White	Lumens:919 Ft / 3016 M
<b>G-48499</b> T160/2835/18W/50K	5000K Super White	Lumens:925 Ft / 3038 M

**5.5W**  
16.4 FT

<b>Wattage:</b>	5.48 FT / 18W M
<b>Voltage:</b>	24V DC
<b>CRI:</b>	94
<b>Beam Angle:</b>	120°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	25/100

CONNECTORS



ITEM	G-48516	G-48517	G-48518
DESCRIPTION	C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6"/JUMPER/CONNECTOR



## 7.3 WATT 2835 TAPE LIGHT



<b>G-48500</b> T224/2835/24W/27K	2700K Soft White	Lumens: 1179 Ft / 3871 M
<b>G-48501</b> T224/2835/24W/30K	3000K Warm White	Lumens: 1183 Ft / 3884 M
<b>G-48502</b> T224/2835/24W/35K	3500K Neutral White	Lumens: 1203 Ft / 3948 M
<b>G-48503</b> T224/2835/24W/41K	4100K Cool White	Lumens: 1207 Ft / 3962 M
<b>G-48504</b> T224/2835/24W/50K	5000K Super White	Lumens: 1220 Ft / 4003 M

**7.3W**  
16.4 FT

<b>Wattage:</b>	7.31 FT / 24W M
<b>Voltage:</b>	24V DC
<b>CRI:</b>	94
<b>Beam Angle:</b>	120°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	25/100



CONNECTORS



ITEM	G-48516	G-48517	G-48518
DESCRIPTION	C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6"/JUMPER/CONNECTOR



## 4.6 WATT COB TAPE LIGHT 6CCT




**G-48520**  
TP/COB/15W/6CCT

**SELECTABLE COLOR TEMPERATURE**

2700K - 3000K - 3500K - 4100K - 5000K - 6500K

**CCT**  
16.4 FT

<b>Lumens:</b>	425 FT / 1394 M
<b>Wattage:</b>	4.6W FT / 15W M
<b>Voltage:</b>	24V
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	25/100



CONNECTORS



ITEM	G-48522	G-48523	G-48524
DESCRIPTION	C/PTS/CONN/CCT	C/STS/CONN/CCT	C/6"/STS/CONN/CCT



## 5.48 WATT COB TAPE LIGHT RGBWW



**G-48525**  
TP/COB/21W/RGBWW

**RGBWW** 27K - 65K

RGB + 2700K - 3000K - 3500K - 4100K - 5000K - 6500K

**RGBWW**  
16.4 FT

<b>Lumens:</b>	365 FT / 1200 M
<b>Wattage:</b>	6.4W FT / 21W M
<b>Voltage:</b>	24V DC
<b>CRI:</b>	90
<b>Beam Angle:</b>	120°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	25/100



CONNECTORS



ITEM	G-48527	G-48528	G-48529
DESCRIPTION	C/PTS/CONN/RGB	C/STS/CONN/RGB	C/6"/STS/CONN/RGB



**TAPE LIGHT CHANNELS & ACCESSORIES**

**RECESSED**



**G-96320**  
CH/R/OP/8


**Length:** 96"  
**Material:** ALUMINUM  
**Pack:** Master 90, 10 Tube, 1 in a bag  
Includes: Channel, Cover, End Caps

**SURFACE MOUNT**



**G-96321**  
CH/SM/OP/8

**Length:** 96"  
**Material:** ALUMINUM  
**Pack:** Master 90, 10 Tube, 1 in a bag  
Includes: Channel, Cover, End Caps, Mounting Clips



**G-96425** Accessory  
G-96321 KIT  
**Length:** 96"  
**Material:** ALUMINUM  
**Pack:** Master 90, 10 Tube, 1 in a bag



**G-96426**  
CH/SM/1I/OP/8

**Length:** 96"  
**Material:** ALUMINUM  
**Pack:** 4/24  
Includes: Channel, Cover, End Caps, Mounting Clips

**SURFACE MOUNT FLEXIBLE**



**G-96322**  
CH/SM/FLEX/OP/8

**Length:** 96"  
**Material:** ALUMINUM  
**Pack:** Master 90, 10 Tube, 1 in a bag  
Includes: Channel, Cover, End Caps, Mounting Clips

**SURFACE MOUNT CORNER**



**G-96323**  
CH/SM/C/OP/8

**Length:** 96"  
**Material:** ALUMINUM  
**Pack:** Master 90, 10 Tube, 1 in a bag  
Includes: Channel, Cover, End Caps, Mounting Clips

**ACCESSORIES**

**U COVER SQUARE**

Compatible with G-96320 G-96321 G-96324 G-96324




**G-96428**  
CH/PC/OPAL/U/Cover

**Length:** 96"  
**Material:** OPAL  
**Pack:** Master 40, 1 in a bag

**COVER ROLL**

Compatible with G-96320 G-96321 G-96324 G-96324



**G-96420**  
CH/PC/OPAL/Cover

**Length:** 165"  
**Pack:** 10



TAPE LIGHT CHANNELS & ACCESSORIES

1/2" TRIMLESS CHANNEL



**G-96324**

CH/TL/OP/8

1/2"

**Length:** 96"

**Material:** ALUMINUM

**Pack:** Master 90, 10 Tube, 1 in a bag

Includes: Channel, Cover, End Caps

1/2" TRIMLESS CHANNEL CONNECTORS

Compatible with G-96324

L CORNER



**G-96325**

CH/TL/OP/L

INSIDE CORNER



**G-96326**

CH/TL/OP/90/IN


OUTSIDE CORNER



**G-96327**

CH/TL/OP/90/OUT


T CORNER



**G-96328**

CH/TL/OP/T

X CONNECTOR



**G-96329**

CH/TL/OP/X

CONNECTOR 180°



**G-96223**

1/2"-1"/CH/TL/CONN/180°

CONNECTOR 90°



**G-96224**

1/2"-1"/CH/TL/CONN/90°

1" TRIMLESS CHANNEL



**G-96421**

1"CH/TL/12'

1"

CONNECTOR 180°

Accessory



**G-96223**

1/2"-1"/CH/TL/CONN/180°

CONNECTOR 90°

Accessory



**G-96224**

1/2"-1"/CH/TL/CONN/90°

L CORNER

Accessory



**G-96423**

1"/CH/TL/L

**Length:** 144"

**Material:** ALUMINUM

**Pack:** Master 12, 2 Tube, 1 in a bag

Includes: Channel, Cover, End Caps

2" TRIMLESS CHANNEL



**G-96422**

2"CH/TL/12'

2"

CONNECTOR 180°

Accessory



**G-96223**

2"/CH/TL/CONN/180°

CONNECTOR 90°

Accessory




**G-96226**

2"/CH/TL/CONN/90°

L CORNER

Accessory



**G-96424**

2"/CH/TL/L

**Length:** 144"

**Material:** ALUMINUM

**Pack:** Master 12, 2 Tube, 1 in a bag

Includes: Channel, Cover, End Caps

## ELECTRONIC LED DRIVER 24V (MULTI DIMMING)



### G-97620 <sup>30W</sup>

30W/24V/ECV/Driver CL2

<b>Wattage:</b>	30W
<b>Input Volts:</b>	100/277V
<b>Dimmable:</b>	Multi Dimming
<b>Pack:</b>	20

### G-97621 <sup>60W</sup>

60W/24V/ECV/Driver

<b>Wattage:</b>	60W
<b>Input Volts:</b>	100/277V
<b>Dimmable:</b>	Multi Dimming
<b>Pack:</b>	20

### G-97525 <sup>96W</sup>

96W/24V/ECV/Driver CL2

<b>Wattage:</b>	96W
<b>Input Volts:</b>	100/277V
<b>Dimmable:</b>	Multi Dimming
<b>Pack:</b>	10

### G-97622 <sup>100W</sup>

100W/24V/ECV/Driver

<b>Wattage:</b>	100W
<b>Input Volts:</b>	100/277V
<b>Dimmable:</b>	Multi Dimming
<b>Pack:</b>	10

### G-97623 <sup>150W</sup>

150W/24V/ECV/Driver

<b>Wattage:</b>	150W
<b>Input Volts:</b>	100/277V
<b>Dimmable:</b>	Multi Dimming
<b>Pack:</b>	10

### G-97624 <sup>200W</sup>

200W/24V/ECV/Driver

<b>Wattage:</b>	200W
<b>Input Volts:</b>	100/277V
<b>Dimmable:</b>	Multi Dimming
<b>Pack:</b>	10

### G-97626 <sup>300W</sup>

300W/24V/ECV/Driver

<b>Wattage:</b>	300W
<b>Input Volts:</b>	100/277V
<b>Dimmable:</b>	Multi Dimming
<b>Pack:</b>	10

### G-97627 <sup>600W</sup>

600W/24V/ECV/Driver

<b>Wattage:</b>	600W
<b>Input Volts:</b>	100/277V
<b>Dimmable:</b>	Multi Dimming
<b>Pack:</b>	5



## CLASS 2 MULTI CIRCUIT ELECTRONIC DRIVER 24V (MULTI DIMMING)



### G-97526 <sup>192W</sup>

192W/24V/ECV/Driver CL2

<b>Wattage:</b>	192W
<b>Input Volts:</b>	100/277V
<b>Circuits:</b>	2
<b>Dimmable:</b>	Multi Dimming
<b>Pack:</b>	10

# CLASS 2

### G-97527 <sup>288W</sup>

288W/24V/ECV/Driver CL2

<b>Wattage:</b>	288W
<b>Input Volts:</b>	100/277V
<b>Circuits:</b>	3
<b>Dimmable:</b>	Multi Dimming
<b>Pack:</b>	10

### G-97528 <sup>384W</sup>

384W/24V/ECV/Driver CL2

<b>Wattage:</b>	384W
<b>Input Volts:</b>	100/277V
<b>Circuits:</b>	4
<b>Dimmable:</b>	Multi Dimming
<b>Pack:</b>	5



SPACE

3" LED ROUND RETROFIT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	700
Wattage:	9W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	12



3"

SPACE

4" LED ROUND RETROFIT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	850
Wattage:	10W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	12



4"

SPACE

4" HO LED ROUND RETROFIT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

TRIM REPLACEMENT



<b>G-97720</b>	<b>G-97721</b>	<b>G-97722</b>
T4/RF/RD/COVER/BK	T4/RF/RD/COVER/BZ	T4/RF/RD/COVER/BN

Lumens:	1100
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	12



4"

SPACE

5" AND 6" LED ROUND RETROFIT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

TRIM REPLACEMENT



<b>G-97728</b>	<b>G-97729</b>	<b>G-97820</b>
T6/RF/RD/COVER/BK	T6/RF/RD/COVER/BZ	T6/RF/RD/COVER/BN

Lumens:	1350
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	6



5" & 6"

SPACE

3" LED SQUARE RETROFIT



**G-48329**  
R3.5/9W/SQ/LED/SCCT  
GU10 Adapter

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

- 5 CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- WET LOCATION
- DIMMABLE DOWN TO 5%
- GU10 BASE

Lumens:	700
Wattage:	9W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	12



3"

SPACE

4" LED SQUARE RETROFIT



**G-48334**  
R4/14W/SQ/LED/SCCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

- 5 CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- WET LOCATION
- DIMMABLE DOWN TO 5%
- E26 BASE

TRIM REPLACEMENT



<b>G-97724</b>	<b>G-97725</b>	<b>G-97726</b>
T4/RF/SQ/COVER/BK	T4/RF/SQ/COVER/BZ	T4/RF/SQ/COVER/BN

Lumens:	1000
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	12



4"

SPACE

5" LED SQUARE RETROFIT



**G-19960**  
R5/16W/SQ/LED/30k

3000K Warm White

- CRI 90+ TRUE COLORS
- WET LOCATION
- DIMMABLE DOWN TO 5%
- E26 BASE

Lumens:	1200
Wattage:	16W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	6



5"

SPACE

6" LED SQUARE RETROFIT



**G-48336**  
R6/15W/SQ/LED/SCCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

- 5 CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- WET LOCATION
- DIMMABLE DOWN TO 5%
- E26 BASE

Lumens:	1350
Wattage:	15W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	6



6"



TUBE SERIES

T5 2 FT LED HO BYPASS 4CCT

2ft




**G-10890**

F12/T5/BP/35-65k/4CCT/2FT

SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens:	1800
Wattage:	12W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	25



TUBE SERIES

T5 3 FT LED HO BYPASS 4CCT

3ft




**G-10891**

F18/T5/BP/35-65k/4CCT/3FT

SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens:	2300
Wattage:	18W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	25



TUBE SERIES

T5 4 FT LED HO BYPASS 4CCT

4ft



**G-10892**

F24/T5/BP/35-65k/4CCT/4FT

SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens:	3500
Wattage:	24W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	25



TUBE SERIES

T5 2 FT LED HO BYPASS



- G-19873**  
F12T5/830/HO/F/LED 3000K Warm White
- G-19875**  
F12T5/841/HO/F/LED 4100K Cool White
- G-19876**  
F12T5/850/HO/F/LED 5000K Super White



TUBE SERIES

T5 4 FT LED HO BYPASS



- G-19883**  
F24T5/830/HO/F/LED 3000K Warm White
- G-19884**  
F24T5/835/HO/F/LED 3500K Neutral White
- G-20188**  
F24T5/841/HO/F/LED 4100K Cool White
- G-20189**  
F24T5/850/HO/F/LED 5000K Super White
- G-20190**  
F24T5/865/HO/F/LED 6500K Daylight



TUBE SERIES

T8 2 FT LED UNIVERSAL FROSTED



- G-83406**  
F9T8/830/F/LED 3000K Warm White
- G-19803**  
F9T8/835/F/LED 3500K Neutral White
- G-83407**  
F9T8/841/F/LED 4100K Cool White
- G-83408**  
F9T8/850/F/LED 5000K Super White
- G-83409**  
F9T8/865/F/LED 6500K Daylight



TUBE SERIES

T8 2 FT LED UNIVERSAL CLEAR



- G-83457**  
F9T8/841/C/LED 4100K Cool White
- G-83458**  
F9T8/850/C/LED 5000K Super White
- G-83459**  
F9T8/865/C/LED 6500K Daylight



2ft

Lumens:	1500
Wattage:	12W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	25



4ft

Lumens:	3500
Wattage:	24W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	25



2ft

Lumens:	1000
Wattage:	9W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	30



2ft

Lumens:	1000
Wattage:	9W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	30



TUBE SERIES

T8 3 FT LED UNIVERSAL FROSTED

3ft



- G-83487**  
F12/T8/830/F/LED/Uni 3000K Warm White
- G-83488**  
F12/T8/835/F/LED/Uni 3500K Neutral White
- G-83489**  
F12/T8/841/F/LED/Uni 4100K Cool White
- G-83490**  
F12/T8/850/F/LED/Uni 5000K Super White
- G-83491**  
F12/T8/865/F/LED/Uni 6500K Daylight

Lumens:	1400
Wattage:	12W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	30



TUBE SERIES

T8 4 FT LED UNIVERSAL FROSTED 5CC

4ft



- G-20052**  
F18/T8/F/30,35,41,50,65K/5CCT  
**SELECTABLE COLOR TEMPERATURE**  
3000K - 3500K - 4100K - 5000K - 6500K

Lumens:	2400
Wattage:	18W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	30



TUBE SERIES


T8 4 FT LED UNIVERSAL CLEAR 3CCT

4ft



- G-20051**  
F18/T8/C/41,50,65K/3CCT  
**SELECTABLE COLOR TEMPERATURE**  
4100K - 5000K - 6500K

Lumens:	2400
Wattage:	18W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	30



TUBE SERIES

T8 4 FT LED UNIVERSAL FROSTED

4ft



- G-83401**  
F18T8/835/F/LED 3500K Neutral White
- G-83404**  
F18T8/850/F/LED 5000K Super White

Lumens:	2400
Wattage:	18W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	30



TUBE SERIES

T8 4 FT LED UNIVERSAL CLEAR

4ft



- G-83460**  
F18/T8/830/C/LED 3000K Warm White
- G-83462**  
F18/T8/841/C/LED 4100K Cool White
- G-83463**  
F18/T8/850/C/LED 5000K Super White
- G-83464**  
F18/T8/865/C/LED 6500K Daylight

<b>Lumens:</b>	2400
<b>Wattage:</b>	18W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	85
<b>Beam Angle:</b>	320°
<b>Dimmable:</b>	No
<b>Pack:</b>	30



TUBE SERIES

T8 5 FT LED BYPASS

5ft



- G-83494**  
F25/T8/841/F/LED 4100K Cool White
- G-83495**  
F25/T8/850/F/LED 5000K Super White

<b>Lumens:</b>	3000
<b>Wattage:</b>	25W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	85
<b>Beam Angle:</b>	320°
<b>Dimmable:</b>	No
<b>Pack:</b>	10



TUBE SERIES

T8 6 FT LED BYPASS FA8 PIN

6ft



- G-83499**  
F30T8/841/F/LED 4100K Cool White
- G-83500**  
F30T8/850/F/LED 5000K Super White
- G-83501**  
F30T8/865/F/LED 6500K Daylight

<b>Lumens:</b>	4000
<b>Wattage:</b>	26W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	85
<b>Beam Angle:</b>	320°
<b>Dimmable:</b>	No
<b>Pack:</b>	10



TUBE SERIES

T8 6 FT LED BYPASS G13 PIN

6ft



- G-19993**  
F30T8/841/F/LED 4100K Cool White
- G-19994**  
F30T8/850/F/LED 5000K Super White
- G-19996**  
F30T8/865/F/LED 6500K Daylight

<b>Lumens:</b>	4000
<b>Wattage:</b>	26W
<b>Voltage:</b>	120/277V
<b>CRI:</b>	85
<b>Beam Angle:</b>	320°
<b>Dimmable:</b>	No
<b>Pack:</b>	10





TUBE SERIES

T8 6 FT LED BYPASS HO R17 PIN




- G-19984**  
F30/T8/B41/F/HO/LED 4100K Cool White
- G-19985**  
F30/T8/B50/F/HO/LED 5000K Super White
- G-19986**  
F30/T8/B65/F/HO/LED 6500K Daylight



TUBE SERIES

T8 8 FT BYPASS FA8 PIN 5CCT



- G-20053**  
F42/T8/F/30,35,41,50,65K/5CCT  
**SELECTABLE COLOR TEMPERATURE**  
3000K - 3500K - 4100K - 5000K - 6500K



TUBE SERIES

T8 8 FT BYPASS FA8 PIN



- G-83502**  
F42T8/830/F/LED 3000K Warm White
- G-83503**  
F30T8/835/F/LED 3500K Neutral White
- G-83504**  
F30/T8/B41/F/HO/LED 4100K Cool White
- G-83506**  
F30/T8/B65/F/HO/LED 6500K Daylight



TUBE SERIES

T8 8 FT BYPASS HO R17 PIN



- G-19774**  
F42/T8/B41/F/HO/LED 4100K Cool White
- G-19775**  
F42/T8/B50/F/HO/LED 5000K Super White
- G-19776**  
F42/T8/B65/F/HO/LED 6500K Daylight



6ft

Lumens:	4000
Wattage:	26W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



8ft

Lumens:	5500
Wattage:	42W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



8ft

Lumens:	5500
Wattage:	42W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10




8ft

Lumens:	5500
Wattage:	42W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



**TUBE SERIES**

**T8 8 FT BYPASS FA8 PIN 5CCT**




**G-20054**

F42/T8/C/30,35,41,50,65K/5CCT

**SELECTABLE COLOR TEMPERATURE**

3000K - 3500K - 4100K - 5000K - 6500K



**TUBE SERIES**

**T8 8 FT BYPASS FA8 PIN**



**G-19951** 4100K Cool White  
F42T8/841/C/LED

**G-19952** 5000K Super White  
F42T8/850/C/LED

**G-19953** 6500K Daylight  
F42T8/865/C/LED



**TUBE SERIES**

**U BEND UNIVERSAL 5CCT**



**G-20056**

FB15/T8/F/LED/3CCT A+B

**SELECTABLE COLOR TEMPERATURE**

3500K - 4100K - 5000K



**TUBE SERIES**

**U BEND UNIVERSAL**



**G-19769** 3000K Warm White  
FB13T8/830/F/LED

**G-19770** 3500K Neutral White  
FB13T8/835/F/LED

**G-83432** 4100K Cool White  
FB13T8/840/F/LED

**G-83433** 5000K Super White  
FB13T8/850/F/LED

**G-19771** 6500K Daylight  
FB13T8/865/F/LED



**8ft**

Lumens:	5500
Wattage:	42W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



**8ft**

Lumens:	5500
Wattage:	42W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



**U6**

Lumens:	2200
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	320°
Dimmable:	No
Pack:	12



**U6**

Lumens:	2000
Wattage:	13W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	12



**TUBE SERIES**

**FB31 LED U-BEND UNIVERSAL A+B**



**G-20112**  
FB13T8/840/F/LED U1 4100K Cool White

**G-20113**  
FB13T8/850/F/LED U1 5000K Super White



**A SERIES**

**U1**

Lumens:	2000
Wattage:	13W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	24



**A19 6W LED BULB 5CCT DIMMABLE**



**G-10880**  
A19/6/LED/D/5CCT  
**SELECTABLE COLOR TEMPERATURE**  
3000K - 3500K - 4100K - 5000K - 6500K



**A SERIES**

**A19**

Lumens:	450
Wattage:	6W
Voltage:	120V
CRI:	80
Beam Angle:	220°
Dimmable:	Yes
Pack:	25/50



**A19 9W LED BULB 5CCT DIMMABLE**



**G-10881**  
A19/9/LED/D/5CCT  
**SELECTABLE COLOR TEMPERATURE**  
3000K - 3500K - 4100K - 5000K - 6500K



**A19**

Lumens:	800
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	220°
Dimmable:	Yes
Pack:	25/50



**A SERIES**

**A19 12W LED BULB 5CCT DIMMABLE**

**A19**



**G-10882**

A19/9/LED/D/5CCT

**SELECTABLE COLOR TEMPERATURE**

3000K - 3500K - 4100K - 5000K - 6500K

<b>Lumens:</b>	1100
<b>Wattage:</b>	12W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	220°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	25/50



**A SERIES**

**A19 15W LED BULB 5CCT DIMMABLE**

**A19**



**G-10883**

A19/9/LED/D/5CCT

**SELECTABLE COLOR TEMPERATURE**

3000K - 3500K - 4100K - 5000K - 6500K

<b>Lumens:</b>	1500
<b>Wattage:</b>	15W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	220°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	25/50



**A SERIES**

**A19 9W NON DIM**

**A19**



**G-20425**  
A19/9/LED/30K 3000K Warm White

**G-20427**  
A19/9/LED/41K 4100K Cool White

**G-20428**  
A19/9/LED/50K 5000K SuperWhite

**G-20435**  
A19/9/LED/65K 6500K Daylight

<b>Lumens:</b>	900
<b>Wattage:</b>	9W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	270°
<b>Dimmable:</b>	No
<b>Pack:</b>	25/50





A SERIES

A19 9W DIMMABLE

A19



**G-83349**  
A19/9/LED/D/41K 4100K Cool White

**G-83352**  
A19/9/LED/D/50K 5000K Super White

Lumens:	900
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	25/50



A SERIES

A19 9W 4 PACK NON DIM

A19



**G-83485**  
A19/9/LED/4B/30K 3000K Warm White

**G-19805**  
A19/9/LED/4B/41K 4100K Cool White

**G-83486**  
A19/9/LED/4B/65K 6500K Daylight

Lumens:	900
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	No
Pack:	7/14



A SERIES

A19 11W LED BULB DIMMABLE

A19



**G-19757**  
A19/11W/LED/D/30k 3000K Warm White

Lumens:	1200
Wattage:	11W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/40



## A SERIES

## A19 15W LED BULB DIMMABLE

A19



**G-19970** 2700K Soft White  
A19/15W/LED/D/27k

**G-83440** 3000K Warm White  
A19/15W/LED/D/30k

**G-83441** 4100K Cool White  
A19/15W/LED/D/41k

**G-83442** 5000K Super White  
A19/15W/LED/D/50k

**G-19761** 6500K Daylight  
A19/15W/LED/D/65k

**Lumens:** 1600

**Wattage:** 15W

**Voltage:** 120V

**CRI:** 80

**Beam Angle:** 300°

**Dimmable:** Yes

**Pack:** 20/40



## A SERIES

## A21 22W LED BULB DIMMABLE

A21



**G-19864** 3000K Warm White  
A21/22W/LED/D/30k

**G-19863** 3500K Neutral White  
A21/22W/LED/D/35k

**G-19865** 4100K Cool White  
A21/22W/LED/D/41k

**G-19866** 5000K Super White  
A21/22W/LED/D/50k

**Lumens:** 2600

**Wattage:** 22W

**Voltage:** 120V

**CRI:** 80

**Beam Angle:** 260°

**Dimmable:** Yes

**Pack:** 20



## A SERIES

## A23 27W LED BULB DIMMABLE

A23



**G-20205** 3000K Warm White  
A23/27W/LED/D/30k

**G-20206** 3500K Neutral White  
A23/27W/LED/D/35k

**G-20207** 4100K Cool White  
A23/27W/LED/D/41k

**G-20208** 5000K Super White  
A23/27W/LED/D/50k

**Lumens:** 4000

**Wattage:** 27W

**Voltage:** 120V

**CRI:** 80

**Beam Angle:** 260°

**Dimmable:** Yes

**Pack:** 20



A SERIES

A19 14W 3-WAY LED BULB

A19



**G-19930**  
A19/14W/LED/D/27k/3w 2700K Soft White

Lumens:	500/1000/1600
Wattage:	14W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	No
Pack:	20/40



A SERIES

A21 19W 3-WAY LED BULB

A21



**G-19934**  
A21/19W/LED/D/27k/3w 2700K Soft White

Lumens:	700/1300/2250
Wattage:	19W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	No
Pack:	20



A SERIES

A19 GU24 9W LED BULB 5CCT DIMMABLE

A19



**G-10886**  
A19/9/LED/GU24/5CCT  
**SELECTABLE COLOR TEMPERATURE**  
3000K - 3500K - 4100K - 5000K - 6500K

Lumens:	800
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	220°
Dimmable:	Yes
Pack:	25/50



**A SERIES**

**A19 GU24 12W LED BULB 5CCT DIMMABLE**

**A19**



**G-10887**

A19/12/LED/GU24/5CCT

**SELECTABLE COLOR TEMPERATURE**

3000K - 3500K - 4100K - 5000K - 6500K

<b>Lumens:</b>	1100
<b>Wattage:</b>	12W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	220°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	25/50



**A SERIES**

**A19 GU24 15W LED BULB 5CCT DIMMABLE**

**A19**



**G-10888**

A19/15/LED/GU24/5CCT

**SELECTABLE COLOR TEMPERATURE**

3000K - 3500K - 4100K - 5000K - 6500K

<b>Lumens:</b>	1500
<b>Wattage:</b>	15W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	220°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	25/50



**A SERIES**

**A19 GU24 9W LED BULB DIMMABLE**

**A19**



**G-19781**

A19/9/LED/GU24/30k

3000K Warm White

**G-19782**

A19/9/LED/GU24/41k

4100K Cool White

**G-19784**

A19/9/LED/GU24/65k

6500K Daylight

<b>Lumens:</b>	900
<b>Wattage:</b>	9W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	300°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20/40





**A SERIES**

**A19 GU24 14W LED BULB DIMMABLE**

**A19**



- G-48511**  
A19/14/LED/GU24/30K 3000K Warm White
- G-48513**  
A19/14/LED/GU24/41K 4100K Cool White
- G-48515**  
A19/14/LED/GU24/65K 6500K Daylight

<b>Lumens:</b>	1600
<b>Wattage:</b>	14W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	240°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20/40



**MR SERIES**

**LED MR16 75W**

**MR16**



- G-19792**  
8MR16/LED/A40/27k 12V 2700K Soft White
- G-19794**  
8MR16/LED/A40/30k 12V 3000K Warm White

<b>Lumens:</b>	700
<b>Wattage:</b>	8W
<b>Voltage:</b>	12V
<b>CRI:</b>	80
<b>Beam Angle:</b>	40°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100



**MR SERIES**

**LED MR16 GU10 75W**

**MR16**



- G-83481**  
8GU10/LED/A40/27k 2700K Soft White
- G-19797**  
8GU10/LED/A40/30k 3000K Warm White

<b>Lumens:</b>	650/700
<b>Wattage:</b>	8W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	40°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100



MR SERIES

MR11 LED BULB



**G-83374** 2700K Soft White  
3MR11/LED/A42/27K 12V

Lumens:	300
Wattage:	3W
Voltage:	12V
CRI:	80
Beam Angle:	40°
Dimmable:	No
Pack:	10/100



MR SERIES

MR16 LED BULB



**G-19893** 2700K Soft White  
7MR16/LED/A40/27k 12V

**G-19894** 3000K Warm White  
7MR16/LED/A40/30k 12V

**G-19895** 3500K Neutral White  
7MR16/LED/A40/35k 12V

**G-19896** 4100K Cool White  
7MR16/LED/A40/41k 12V

**G-19897** 5000K Super White  
7MR16/LED/A40/50k 12V

Lumens:	530
Wattage:	7W
Voltage:	12V
CRI:	90
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/100



MR SERIES

MR16 GU10 LED BULB



**G-19898** 2700K Soft White  
7GU10/LED/A40/27k

**G-19899** 3000K Warm White  
7GU10/LED/A40/30k

**G-19900** 3500K Neutral White  
7GU10/LED/A40/35k

**G-19901** 4100K Cool White  
7GU10/LED/A40/41k

**G-19902** 5000K Super White  
7GU10/LED/A40/50k

Lumens:	530
Wattage:	7W
Voltage:	120V
CRI:	90
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/100



PAR SERIES

PAR 16 LED BULB



Short Neck

**G-83367**  
7PAR16SN/A35/27k 2700K Soft White



Lumens:	530
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/100

PAR SERIES

PAR 16 LED BULB



Long Neck

**G-83365**  
7PAR16LN/A35/27k 2700K Soft White



Lumens:	530
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/100

PAR SERIES

PAR 20 LED BULB



**G-83328**  
PAR20/7/LED/30K 3000K Warm White

**G-83331**  
PAR20/7/LED/50K 5000K Super White



Lumens:	550
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/20

PAR SERIES

PAR 30 LED BULB



- G-83334**  
PAR30L/9/LED/30K 3000K Warm White
- G-83337**  
PAR30L/9/LED/50K 5000K Super White

Lumens:	850
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/20



PAR SERIES

PAR 38 LED BULB



- G-83340**  
PAR38/14/LED/30K 3000K Warm White
- G-83343**  
PAR38/14/LED/50K 5000K Super White

Lumens:	1200
Wattage:	14W
Voltage:	120V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/20



BR SERIES

BR20 5CCT LED BULB



- G-83385**  
BR20/7/LED/5CCT  
SELECTABLE COLOR TEMPERATURE  
2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	550
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	125°
Dimmable:	Yes
Pack:	20





BR SERIES

BR30 5CCT LED BULB



**G-83391**

BR30/10/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

BR30

Lumens:	900
Wattage:	10W
Voltage:	120V
CRI:	80
Beam Angle:	125°
Dimmable:	Yes
Pack:	20



BR SERIES

BR20 LED BULB



**G-83384**

BR20/7/LED/30K

3000K Warm White

**G-83387**

BR20/7/LED/50K

5000K Super White

BR20

Lumens:	550
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	100°
Dimmable:	Yes
Pack:	20



BR SERIES

BR30 LED BULB



**G-83393**

BR30/11/LED/50K

5000K Super White

BR30

Lumens:	900
Wattage:	11W
Voltage:	120V
CRI:	80
Beam Angle:	100°
Dimmable:	Yes
Pack:	20



**BR SERIES**

**BR40 LED BULB**



- G-83396**  
BR40/17/LED/30K 3000K Warm White
- G-83399**  
BR40/17/LED/50K 5000K Super White

**BR40**

<b>Lumens:</b>	1400
<b>Wattage:</b>	17W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	100°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20



**MINIATURE SERIES**

**G4 LED BULB**



- G-83413**  
G4/3/LED/D/27K 12V 2700K Soft White
- G-83421**  
G4/3/LED/D/50K 12V 5000K Super White

**G4**

<b>Lumens:</b>	300
<b>Wattage:</b>	3W
<b>Voltage:</b>	12V
<b>CRI:</b>	80
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20/300



**MINIATURE SERIES**

**G4 LED BULB**



- G-83412**  
G4/2/LED/D/F/27K 12V 2700K Soft White

**G4**

<b>Lumens:</b>	200
<b>Wattage:</b>	2W
<b>Voltage:</b>	12V
<b>CRI:</b>	80
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20/300



MINIATURE SERIES

G4 LED BULB

G4



**G-19908** 2700K Soft White  
G4/5/LED/D/27K 12V

Lumens:	500
Wattage:	5W
Voltage:	12V
CRI:	80
Beam Angle:	360°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

GY6.35 LED BULB

GY6.35



**G-83415** 2700K Soft White  
GY6.35/2/LED/D/27 12V

Lumens:	200
Wattage:	2W
Voltage:	12V
CRI:	80
Beam Angle:	360°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

G9 2W LED BULB

G9



**G-83417** 2700K Soft White  
G9/2/LED/D/27K

**G-83425** 5000K Super White  
G9/2/LED/D/50K

Lumens:	200
Wattage:	2W
Voltage:	12V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

G9 2W LED BULB

G9



**G-83416**  
G9/2/F/LED/D/27K 2700K Soft White

<b>Lumens:</b>	200
<b>Wattage:</b>	2W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	300°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20/300



MINIATURE SERIES

G9 3.5W LED BULB

G9



**G-83419**  
G9/3.5/LED/D/27K 2700K Soft White

**G-83427**  
G9/3.5/LED/D/50K 5000K Super White

<b>Lumens:</b>	400
<b>Wattage:</b>	3.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	300°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20/300



MINIATURE SERIES

G9 3.5W LED BULB

G9



**G-83418**  
G9/3.5/LED/D/F/27K 2700K Soft White

<b>Lumens:</b>	400
<b>Wattage:</b>	3.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	300°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20/300





MINIATURE SERIES

G9 5W LED BULB



**G-19964**  
G9/5/LED/D/27K 2700K Soft White

Lumens:	525
Wattage:	5W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/300

G9



MINIATURE SERIES

G9 7.5W LED BULB



**G-83515**  
G9/7.5/LED/D/30k 3000K Warm White

**G-83516**  
G9/7.5/LED/D/41K 4100K Cool White

**G-83517**  
G9/7.5/LED/D/50k 5000K Super White

Lumens:	750
Wattage:	7.5W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/300

G9



MINIATURE SERIES

G9 6W LED BULB



**G-20197**  
G9/6/LED/30k 3000K Warm White

**G-20198**  
G9/6/LED/41k 4100K Cool White

**G-20199**  
G9/6/LED/50k 5000K Super White

Lumens:	900
Wattage:	6W
Voltage:	120V
CRI:	80
Beam Angle:	360°
Dimmable:	No
Pack:	20/300

G9



MINIATURE SERIES

G9 10W LED BULB

G9



- G-95921**  
G9/10/LED/30k 3000K Warm White
- G-95922**  
G9/10/LED/35k 3500K Neutral White
- G-95923**  
G9/10/LED/41k 4100K Cool White
- G-95924**  
G9/10/LED/50k 5000K Super White

<b>Lumens:</b>	1150
<b>Wattage:</b>	10W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20/300



MINIATURE SERIES

T6 LED BULB

T6



- G-19868**  
T6/4.5/LED/D/27K 2700K Soft White

<b>Lumens:</b>	500
<b>Wattage:</b>	4.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100



MINIATURE SERIES

T6 LED BULB

T6



- G-19914**  
T6/7.5/LED/D/30K 3000K Warm White

<b>Lumens:</b>	750
<b>Wattage:</b>	7.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	300°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	20/300



## CANDELEBRA SERIES

## 2W CANDELEBRA LED BULB

C32



**G-83507** 3000K Warm White  
B10/2/LED/D/30k

<b>Lumens:</b>	200
<b>Wattage:</b>	2W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100



## CANDELEBRA SERIES

## 3.5W CANDELEBRA LED BULB

C32



**G-83372** 2700K Soft White  
C32/3.5/LED/D/27k

**G-83509** 3000K Warm White  
C32/3.5/LED/D/30k

**G-20200** 3500K Neutral White  
C32/3.5/LED/D/35k

**G-19790** 4100K Cool White  
C32/3.5/LED/D/41k

**G-83373** 5000K Super White  
C32/3.5/LED/D/50k

<b>Lumens:</b>	400
<b>Wattage:</b>	3.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100



## CANDELEBRA SERIES

## 5W CANDELEBRA LED BULB

C32



**G-83370** 2700K Soft White  
C32/5/LED/D/27k

**G-83510** 3000K Warm White  
C32/5/LED/D/30k

**G-20202** 3500K Neutral White  
C32/5/LED/D/35k

**G-19791** 4100K Cool White  
C32/5/LED/D/41k

**G-83371** 5000K Super White  
C32/5/LED/D/50k

<b>Lumens:</b>	600
<b>Wattage:</b>	5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100



CANDELEBRA SERIES

7W CANDELEBRA LED BULB

C32



- G-20142**  
C32/7/LED/D/27k 2700K Soft White
- G-20143**  
C32/7/LED/D/30k 3000K Warm White
- G-20144**  
C32/7/LED/D/35k 3500K Neutral White
- G-20145**  
C32/7/LED/D/41k 4100K Cool White
- G-20146**  
C32/7/LED/D/50k 5000K Super White

<b>Lumens:</b>	800
<b>Wattage:</b>	7W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100



CANDELEBRA SERIES

8W CANDELEBRA LED BULB

C32



- G-95925**  
C32/8/LED/D/27K 2700K Soft White
- G-95926**  
C32/8/LED/D/30K 3000K Warm White
- G-95927**  
C32/8/LED/D/35K 3500K Neutral White
- G-95928**  
C32/8/LED/D/41K 4100K Cool White
- G-95929**  
C32/8/LED/D/50K 5000K Super White

<b>Lumens:</b>	1000
<b>Wattage:</b>	8W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100



CANDELEBRA SERIES

3.5W CANDELEBRA FLAME TIP LED

CA32



- G-83380**  
CA32/3.5/LED/D/27k 2700K Soft White

<b>Lumens:</b>	400
<b>Wattage:</b>	3.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100



CANDELEBRA SERIES

5W CANDELEBRA FLAME TIP LED

CA32



**G-83382** 2700K Soft White  
CA32/5/LED/D/27k

**G-83514** 3000K Warm White  
CA32/5/LED/D/30k

Lumens:	600
Wattage:	5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



CANDELEBRA SERIES

5W CANDELEBRA LED BULB

C32



**G-83428** 2700K Soft White  
C32/5/F/LED/D/27K

Lumens:	600
Wattage:	5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



CANDELEBRA SERIES

5W CANDELEBRA LED BULB

C32



**G-83429** 2700K Soft White  
C32/5/LED/D/27K E26

Lumens:	600
Wattage:	5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100





DECORATIVE SERIES

A19 CLEAR LED



**G-83445**  
A19/7/LED/D/CL/30k 3000K Warm White


**G-83446**  
A19/7/LED/D/CL/50k 5000K Super White

<b>Lumens:</b>	850
<b>Wattage:</b>	7W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/50



DECORATIVE SERIES

A21 CLEAR LED



**G-20011**  
A21/15/LED/D/CL/30k 3000K Warm White

<b>Lumens:</b>	1600
<b>Wattage:</b>	15W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/20



DECORATIVE SERIES

A23 CLEAR LED



**G-20012**  
A23/21/LED/D/CL/30k 3000K Warm White

<b>Lumens:</b>	2900
<b>Wattage:</b>	21W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/40



A19

A21

A23

DECORATIVE SERIES

A15 CLEAR LED



- G-19754**  
A15/5/LED/D/30K 3000K Warm White
- G-19755**  
A15/5/LED/D/50K 5000K Super White

<b>Lumens:</b>	500
<b>Wattage:</b>	5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/50



DECORATIVE SERIES

A15 FROSTED LED



- G-19768**  
A15/5/LED/D/F/30k 3000K Warm White

<b>Lumens:</b>	500
<b>Wattage:</b>	5W
<b>Voltage:</b>	120V
<b>CRI:</b>	80
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/50



DECORATIVE SERIES

T10 LED BULB



- G-19750**  
T10/4.5/LED/D/30K 3000K Warm White
- G-19751**  
T10/4.5/LED/D/41K 4100K Cool White
- G-19752**  
T10/4.5/LED/D/50K 5000K Super White

<b>Lumens:</b>	500
<b>Wattage:</b>	4.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/50



DECORATIVE SERIES

T10 LED BULB




**G-19753**  
T10/4.5/LED/F/D/30K 3000K Warm White

<b>Lumens:</b>	500
<b>Wattage:</b>	4.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/50



DECORATIVE SERIES

T10 12 INCH LED BULB



**G-19842**  
T10/6.5/LED/D/30K 12" 3000K Warm White

**G-19843**  
T10/6.5/LED/D/41K 12" 4100K Cool White

**G-19844**  
T10/6.5/LED/D/50K 12" 5000K Super White

<b>Lumens:</b>	850
<b>Wattage:</b>	6.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/50



DECORATIVE SERIES

ST21 4W LED BULB



**G-83472**  
ST21/4W/LED/D/CL/27K 2700K Soft White

**G-83473**  
ST21/4W/LED/D/CL/50K 5000K Super White

<b>Lumens:</b>	400
<b>Wattage:</b>	4W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/50



DECORATIVE SERIES

ST21 7W LED BULB



**G-83474**  
ST21/7W/LED/D/CLJ/27K 2700K Soft White

Lumens:	850
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/50



G SERIES

G16 LED BULB



**G-83411**  
G16/3.5/LED/D/27K 2700K Soft White

**G-19801**  
G16/3.5/LED/D/50K 5000K Super White

Lumens:	350
Wattage:	3.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



G SERIES

G16 LED BULB



**G-83476**  
G16/4.5/LED/D/27K 2700K Soft White

**G-19779**  
G16/4.5/LED/D/50K 5000K Super White

Lumens:	600
Wattage:	4.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



**G SERIES**

G16 LED BULB E26 BASE

# G16



**G-20027**  
G16/3.5/LED/D/27K E26 2700K Soft White

<b>Lumens:</b>	400
<b>Wattage:</b>	3.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100



**G SERIES**

G16 LED BULB E26 BASE

# G16



**G-20031**  
G16/4.5/LED/D/27K E26 2700K Soft White

<b>Lumens:</b>	600
<b>Wattage:</b>	4.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100



**G SERIES**

G16 LED BULB

# G16



**G-20034**  
G16/4.5/LED/D/F/30K 3000K Warm White

<b>Lumens:</b>	600
<b>Wattage:</b>	4.5W
<b>Voltage:</b>	120V
<b>CRI:</b>	85
<b>Beam Angle:</b>	360°
<b>Dimmable:</b>	Yes
<b>Pack:</b>	10/100





G SERIES

G25 LED FROSTED

G25



**G-83376**  
G25/7/LED/30K 3000K Warm White

**G-83378**  
G25/7/LED/50K 5000K Super White

Lumens:	500
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	330°
Dimmable:	Yes
Pack:	25/50



G SERIES

G25 LED CLEAR

G25



**G-83468**  
G25/7/LED/D/CL/30K 3000K Warm White

Lumens:	850
Wattage:	7W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/20



DECORATIVE SERIES

A19 LED HALF MIRROR

A19



**G-20136**  
A19/7/LED/D/C/HM/27K 2700K Soft White

Lumens:	750
Wattage:	7W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/50



## DECORATIVE SERIES

## G25 LED HALF MIRROR

G25



**G-20139**  
G25/7/LED/D/C/HM/27K 2700K Soft White

Lumens:	750
Wattage:	7W
Voltage:	120V
CRI:	85
Beam Angle:	330°
Dimmable:	Yes
Pack:	10/20



## G SERIES

## G30 LED CLEAR

G30



**G-20128**  
G30/15W/LED/C/D/30K 3000K Warm White

**G-20130**  
G30/15W/LED/C/D/41K 4100K Cool White

**G-20131**  
G30/15W/LED/C/D/50K 5000K Super White

Lumens:	1600
Wattage:	15W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/20



## G SERIES

## G30 LED FROSTED

G30



**G-20132**  
G30/15W/LED/F/D/30K 3000K Warm White

**G-20133**  
G30/15W/LED/F/D/41K 4100K Cool White

**G-20135**  
G30/15W/LED/F/D/50K 5000K Super White

Lumens:	1600
Wattage:	15W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/20



# ALPHABETICAL INDEX

G-00820	46	G-10890	93	G-12020	77	G-19901	106	G-20110	13	G-20425	100
G-00821	47	G-10891	93	G-12021	77	G-19902	106	G-20111	13	G-20427	100
G-00822	47	G-10892	39	G-12022	77	G-19908	111	G-20112	99	G-20428	100
G-00823	48	G-10900	7	G-12023	78	G-19914	114	G-20113	99	G-20435	100
G-00824	48	G-10901	7	G-12024	78	G-19930	103	G-20127	72	G-21050	53
G-00920	46	G-10902	7	G-19750	119	G-19931	76	G-20128	124	G-21051	53
G-00921	47	G-10903	7	G-19751	119	G-19932	76	G-20130	124	G-21052	54
G-00922	47	G-10904	7	G-19752	119	G-19933	76	G-20131	124	G-21055	54
G-00923	48	G-10906	7	G-19753	120	G-19934	103	G-20132	124	G-21062	74
G-00924	48	G-10907	7	G-19754	119	G-19951	98	G-20133	124	G-21064	53
G-01020	46	G-10908	7	G-19755	119	G-19952	98	G-20135	124	G-21065	53
G-01021	49	G-10909	7	G-19757	101	G-19953	98	G-20136	123	G-21066	54
G-01022	49	G-10910	7	G-19761	102	G-19960	92	G-20139	124	G-21069	54
G-01023	50	G-10913	9	G-19768	119	G-19964	113	G-20142	116	G-43841	9
G-01024	50	G-10914	9	G-19769	98	G-19969	73	G-20143	116	G-48300	72
G-01120	46	G-10915	9	G-19770	98	G-19970	102	G-20144	116	G-48301	72
G-01121	49	G-10916	9	G-19771	98	G-19975	73	G-20145	116	G-48302	72
G-01122	49	G-10917	9	G-19774	97	G-19979	73	G-20146	116	G-48303	72
G-01123	50	G-10921	9	G-19775	97	G-19981	73	G-20188	94	G-48304	72
G-01124	50	G-10922	9	G-19776	97	G-19982	73	G-20189	94	G-48305	83
G-01220	46	G-10923	9	G-19779	121	G-19984	97	G-20190	94	G-48306	72
G-01221	51	G-10924	9	G-19781	104	G-19985	97	G-20191	13	G-48307	83
G-01222	51	G-10925	9	G-19782	104	G-19986	97	G-20192	13	G-48313	12
G-01223	52	G-10927	11	G-19784	104	G-19993	96	G-20193	13	G-48314	38
G-01224	52	G-10928	11	G-19790	115	G-19994	96	G-20194	13	G-48315	38
G-01320	46	G-10929	11	G-19791	115	G-19996	96	G-20195	16	G-48316	39
G-01321	51	G-10930	11	G-19792	105	G-19997	35	G-20196	17	G-48317	39
G-01322	51	G-10931	11	G-19794	105	G-19998	35	G-20197	113	G-48318	73
G-01323	52	G-10933	11	G-19797	105	G-19999	30	G-20198	113	G-48318	12
G-01324	52	G-10934	11	G-19801	121	G-20000	30	G-20199	113	G-48323	12
G-01425	46	G-10935	11	G-19803	94	G-20001	31	G-20200	115	G-48324	12
G-02320	60	G-10936	11	G-19805	101	G-20004	32	G-20202	115	G-48325	72
G-10020	14	G-10937	11	G-19833	28	G-20005	31	G-20205	102	G-48327	72
G-10025	14	G-11120	3	G-19834	28	G-20006	31	G-20206	102	G-48328	92
G-10120	15	G-11121	4	G-19835	28	G-20007	32	G-20207	102	G-48329	91
G-10121	15	G-11122	4	G-19836	28	G-20008	32	G-20208	102	G-48330	91
G-10122	15	G-11123	4	G-19837	28	G-20011	118	G-20210	72	G-48331	91
G-10123	15	G-11124	4	G-19839	28	G-20012	118	G-20211	72	G-48332	92
G-10124	15	G-11125	4	G-19842	120	G-20019	85	G-20213	8	G-48333	92
G-10125	15	G-11220	4	G-19843	120	G-20019	85	G-20213	8	G-48336	55
G-10126	15	G-11221	4	G-19844	120	G-20021	85	G-20215	8	G-48337	55
G-10220	15	G-11222	4	G-19845	29	G-20022	84	G-20216	16	G-48338	91
G-10221	15	G-11222	4	G-19845	29	G-20027	122	G-20217	61	G-48338	91
G-10222	15	G-11223	4	G-19846	29	G-20031	122	G-20218	17	G-48339	8
G-10223	15	G-11224	4	G-19847	29	G-20034	122	G-20219	58	G-48340	9
G-10224	15	G-11320	4	G-19848	29	G-20051	95	G-20219	58	G-48342	9
G-10225	15	G-11321	4	G-19848	29	G-20052	95	G-20220	58	G-48343	9
G-10320	15	G-11322	4	G-19849	29	G-20052	95	G-20221	58	G-48344	9
G-10321	15	G-11323	4	G-19851	29	G-20053	97	G-20222	59	G-48345	9
G-10322	15	G-11323	4	G-19855	30	G-20054	98	G-20223	59	G-48346	9
G-10323	15	G-11324	4	G-19856	30	G-20056	98	G-20224	59	G-48347	9
G-10324	15	G-11420	5	G-19863	102	G-20056	98	G-20225	61	G-48348	9
G-10420	15	G-11421	5	G-19864	102	G-20080	32	G-20225	61	G-48349	9
G-10421	15	G-11422	5	G-19865	102	G-20087	32	G-20226	61	G-48349	13
G-10422	15	G-11423	5	G-19866	102	G-20087	32	G-20227	62	G-48350	13
G-10423	15	G-11424	5	G-19868	114	G-20088	33	G-20228	62	G-48351	13
G-10424	15	G-11520	5	G-19873	94	G-20089	33	G-20229	62	G-48352	13
G-10520	15	G-11521	5	G-19875	94	G-20090	34	G-20231	18	G-48353	9
G-10521	15	G-11522	5	G-19876	94	G-20091	35	G-20232	18	G-48354	9
G-10620	15	G-11523	5	G-19883	94	G-20092	36	G-20233	20	G-48355	9
G-10621	15	G-11524	5	G-19884	94	G-20093	37	G-20234	20	G-48356	31
G-10621	15	G-11620	5	G-19884	94	G-20094	37	G-20241	55	G-48357	31
G-10880	99	G-11621	5	G-19884	94	G-20095	37	G-20242	56	G-48358	31
G-10881	99	G-11622	5	G-19889	106	G-20096	37	G-20243	56	G-48359	33
G-10882	100	G-11623	5	G-19895	106	G-20098	13	G-20244	55	G-48360	33
G-10883	100	G-11624	5	G-19896	106	G-20099	13	G-20245	56	G-48361	33
G-10886	103	G-11920	82	G-19897	106	G-20106	13	G-20246	56	G-48362	34
G-10887	104	G-11921	82	G-19898	106	G-20107	13	G-20247	72	G-48363	34
G-10888	104	G-11922	83	G-19899	106	G-20108	13	G-20248	72	G-48364	34
				G-19900	106	G-20109	13	G-20249	18	G-48365	34

# ALPHABETICAL INDEX

G-48366	35	G-48464	39	G-83352	77	G-83499	96	G-96324	89	G-97928	69
G-48367	36	G-48465	39	G-83365	77	G-83500	96	G-96325	89	G-98020	79
G-48368	33	G-48468	6	G-83367	77	G-83501	96	G-96326	89	G-98021	79
G-48369	34	G-48469	17	G-83370	78	G-83502	97	G-96327	89	G-98022	79
G-48370	69	G-48470	6	G-83371	78	G-83503	97	G-96328	89	G-98023	79
G-48371	69	G-48471	7	G-83372	119	G-83504	97	G-96329	89	G-98028	80
G-48372	69	G-48472	7	G-83373	119	G-83506	97	G-96420	88	G-98029	80
G-48373	69	G-48473	7	G-83374	119	G-83507	115	G-96421	89	G-98120	80
G-48374	69	G-48474	7	G-83376	120	G-83509	115	G-96422	89	G-98121	80
G-48375	69	G-48475	7	G-83378	119	G-83510	115	G-96423	89	G-98126	81
G-48376	69	G-48476	7	G-83380	119	G-83514	117	G-96424	89	G-98127	81
G-48377	69	G-48477	7	G-83382	101	G-83515	113	G-96426	88	G-98128	81
G-48378	69	G-48478	7	G-83384	102	G-83516	113	G-96428	88	G-98129	81
G-48379	69	G-48479	7	G-83385	119	G-83517	113	G-96621	63	G-98222	83
G-48380	69	G-48480	7	G-83387	98	G-95521	71	G-96622	63	G-98224	83
G-48381	69	G-48481	7	G-83391	98	G-95525	71	G-96625	63	G-98420	70
G-48382	69	G-48482	7	G-83393	98	G-95620	22	G-96626	64	G-98421	70
G-48383	69	G-48485	86	G-83396	97	G-95621	22	G-96721	56	G-98422	70
G-48384	69	G-48486	86	G-83399	97	G-95622	23	G-96722	57	G-98423	70
G-48385	69	G-48487	86	G-83401	97	G-95623	24	G-96821	57	G-98521	67
G-48386	69	G-48488	86	G-83404	121	G-95624	24	G-98522	57	G-98522	67
G-48387	69	G-48489	86	G-83406	104	G-95625	25	G-96921	64	G-98523	67
G-48388	69	G-48490	86	G-83407	104	G-95626	21	G-96922	64	G-98524	68
G-48389	69	G-48491	86	G-83408	104	G-95720	22	G-96923	65	G-98526	68
G-48390	69	G-48492	86	G-83409	115	G-95721	22	G-96924	65	G-98720	44
G-48391	69	G-48493	86	G-83411	115	G-95722	23	G-97021	65	G-98721	44
G-48392	69	G-48494	86	G-83412	105	G-95723	24	G-97022	66	G-98722	44
G-48393	69	G-48495	86	G-83413	105	G-95724	24	G-97023	66	G-98723	45
G-48394	69	G-48496	86	G-83415	105	G-95725	25	G-97024	66	G-98724	45
G-48395	69	G-48497	86	G-83416	121	G-95726	21	G-97124	39	G-98725	44
G-48396	69	G-48498	86	G-83417	94	G-95820	21	G-97125	39	G-98726	44
G-48397	69	G-48499	86	G-83418	101	G-95821	21	G-97126	23	G-98727	44
G-48398	69	G-48500	87	G-83419	28	G-95823	70	G-97127	23	G-98728	45
G-48399	69	G-48501	87	G-83421	28	G-95824	70	G-97128	41	G-98729	45
G-48400	20	G-48502	87	G-83425	28	G-95825	70	G-97129	41	G-98821	74
G-48402	19	G-48503	87	G-83427	28	G-95826	70	G-97220	25	G-98822	74
G-48403	19	G-48504	87	G-83428	28	G-95921	114	G-97221	25	G-98823	74
G-48404	21	G-48508	55	G-83429	28	G-95922	114	G-97320	34	G-99022	42
G-48405	21	G-48509	55	G-83432	120	G-95923	114	G-97321	34	G-99023	43
G-48406	20	G-48511	105	G-83433	120	G-95924	114	G-97325	35	G-99024	43
G-48408	69	G-48513	105	G-83440	120	G-95925	116	G-97326	35	G-99122	42
G-48409	69	G-48515	105	G-83441	29	G-95926	116	G-97420	36	G-99123	43
G-48410	71	G-48520	87	G-83442	29	G-95927	116	G-97421	36	G-99124	43
G-48411	71	G-48525	87	G-83445	29	G-95928	116	G-97425	36	G-99221	26
G-48412	17-18	G-48530	85	G-83446	29	G-95929	116	G-97425	42	G-99222	26
G-48413	17-18	G-48531	85	G-83457	29	G-96022	10	G-97426	36	G-99223	27
G-48414	17	G-48532	85	G-83458	29	G-96023	10	G-97426	42	G-99224	27
G-48415	17	G-48533	85	G-83459	30	G-96024	10	G-97525	90	G-99321	26
G-48416	18	G-48535	84	G-83460	30	G-96025	11	G-97526	90	G-99322	26
G-48417	18	G-48536	84	G-83462	102	G-96026	11	G-97527	90	G-99323	27
G-48420	16	G-48537	84	G-83463	102	G-96027	11	G-97528	90	G-99324	27
G-48421	16	G-48538	84	G-83464	102	G-96028	11	G-97620	90	G-99420	86
G-48425	16	G-48540	74	G-83468	102	G-96029	11	G-97621	90	G-99421	86
G-48428	19	G-48541	75	G-83472	114	G-96120	11	G-97622	90	G-99422	86
G-48429	19	G-48542	75	G-83473	94	G-96121	11	G-97623	90	G-99423	86
G-48430	19	G-48543	75	G-83474	94	G-96122	11	G-97624	90	G-99424	86
G-48431	19	G-48544	74	G-83476	94	G-96123	11	G-97626	90		
G-48440	40	G-48545	75	G-83481	94	G-96124	11	G-97627	90		
G-48441	40	G-48546	75	G-83485	94	G-96125	11	G-97822	60		
G-48442	40	G-48547	75	G-83486	106	G-96126	11	G-97824	60		
G-48443	41	G-83328	107	G-83487	106	G-96127	11	G-97920	69		
G-48444	40	G-83331	107	G-83488	106	G-96128	11	G-97921	69		
G-48445	41	G-83334	108	G-83489	106	G-96129	11	G-97922	69		
G-48448	73	G-83337	108	G-83490	106	G-96320	88	G-97923	69		
G-48449	73	G-83340	108	G-83491	106	G-96321	88	G-97925	69		
G-48460	55	G-83343	108	G-83494	106	G-96322	88	G-97926	69		
G-48461	55	G-83349	101	G-83495	106	G-96323	88	G-97927	69		



## CONTACT INFO

369 Essex Rd  
Tinton Falls Nj 07753



718 697 7502



718 697 7503



718 697 7502



[Sales@gllite.com](mailto:Sales@gllite.com)



**Goodlite**

Life's light source

[www.gllite.com](http://www.gllite.com)