



Goodlite

2024 CATALOG

LIFE'S LIGHT SOURCE

CATALOG INDEX

SILENT SERIES 3-5

ASTER SERIES

1" INTERCHANGEABLE MODULE 6-7

2" INTERCHANGEABLE MODULE 8-9

3" INTERCHANGEABLE MODULE 10-11

3.5" INTERCHANGEABLE MODULE 12-13

4" INTERCHANGEABLE MODULE 14-15

6" INTERCHANGEABLE MODULE 16

VENUS SERIES

5" TRIMMED LUMINAIRE 16-17

TRIMLESS LUMINAIRE'S 17-19

SATURN SERIES

TRIMLESS REGRESS 20-21

TRIMLESS REGRESS MULTIPLE 22-27

TRIMMED FLUSHED 28-32

TRIMMED REGRESS 32-37

TRIMMED REGRESS MULTIPLE 38-43

PURA SERIES 44-45

FLARION SERIES

ROUND FLOATING GIMBAL 46

MULTIPLE FLOATING GIMBAL 47-52

DIPPER SERIES 53-54

REGULUS SERIES

TRIMMED 55-56

TRIMLESS 56-57

STAR SERIES

ROUND 58-60

FABULON SERIES 60

STAR SERIES

SQUARE 61-62

TRIMLESS 63-64

FIRE RATED 64-66

COMMERCIAL SERIES 67-68

DOWNLIGHT ACCESORIES 69-74

GLIMMER SERIES 74-75
(EDGELESS SURFACE MOUNT)

SPICA SERIES 76
(DISK SURFACE MOUNT)

GLAWRE` SERIES 77-78
(SURFACE MOUNT FIXTURE)

NEPTUNE SERIES

CENTER BASKET FIXTURE 79

CENTER LINE FIXTURE 80

CENTER INDIRECT FIXTURE 81

BACKLIT FLAT PANEL 82-83

STEP LIGHT

TRIMMED 84-85

TRIMLESS 85

TAPE LIGHT

TAPE LIGHT 86-87

PROFILE 88-89

POWER SUPPLY 90

RETROFIT'S 91-92

TUBE SERIES

T5 93-94

T8 95-98

U-BEND 98-99

A SERIES 99-105

MR SERIES 105-106

PAR SERIES 107-108

BR SERIES 109-110

MINIATURE SERIES 111-114

CANDELABRA SERIES 115-117

DECORATIVE SERIES 118-121

G SERIES 121-124

CONTACT INFO 125

SILENT



1 INCH APERTURE MODULE

1"


Cut Out: 5.85"

G-11120

ST/L/M/15W/LED/SCCT



Installation View



Lumens:	1200
Wattage:	15W
Voltage:	Input 24V
CRI:	90+
Beam Angle:	50° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6



Accessories:

NC Plate: G-19975 (7)

SILENT ACCESSORIES

FROSTED LENS OPTION

G-11722

ST/L/FR/80-DEGREE



SILENT EXTRACTOR

G-11724

ST/EXTRAC



SILENT

ROUND TRIMMED KITS

1"




Pack: 100

SILENT

SQUARE TRIMMED KITS

1"



Pack: 100

SILENT

ROUND TRIMLESS KITS

1"




Pack: 100

SILENT

SQUARE TRIMLESS KITS

1"



Pack: 100

SILENT

ROUND DROP TRIM KITS

1"




Pack: 100

SILENT

SQUARE DROP TRIM KITS

1"



Pack: 100

ASTER

1" INTERCHANGEABLE MODULE

1"



G-48470
M1/7W/LED/5CCT

7W



Clear Lens



Frosted Lens

ITEM	G-10940	G-10941	G-10939
DESCRIPTION	L1/24-DEGREE	L1/40-DEGREE	L1/FROSTED/80°

Lumens:	600
Wattage:	7W
Voltage:	120V
CRI:	90>
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:
Multi Light: G-95823 7W

ASTER

1" INTERCHANGEABLE HO MODULE

1"



G-48468
M1/15W/LED/5CCT

15W



Clear Lens



Frosted Lens

ITEM	G-10940	G-10941	G-10939
DESCRIPTION	L1/40-DEGREE	L1/60-DEGREE	L1/FROSTED/80°

Lumens:	1100
Wattage:	15W
Voltage:	120/277V
CRI:	90>
Beam Angle:	60° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18
NOT IC RATED	




Accessories:
Multi Light: G-95825 14W

ASTER


1" INTERCHANGEABLE TRIMS

1"



1" INTERCHANGEABLE TRIMLESS KITS

1"



STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMMED	1.90"	2.25"	Regular 2.72" / HO 4.47"	G-19975 (0)	8/128
TRIMLESS ROUND	2.30"	3.94"	Regular 2.84" / HO 4.60"	G-19975 (1)	36
TRIMLESS SQUARE	Sq 2.72" Rd 3.82"	5.51"	Regular 3.23" / HO 5.15"	G-19975 (4)	36

ASTER

2" INTERCHANGEABLE MODULE

2"



G-48340
M2/8W/LED/SCCT

8W



Clear Lens



Frosted Lens

ITEM	G-10946	G-10947	G-10948	G-10944
DESCRIPTION	L2/24-DEGREE	L2/40-DEGREE	L2/60-DEGREE	L2/FROSTED/80°

Lumens:	800
Wattage:	8W
Voltage:	120/277V
CRI:	90>
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:
Multi Light: G-95823 8W

ASTER

2" INTERCHANGEABLE MODULE

2"



G-20215
M2/14W/WS2/LED/SCCT

14/8W



Clear Lens



Frosted Lens

ITEM	G-10946	G-10947	G-10948	G-10944
DESCRIPTION	L2/24-DEGREE	L2/40-DEGREE	L2/60-DEGREE	L2/FROSTED/80°

Lumens:	1200/750
Wattage:	14W/8W
Voltage:	120/277V
CRI:	90>
Beam Angle:	60° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:
Multi Light: G-95823 8W
G-95825 14W

ASTER

2" INTERCHANGEABLE HO MODULE

2"



G-20213
M2/20W/WS2/LED/SCCT

20/14W



Clear Lens



Frosted Lens

ITEM	G-10946	G-10947	G-10948	G-10944
DESCRIPTION	L2/24-DEGREE	L2/40-DEGREE	L2/60-DEGREE	L2/FROSTED/80°

Lumens:	1700/1200
Wattage:	20W/14W
Voltage:	120/277V
CRI:	90>
Beam Angle:	60° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18
IC rated-at 14W	




Accessories:
Multi Light: G-95825 14W
G-95826 20W

ASTER


2" INTERCHANGEABLE TRIMS

2"



2" INTERCHANGEABLE TRIMLESS KITS

2"



STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMMED	2.50"	3.15"	Regular 2.85" / HO 5.50"	G-19975 (1)	8/64
TRIMLESS ROUND	2.80"	4.53"	Regular 2.89" / HO 5.47"	G-19975 (2)	36
TRIMLESS SQUARE	Sq 3.10" Rd 4.32"	6.50"	Regular 3.68" / HO 6.26"	G-19975 (5)	36

ASTER

3" INTERCHANGEABLE MODULE

3"



G-96022

M3/9W/LED/5CCT

9W



Clear Lens



Frosted Lens

ITEM	G-98922	G-98923	G-98924	G-98920
DESCRIPTION	L3/24-DEGREE	L3/40-DEGREE	L3/60-DEGREE	L3/FROSTED/80°

Lumens:	850
Wattage:	9W
Voltage:	120/277V
CRI:	90>
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:
Multi Light: G-95824 9W

ASTER

3" INTERCHANGEABLE HO MODULE

3"



G-96023

M3/15W/LED/5CCT

15W



Clear Lens



Frosted Lens

ITEM	G-98922	G-98923	G-98924	G-98920
DESCRIPTION	L3/24-DEGREE	L3/40-DEGREE	L3/60-DEGREE	L3/FROSTED/80°

Lumens:	1400
Wattage:	15W
Voltage:	120/277V
CRI:	90>
Beam Angle:	60° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:
Multi Light: G-95825 14W

ASTER

3" INTERCHANGEABLE HO MODULE

3"



G-96024

M3/24W/LED/5CCT NON-IC

24W



Clear Lens



Frosted Lens

ITEM	G-98922	G-98923	G-98924	G-98920
DESCRIPTION	L3/24-DEGREE	L3/40-DEGREE	L3/60-DEGREE	L3/FROSTED/80°

Lumens:	1800
Wattage:	24W
Voltage:	120/277V
CRI:	90>
Beam Angle:	60° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18
NOT IC RATED	



Accessories:
Multi Light: G-95826 24W

ASTER


3" INTERCHANGEABLE TRIMS

3"



3" INTERCHANGEABLE TRIMLESS KIT

3"



STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMMED	2.95"	3.70"	Regular 3.50" / HO 5.50"	G-19975 (2)	8/64
WALL TRIM WASH	2.95"	3.70"	Regular 4.18" / HO 6.13"	G-19975 (2)	8/64
TRIMLESS ROUND	3.10"	4.72"	Regular 3.52" / HO 5.46"	G-19975 (2)	36
TRIMLESS SQUARE	Sq 3.46" Rd 4.90"	7.09"	Regular 4.30" / HO 6.25"	G-19975 (6)	36

ASTER


3.5" INTERCHANGEABLE MODULE

3.5"



G-48323
M4/15W/LED/5CCT 60°
60° Beam Angle

G-48324
M4/15W/LED/5CCT
40° Beam Angle
120/277V Triac or 0-10



Lumens:	1100
Wattage:	15W
Voltage:	120V
CRI:	90>
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED
- LENS CHANGEABLE



Accessories:
NC Plates: G-19975 (3)

ASTER


3.5" INTERCHANGEABLE HO MODULE

3.5"



G-48313
M4/23W/LED/HO/5CCT 60°
60° Beam Angle

G-48325
M4/23W/LED/HO/5CCT
40° Beam Angle



Lumens:	1800
Wattage:	23W
Voltage:	120V
CRI:	90>
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED




Accessories:
NC Plates: G-19975 (3)

ASTER

3.5" INTERCHANGEABLE TRIMS

3.5"



3.5" INTERCHANGEABLE DEEP REGRESS TRIMS

3.5"



STYLE	CUT OUT	OD	HEIGHT	PACK
REGULAR TRIMS	3.75"	4.50"	Regular 3.15" / HO 4.85"	24
DEEP TRIM	3.75"	4.92"	Regular 4.29" / HO 6.25"	24

ASTER

4" INTERCHANGEABLE MODULE

4"



G-10020
M4/15W/WS2/LED/SCCT

9/15W



Clear Lens



Frosted Lens

ITEM	G-11022	G-11023	G-11024	G-11020
DESCRIPTION	L4/24-DEGREE	L4/40-DEGREE	L4/60-DEGREE	L4/FROSTED/80°

Lumens:	950/1550
Wattage:	9/15W
Voltage:	120/277V
CRI:	90>
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12

- 5 CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED
- LENS CHANGEABLE



Accessories:

Multi Light:	G-95824 9W
	G-95825 14W

ASTER

4" INTERCHANGEABLE HO MODULE

4"



G-10025
M4/32W/WS2/LED/SCCT

20/32W



Clear Lens



Frosted Lens

ITEM	G-11022	G-11023	G-11024	G-11020
DESCRIPTION	L4/24-DEGREE	L4/40-DEGREE	L4/60-DEGREE	L4/FROSTED/80°

Lumens:	3000/2000
Wattage:	20/32W
Voltage:	120/277V
CRI:	90>
Beam Angle:	60° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6
IC rated-at 20W	

- 5 CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- LENS CHANGEABLE




Accessories:

Multi Light:	G-95826 20W
---------------------	-------------

ASTER


4" INTERCHANGEABLE TRIMS

4"



4" INTERCHANGEABLE TRIMLESS KITS

4"



STYLE	CUT OUT	OD	HEIGHT	PLATE	PACK
TRIMMED	4.25"	4.92"	Regular 3.29" / HO 5.15"	G-19975 (4)	36
WALL TRIM WASH	4.25"	5.12"	Regular 4.48" / HO 6.34"	G-19975 (4)	36
TRIMLESS ROUND	4.80"	6.89"	Regular 3.19" / HO 5.05"	G-19975 (6)	36
TRIMLESS SQUARE	Sq 4.80" Rd 6.75"	9.45"	Regular 4.04" / HO 5.90"	G-19982 (7)	36

ASTER

6" INTERCHANGEABLE MODULE

6"



G-48420

M6/24W/LED/5CCT

24W



G-48421

T6/RD/W

Round




G-48425

T6/SQ/W

Square

ITEM	SHAPE	CUTOUT
G-48421	Round	5.75"
G-48425	Square	6.25"



Lumens:	1800
Wattage:	24W
Voltage:	120V
CRI:	90>
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:
NC Plates: G-19975 (7)

VENUS

5" REGRESS LUMINAIRE

5"

Cut Out: 5.00"



G-20216

R5/40W/WS3/R/LED/5CCT


White



G-20195

R5/40W/WS3/R/LED/5CCT/BK

Black



Lumens:	2000/2600/3500
Wattage:	23W,30W,40W
Voltage:	120/277V
CRI:	90>
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:
NC Plate: G-19975 (6)
Multi Light: G-95826 22W

VENUS

5" REGRESS LUMINAIRE

5"

Cut Out: 5.00"




G-20218
R5/23W/SQ/LED/5CCT
White

Lumens:	2000
Wattage:	23W
Voltage:	120V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



G-20196
R5/40W/WS3/SQ/LED/5CCT/BK
Black

Lumens:	2000/2600/3500
Wattage:	23W,30W,40W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate: G-19975 (6)

Multi Light: G-95826 22W

VENUS


1" TRIMLESS LUMINAIRE

1"

Cut Out: 2.07"



G-48469
R1/7W/R/LED/5CCT



Lumens:	500
Wattage:	7W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:

NC Plate: G-19975 (0)

VENUS

2" TRIMLESS LUMINAIRE

2"

Cut Out: 2.56"




G-48414
R2/8W/R/LED/TL/5CCT
White

G-48415
R2/8W/R/LED/TL/5CCT/BK
Black

SQUARE MESH (ADD-ON)

G-48413 T2/SQ/LED/W/TL	G-48412 T2/SQ/LED/B/TL
----------------------------------	----------------------------------



Lumens:	600
Wattage:	8W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:

NC Plate: G-19975 (1)

VENUS

2" TRIMLESS HO LUMINAIRE




SQUARE MESH (ADD-ON)

G-48413	G-48412
T2/SQ/LED/W/TL	T2/SQ/LED/B/TL

2"

Cut Out: 2.56"




Lumens:	950
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:
NC Plate: G-19975 (1)

VENUS

3.5" TRIMLESS LUMINAIRE



3.5"

Cut Out: 3.10"


Lumens:	850
Wattage:	12W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:
NC Plate: G-19975 (2)

VENUS

3.5" HO TRIMLESS LUMINAIRE



3.5"

Cut Out: 3.04"

Lumens:	1450
Wattage:	16W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:
NC Plate: G-19975 (2)

VENUS

3.5" TRIMLESS LUMINAIRE

3.5"

Cut Out: Sq 3.40" - Rd 4.65"




G-20233
R3.5/12W/SQ/LED/TL/5CCT

White

G-20234
R3.5/12W/SQ/LED/TL/5CCT B

Black



Lumens:	850
Wattage:	12W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:
NC Plate: G-19975 (5)

VENUS


4" TRIMLESS LUMINAIRE

4"

Cut Out: 3.72"



G-48400
R4/18W/R/LED/TL/5CCT



Lumens:	1600
Wattage:	18W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:
NC Plate: G-19975 (3)

VENUS


6" TRIMLESS LUMINAIRE

6"

Cut Out: 5.33"



G-48406
R6/24W/R/LED/TL/5CCT



Lumens:	1800
Wattage:	24W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	12




Accessories:
NC Plate: G-19975 (6)

SATURN

1.5" TRIMLESS GIMBAL

1.5"

Cut Out: 2.56"



Lumens:	1000
Wattage:	12W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18




Accessories:
NC Plate: G-19975 (1)

SATURN

2" TRIMLESS GIMBAL

2"

Cut Out: 2.94"



Lumens:	600
Wattage:	8W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18





Accessories:
NC Plate: G-19975 (2)

SATURN

2" HO TRIMLESS GIMBAL

2"

Cut Out: 2.94"



Lumens:	1000
Wattage:	12W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18




Accessories:
NC Plate: G-19975 (2)

SATURN

3.5" TRIMLESS GIMBAL

3.5"

Cut Out: 3.65"



Lumens:	1400
Wattage:	14W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate: G-19975 (3)


Multi Light: G-95825 14W

SATURN

4" TRIMLESS GIMBAL

4"

Cut Out: 4.50"



Lumens:	1000
Wattage:	13W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:


NC Plate: G-19975 (5)

SATURN

4" HO TRIMLESS GIMBAL

4"

Cut Out: 4.50"



Lumens:	1500
Wattage:	17W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate: G-19975 (5)

SATURN

3" SINGLE HEAD TRIMLESS REGRESS MULTIPLE

3"

Cut Out: SQ 3.50" - RD 5"

G-95620

R3/8W/GRS/LED/TL/5CCT



White



G-95720

R3/8W/GRS/LED/TL/5CCT B

Black



Lumens:	700
Wattage:	8W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate: G-19975 (6)

Multi Light: G-95823 8W



SATURN

3" DOUBLE HEAD TRIMLESS REGRESS MULTIPLE


3"

Cut Out: 3.35" X 6.30"

G-95621

R3/15W/GR/LED/M2/TL/5CCT



White



G-95721

R3/15W/GR/LED/M2/TL/5CCT B

Black



Lumens:	1400 (700 each head)
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate: G-48318 (1)



SATURN


3" TRIPLE HEAD TRIMLESS REGRESS MULTIPLE

3"

G-95622

R3/23W/GR/LED/M3/TL/5CCT


White



G-95722

R3/23W/GR/LED/M3/TL/5CCT B

Black



Lumens:	1800 (600 each head)
Wattage:	23W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90° TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED



Accessories:
NC Plate: G-48318 (3)

SATURN


3" FOUR HEAD TRIMLESS REGRESS MULTIPLE

3"

G-97126

R3/30W/GR/M4/LED/TL/5CCT


White



G-97127

R3/30W/GR/M4/LED/TL/5CCT BK

Black



Lumens:	2800 (700 each head)
Wattage:	30W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6

- 5CCT COLOR SELECTABLE
- CRI 90° TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED



Accessories:
NC Plate: G-48449 (1)

SATURN

3.5" SINGLE HEAD TRIMLESS REGRESS MULTIPLE

3.5"

Cut Out: Sq 3.95" - Rd 5.70"

G-95623

R3.5/14W/GRS/LED/TL/5CCT


White



G-95723

R3.5/14W/GRS/LED/TL/5CCT B

Black



Lumens:	1200
Wattage:	14W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate: G-19975 (7)

Multi Light: G-95825 14W



SATURN

3.5" DOUBLE HEAD TRIMLESS REGRESS MULTIPLE


3.5"

Cut Out: 3.95"X 7.68"

G-95624

R3.5/28W/GR/LED/M2/TL/5CCT



White



G-95724

R3.5/28W/GR/LED/M2/TL/5CCT B

Black



Lumens:	2400 (1200 each head)
Wattage:	28W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12

Accessories:

NC Plate: G-48448 (0)



SATURN

3.5" TRIPLE HEAD TRIMLESS REGRESS MULTIPLE

G-95625

R3.5/42W/GR/LED/M3/TL/5CCT

White



G-95725


R3.5/42W/GR/LED/M3/TL/5CCT B

Black



3.5"

Cut Out: 3.95" X 11.85"



Lumens:	3300 (1100 each head)
Wattage:	42W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	12



Accessories:

NC Plate: G-48448 (1)

SATURN

3.5" FOUR HEAD TRIMLESS REGRESS MULTIPLE

G-97220

R3.5/52W/GR/M4/LED/TL/5CCT

White



G-97221


R3.5/52W/GR/M4/LED/TL/5CCT BK

Black



3.5"

Cut Out: 3.95" X 15.30"



Lumens:	4800 (1200 each head)
Wattage:	30W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6



Accessories:


NC Plate: G-48449 (2)

SATURN

4" SINGLE HEAD TRIMLESS REGRESS MULTIPLE

4"


Cut Out: Sq 4.56" - Rd 6.46"



G-99221

SN28W/GR/M1/5CCT/TL/WH


White



G-99321

SN28W/GR/M1/5CCT/TL/BK

Black



Lumens:	1800/2700
Wattage:	20/28W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12
IC rated-at	20W

Accessories:

NC Plate: G-19982 (7)

Multi Light: G-95826 20W



JA8
TITLE 24




SATURN

4" DOUBLE HEAD TRIMLESS REGRESS MULTIPLE

4"

Cut Out: 4.56" X 9.60"



G-99222

SN56W/GR/M2/5CCT/TL/WH


White



G-99322

SN56W/GR/M2/5CCT/TL/BK

Black



Lumens:	3200/5200
Wattage:	36/56W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	4
IC rated-at	36W

Accessories:

NC Plate: G-98823 (1)



JA8
TITLE 24



SATURN



4" TRIPLE HEAD TRIMLESS REGRESS MULTIPLE

4"

G-99223

SN84W/GR/M3/5CCT/TL/WH

White



G-99323

SN84W/GR/M3/5CCT/TL/BK

Black



Lumens:	4800/7800
Wattage:	54/84W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	4
IC rated-at	54W



Accessories:
NC Plate: G-98823 (3)

SATURN



4" FOUR HEAD TRIMLESS REGRESS MULTIPLE

4"

G-99224

SN112W/GR/M4/5CCT/TL/WH


White



G-99324

SN112W/GR/M4/5CCT/TL/BK

Black



Lumens:	6400/10400
Wattage:	72/112W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	2



Accessories:
NC Plate: G-98823 (5)

SATURN

2" FLUSHED GIMBAL

2"

Cut Out: 2.00"

G-19833

R2/5W/GR/LED/5CCT


White



G-19834

R2/5W/GR/LED/B/5CCT


Black



G-19835

R2/5W/GR/LED/BN/5CCT


Brushed Nickel



G-19836

R2/5W/GR/LED/BZ/5CCT


Bronze



G-19837

R2/5W/GR/LED/BB/5CCT

Brushed Brass



Lumens:	450
Wattage:	5W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90* TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

Accessories:

- NC Plate: G-19975 (0)
- Multi Light: G-95823 5W

SATURN


2" FLUSHED GIMBAL

2"

Cut Out: 2.00"

G-19839

R2/5W/GS/LED/5CCT



Lumens:	450
Wattage:	5W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90* TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

Accessories:

- NC Plate: G-19975 (0)
- Multi Light: G-95823 5W

SATURN

3" FLUSHED GIMBAL

3"

Cut Out: 2.75"

G-19845

R3/8W/GR/LED/5CCT
120/277V Triac/0-10

White



G-19846

R3/8W/GR/LED/B/5CCT
120/277V Triac/0-10

Black



G-19847

R3/8W/GR/LED/BN/5CCT

Brushed Nickel



G-19848

R3/8W/GR/LED/BZ/5CCT


Bronze



G-19849

R3/8W/GR/LED/BB/5CCT
120/277V Triac/0-10

Brushed Brass



Lumens:	700
Wattage:	8W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90* TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

Accessories:

- NC Plate: G-19975 (1)
- Multi Light: G-95823 8W

SATURN


3" FLUSHED GIMBAL

3"

Cut Out: 2.75"

G-19851

R3/8W/GS/LED/5CCT



Lumens:	650
Wattage:	8W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90* TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

Accessories:

- NC Plate: G-19975 (1)
- Multi Light: G-95823 8W

SATURN

3" HO FLUSHED GIMBAL

3"

Cut Out: 2.75"




G-19855
R3/11W/GR/LED/5CCT

White

G-19856
R3/11W/GR/LED/B/5CCT

Black



Lumens:	1050
Wattage:	11W
Voltage:	120/227V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED



Accessories:

- NC Plate: G-19975 (1)
- Multi Light: G-95824 10W

SATURN

3.5" FLUSHED GIMBAL

3.5"

Cut Out: 3.62"




G-19999
R3/14W/GR/LED/5CCT

White

G-20000
R3/14W/GR/LED/5CCT BK

Black



Lumens:	1400
Wattage:	14W
Voltage:	120/227V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED



Accessories:

- NC Plate: G-19975 (3)
- Multi Light: G-95825 14W

SATURN

4" FLUSHED GIMBAL

4"

Cut Out: 4.00"



G-20001
R4/14W/GR/LED/5CCT
White



G-48357
R4/14W/GR/B/LED/5CCT
120/277V Triac/0-10
Black




G-48358
R4/14W/GR/BN/LED/5CCT
Brushed Nickel



G-48359
R4/14W/GR/BZ/LED/5CCT
120/277V Triac/0-10
Bronze



G-20005
R4/14W/GR/BB/LED/5CCT
Brushed Brass



Lumens:	1200
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

- Accessories:**
- NC Plate: G-19975 (4)
 - Multi Light: G-95825 14W

SATURN


4" FLUSHED GIMBAL

4"

Cut Out: 4.00"



G-20006
R4/14W/SQ/LED/5CCT



Lumens:	1100
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC


- Accessories:**
- NC Plate: G-19975 (4)
 - Multi Light: G-95825 14W

SATURN

4" HO FLUSHED GIMBAL

4"

Cut Out: 4.00"



Lumens:	1750
Wattage:	20W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12




Accessories:
NC Plate: G-19975 (4)
Multi Light: G-95826 20W

SATURN

6" FLUSHED GIMBAL

6"

Cut Out: 6.25"



Lumens:	1400
Wattage:	18W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	12




Accessories:
NC Plate: G-19975 (7)

SATURN

2" REGRESS GIMBAL

2"

Cut Out: 2.45"



Lumens:	400
Wattage:	5W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:
NC Plate: G-19975 (1)
Multi Light: G-95823 5W

SATURN

2" REGRESS GIMBAL

2"

Cut Out: 2.45"




G-20088
R2/SW/GSR/LED/SCCT

White

G-20083
R2/SW/GSR/LED/SCCT B

Black



Lumens:	400
Wattage:	5W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:

NC Plate: G-19975 (1)

Multi Light: G-95823 5W

SATURN

3" REGRESS GIMBAL

3"

Cut Out: 3.35"



G-20089

R3/8W/GRR/LED/SCCT
120/277V Triac/0-10

White



G-48360

R3/8W/GRR/LED/B/SCCT

Black



G-48361

R3/8W/GRR/LED/BN/SCCT

Brushed Nickel



G-48362

R3/8W/GRR/LED/BZ/SCCT


Bronze



G-48368

R3/8W/GRR/LED/BB/SCCT

Brushed Brass



Lumens:	700
Wattage:	8W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:

NC Plate: G-19975 (3)

Multi Light: G-95823 8W

SATURN

3" REGRESS GIMBAL

3"

Cut Out: 3.35"

G-20090

R3/8W/GSR/LED/5CCT
120/277V Triac/0-10

White



G-48363

R3/8W/GSR/LED/B/5CCT
120/277V Triac/0-10

Black



G-48364

R3/8W/GSR/LED/BN/5CCT

Brushed Nickel



G-48365

R3/8W/GRR/LED/BZ/5CCT


Bronze



G-48369

R3/8W/GSR/LED/BB/5CCT

Brushed Brass



Lumens:	700
Wattage:	8W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

Accessories:

- NC Plate: G-19975 (3)
- Multi Light: G-95823 8W

SATURN

3" HO REGRESS GIMBAL

3"

Cut Out: 3.35"

G-97320

R3/11W/GRR/LED/5CCT


White



G-97321

R3/11W/GRR/LED/5CCT BK

Black



Lumens:	1050
Wattage:	11W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

Accessories:


- NC Plate: G-19975 (3)
- Multi Light: G-95824 10W

SATURN

3" HO REGRESS GIMBAL

3"

Cut Out: 3.35"



Lumens:	1050
Wattage:	11W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18




Accessories:
 NC Plate: G-19975 (3)
 Multi Light: G-95824 10W

SATURN

3.5" REGRESS GIMBAL

3.5"

Cut Out: 4.00"



Lumens:	1400
Wattage:	14W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18




Accessories:
 NC Plate: G-19975 (4)
 Multi Light: G-95825 14W

SATURN

4" REGRESS GIMBAL

4"

Cut Out: 4.55"



Lumens:	1100
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18




Accessories:
 NC Plate: G-19975 (5)
 Multi Light: G-95825 14W

SATURN

4" HO REGRESS GIMBAL

4"

Cut Out: 4.55"



Lumens:	1750
Wattage:	20W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12




Accessories:
NC Plate: G-19975 (5)
Multi Light: G-95826 20W

SATURN

4" REGRESS GIMBAL

4"

Cut Out: 4.55"



Lumens:	1200
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18




Accessories:
NC Plate: G-19975 (5)
Multi Light: G-95825 14W

SATURN

4" HO REGRESS GIMBAL

4"

Cut Out: 4.55"



Lumens:	1750
Wattage:	20W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12



Accessories:
NC Plate: G-19975 (5)
Multi Light: G-95826 20W

SATURN

6" REGRESS GIMBAL

6"

Cut Out: 6.00"

G-20093


R6/22W/GRR/LED/5CCT

White

G-20095

R6/22W/GRR/LED/5CCT BK

Black



Lumens:	2200
Wattage:	22W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6

Accessories:

NC Plate: G-19975 (7)

Multi Light: G-95826 22W



SATURN

6" REGRESS GIMBAL

6"

Cut Out: SQ 6.00" RD 6.80"

G-20094

R6/22W/GRS/LED/5CCT

White

G-20096


R6/22W/GRS/LED/5CCT BK

Black



Lumens:	2200
Wattage:	22W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6

Lumens:	2200/3400
Wattage:	22/40W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6
IC rated-at 22W	



Accessories:

NC Plate: G-19982 (7)

Multi Light: G-95826 22W



SATURN


2" DOUBLE HEAD REGRESS MULTIPLE

2"

Cut Out: 2.70"-5.12"

G-48314

R2/10W/GR/M2/LED/5CCT



Lumens:	900 (450 each head)
Wattage:	10W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

JA8
TITLE 24

ETL
US

FC

Accessories:

NC Plate: G-48318 (0)

SATURN


2" TRIPLE HEAD REGRESS MULTIPLE

2"

Cut Out: 2.70"-7.48"

G-48315

R2/15W/GR/M3/LED/5CCT



Lumens:	1200 (400 each head)
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

JA8
TITLE 24

ETL
US

FC

Accessories:


NC Plate: G-48318 (2)

SATURN

3" DOUBLE HEAD REGRESS MULTIPLE

3"

Cut Out: 3.35"x 6.30"



Lumens:	1200 (600 each head)
Wattage:	15W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18




Accessories:
NC Plate: G-48318 (1)

SATURN

3" DOUBLE HEAD REGRESS MULTIPLE

3"

Cut Out: 3.35"x 9.45"



Lumens:	1800 (600 each head)
Wattage:	23W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18




Accessories:
NC Plate: G-48318 (3)

SATURN

3" FOUR HEAD REGRESS MULTIPLE

3"

Cut Out: 3.5" x 12.5"



Lumens:	2800 (700 each head)
Wattage:	30W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6



Accessories:
NC Plate: G-48449 (1)

SATURN

3.5" SINGLE HEAD REGRESS MULTIPLE

3.5"

Cut Out: SQ 4.00" - RD 5.15"

G-48441


R3.5/14W/GR/M1/LED/5CCT

White

G-48440

R3.5/14W/GR/M1/LED/5CCT BK

Black



Lumens:	1400
Wattage:	14W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate: G-19975 (6)

Multi Light: G-95825 14W

SATURN

3.5" DOUBLE HEAD REGRESS MULTIPLE

3.5"

Cut Out: 3.94" x 7.68"

G-48442


R3.5/28W/GR/M2/LED/5CCT

White

G-48444

R3.5/28W/GR/M2/LED/5CCT B

Black



Lumens:	2400 (1200 each head)
Wattage:	28W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12



Accessories:

NC Plate: G-48448 (0)

SATURN

3.5" TRIPLE HEAD REGRESS MULTIPLE

3.5"

Cut Out: 3.94" x 11.42"

G-48443

R3.5/42W/GR/M3/LED/5CCT


White



G-48445

R3.5/42W/GR/M3/LED/5CCT B

Black



Lumens:	3300 (1100 each head)
Wattage:	42W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	12



Accessories:

NC Plate: G-48448 (1)

SATURN

3.5" FOUR HEAD REGRESS MULTIPLE

3.5"

Cut Out: 4" X 15.3"

G-97128

R3.5/52W/GR/M4/LED/5CCT


White



G-97129

R3.5/52W/GR/M4/LED/5CCT BK

Black



Lumens:	4800 (1200 each head)
Wattage:	52W
Voltage:	120/277V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6



Accessories:


NC Plate: G-48449 (2)

SATURN

4" SINGLE HEAD REGRESS MULTIPLE

4"

Cut Out: 4.55"



Lumens:	1750
Wattage:	20W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate: G-19975 (5)

Multi Light: G-95826 20W



JA8
TITLE 24

ETL
US


FC

SATURN

4" DOUBLE HEAD REGRESS MULTIPLE

4"

Cut Out: 4.65"X 9.37"



Lumens:	3200/5200
Wattage:	36/56W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	4
IC rated-at	36W

Accessories:

NC Plate: G-98823 (1)



JA8
TITLE 24

ETL
US

FC

SATURN

4" TRIPLE HEAD REGRESS MULTIPLE


4"

Cut Out: 4.65" X 14.40"

G-99023

SN/4/84W/GR/M3/5CCT/WH

White



G-99123

SN/4/84W/GR/M3/5CCT/BK

Black



Lumens:	4800/7800
Wattage:	54/84W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	4
IC rated-at	54W



JA8
TITLE 24



Accessories:

NC Plate: G-98823 (3)

SATURN

4" FOUR HEAD REGRESS MULTIPLE



4"

Cut Out: 4.65" X 19.50"

G-99024

SN4/112W/GR/M4/5CCT/WH

White



G-99124

SN/4/112W/GR/M4/5CCT/BK

Black



Lumens:	6400/10400
Wattage:	72/112W
Voltage:	120/277V
CRI:	90
Beam Angle:	60°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	2
IC rated-at	72W



JA8
TITLE 24



Accessories:

NC Plate: G-98823 (5)


PURA

3.5" ROUND GIMBAL



PURA LENS OPTIONS

G-98825 PR/L/24-DEGREE	G-98827 PR/L/60-DEGREE
----------------------------------	----------------------------------



3.5"

Cut Out: 3.50"

Lumens:	1400/1850
Wattage:	14/19W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18
IC rated-at 14W	

Accessories:

NC Plate: G-19975 (3)

Multi Light: G-95825 14W / G-95825 18W

Lens: G-98825 24°/G-98826 40°/G-98827 60°




PURA

3.5" SINGLE HEAD MULTIPLE



PURA LENS OPTIONS

G-98825 PR/L/24-DEGREE	G-98827 PR/L/60-DEGREE
----------------------------------	----------------------------------



3.5"

Cut Out: 3.50"

Lumens:	1400/1850
Wattage:	14/19W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18
IC rated-at 14W	

Accessories:

NC Plate: G-19975 (3)


Multi Light: G-95825 14W / G-95825 18W

Lens: G-98825 24°/G-98826 40°/G-98827 60°




PURA

3.5" DOUBLE HEAD MULTIPLE



PURA LENS OPTIONS

G-98825 PR/L/24-DEGREE	G-98827 PR/L/60-DEGREE
----------------------------------	----------------------------------



3.5"

Cut Out: 3.50" x 7.10"

Lumens:	2600/3600
Wattage:	27/40W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12
IC rated-at 27W	

Accessories:

NC Plate: G-98822 (0)

Lens: G-98825 24°/G-98826 40°/G-98827 60°



PURA

3.5" TRIPLE HEAD MULTIPLE

G-98723

PR/3.5/60W/GR/M3/5CCT/WH



White

G-98728

PR/3.5/60W/GR/M3/5CCT/BK



Black

PURA LENS OPTIONS



G-98825


PR/L/24-DEGREE

G-98827

PR/L/60-DEGREE

3.5"

Cut Out: 3.50" x 10.70"



Lumens:	3750/5250
Wattage:	39/60W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6
IC rated-at	39W

Accessories:

NC Plate: G-98822 (2)

Lens: G-98825 24°/G-98826 40°/G-98827 60°




PURA

3.5" FOUR HEAD MULTIPLE

G-98724

PR/3.5/80W/GR/M4/5CCT/WH



White

G-98729

PR/3.5/80W/GR/M4/5CCT/BK



Black

PURA LENS OPTIONS



G-98825


PR/L/24-DEGREE

G-98827

PR/L/60-DEGREE

3.5"

Cut Out: 3.50" x 14.30"



Lumens:	4900/6800
Wattage:	50/80W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6
IC rated-at	50W

Accessories:

NC Plate: G-98822 (4)

Lens: G-98825 24°/G-98826 40°/G-98827 60°




FLARION

3" FLOATING ROUND GIMBAL



FLARION LENS OPTIONS

G-01420	G-01422
FL/L3/24-DEGREE	FL/L3/60-DEGREE



3"

Cut Out: 2.95"

Lumens:	700
Wattage:	8W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate: G-19975 (2)

Multi Light: G-95823 8W

Lens: G-01420 24°/G-01421 40°/G-01422 60°




FLARION

3.5" FLOATING ROUND GIMBAL



FLARION LENS OPTIONS

G-01425	G-01427
FL/L3.5/24-DEGREE	FL/L3.5/60-DEGREE



3.5"

Cut Out: 3.65"

Lumens:	850
Wattage:	10W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate: G-19975 (3)

Multi Light: G-95823 10W

Lens: G-01425 24°/G-01426 40°/G-01427 60°




FLARION

4" FLOATING ROUND GIMBAL



FLARION LENS OPTIONS

G-01520	G-01522
FL/L4/24-DEGREE	FL/L4/60-DEGREE



4"

Cut Out: 4.25"

Lumens:	1200
Wattage:	13W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate: G-19975 (4)

Multi Light: G-95824 12W

Lens: G-01520 24°/G-01521 40°/G-01522 60°



FLARION

3" FLOATING SINGLE HEAD MULTIPLE

FLARION LENS OPTIONS

G-01420	G-01422
FL/L3/24-DEGREE	FL/L3/60-DEGREE

3"

Cut Out: 2.95"

G-00821

FL/3/8W/GR/M1/5CCT/WH


White



G-00921

FL/3/8W/GR/M1/5CCT/BK

Black



Lumens:	700
Wattage:	8W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate: G-19975 (2)

Multi Light: G-95823 8W

Lens: G-01420 24°/G-01421 40°/G-01422 60°



FLARION

3" FLOATING DOUBLE HEAD MULTIPLE

FLARION LENS OPTIONS

G-01420	G-01422
FL/L3/24-DEGREE	FL/L3/60-DEGREE

3"

Cut Out: 2.95" X 6.15"

G-00822

FL/3/15W/GR/M2/5CCT/WH



White



G-00922

FL/3/15W/GR/M2/5CCT/BK

Black



Lumens:	1400 (700 each head)
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate: G-98821 (1)

Lens: G-01420 24°/G-01421 40°/G-01422 60°



FLARION

3" FLOATING TRIPLE HEAD MULTIPLE

FLARION LENS OPTIONS

G-01420	G-01422
FL/L3/24-DEGREE	FL/L3/60-DEGREE


3"

Cut Out: 2.95" X 9.45"

G-00823

FL/3/23W/GR/M3/5CCT/WH

White



G-00923

FL/3/23W/GR/M3/5CCT/BK

Black



Lumens:	1200 (400 each head)
Wattage:	23W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12



Accessories:

NC Plate: G-98821 (3)
Lens: G-01420 24°/G-01421 40°/G-01422 60°

FLARION

3" FLOATING FOUR HEAD MULTIPLE

FLARION LENS OPTIONS

G-01420	G-01422
FL/L3/24-DEGREE	FL/L3/60-DEGREE


3"

Cut Out: 2.95" X 13.05"

G-00824

FL/3/32W/GR/M4/5CCT/WH

White



G-00924

FL/3/32W/GR/M4/5CCT/BK

Black



Lumens:	2800 (700 each head)
Wattage:	32W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6



Accessories:

NC Plate: G-98821 (5)
Lens: G-01420 24°/G-01421 40°/G-01422 60°

FLARION

3.5" FLOATING SINGLE HEAD MULTIPLE

FLARION LENS OPTIONS

G-01425 FL/L3.5/24-DEGREE	G-01427 FL/L3.5/60-DEGREE
-------------------------------------	-------------------------------------



3.5"
Cut Out: 3.65"


G-01021
FL/3.5/10W/GR/M1/5CCT/WH

White



G-01121
FL/3.5/10W/GR/M1/5CCT/BK

Black



Lumens:	850
Wattage:	10W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate:	G-19975 (4)
Multi Light:	G-95824 10W
Lens:	G-01425 24°/G-01426 40°/G-01427 60°

SCCT COLOR SELECTABLE | CRI 90+ TRUE COLORS | AIR TIGHT | WET LOCATION | DIMMABLE DOWN TO 5% | IC RATED | LENS CHANGEABLE

JA8 TITLE 24 | ETL US | FC

FLARION

3.5" FLOATING DOUBLE HEAD MULTIPLE

FLARION LENS OPTIONS

G-01425 FL/L3.5/24-DEGREE	G-01427 FL/L3.5/60-DEGREE
-------------------------------------	-------------------------------------



3.5"
Cut Out: 3.65" X 7.60"


G-01022
FL/3.5/20W/GR/M2/5CCT/WH

White



G-01122
FL/3.5/20W/GR/M2/5CCT/BK

Black



Lumens:	1600 (800 each head)
Wattage:	20W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate:	G-98822 (1)
Lens:	G-01425 24°/G-01426 40°/G-01427 60°

SCCT COLOR SELECTABLE | CRI 90+ TRUE COLORS | AIR TIGHT | WET LOCATION | DIMMABLE DOWN TO 5% | IC RATED | LENS CHANGEABLE

JA8 TITLE 24 | ETL US | FC

FLARION

3.5" FLOATING TRIPLE HEAD MULTIPLE

FLARION LENS OPTIONS

G-01425	G-01427
FL/L3.5/24-DEGREE	FL/L3.5/60-DEGREE

3.5"

Cut Out: 3.65" X 11.85"



G-01023

FL/3.5/27W/GR/M3/5CCT/WH


White



G-01123

FL/3.5/27W/GR/M3/5CCT/BK

Black



Lumens:	2400 (800 each head)
Wattage:	27W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12



Accessories:

NC Plate:	G-98822 (3)
Lens:	G-01425 24°/G-01426 40°/G-01427 60°

FLARION

3.5" FLOATING FOUR HEAD MULTIPLE

FLARION LENS OPTIONS

G-01425	G-01427
FL/L3.5/24-DEGREE	FL/L3.5/60-DEGREE

3.5"

Cut Out: 3.65" X 16.15"



G-01024

FL/3.5/36W/GR/M4/5CCT/WH


White



G-01124

FL/3.5/36W/GR/M4/5CCT/BK

Black



Lumens:	3200 (1600 each head)
Wattage:	36W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6



Accessories:

NC Plate:	G-98822 (5)
Lens:	G-01425 24°/G-01426 40°/G-01427 60°

FLARION

4" FLOATING SINGLE HEAD MULTIPLE

G-01221

FL/4/13W/GR/M1/5CCT/WH

White



G-01321

FL/4/13W/GR/M1/5CCT/BK

Black




FLARION LENS OPTIONS

G-01520	G-01522
FL/L4/24-DEGREE	FL/L4/60-DEGREE



4"

Cut Out: 4.25"



Lumens:	1200
Wattage:	13W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate: G-19975 (4)

Multi Light: G-95824 12W

Lens: G-01520 24°/G-01521 40°/G-01522 60°



FLARION

4" FLOATING DOUBLE HEAD MULTIPLE

G-01222

FL/4/26W/GR/M2/5CCT/WH

White



G-01322

FL/4/26W/GR/M2/5CCT/BK

Black




FLARION LENS OPTIONS

G-01520	G-01522
FL/L4/24-DEGREE	FL/L4/60-DEGREE



4"

Cut Out: 4.25" X 8.95"



Lumens:	2400 (1200 each head)
Wattage:	26W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:

NC Plate: G-98823 (0)

Lens: G-01520 24°/G-01521 40°/G-01522 60°



FLARION

4" FLOATING TRIPLE HEAD MULTIPLE

FLARION LENS OPTIONS

G-01520	G-01522
FL/L4/24-DEGREE	FL/L4/60-DEGREE



4"



Cut Out: 4.25" X 13.85"



G-01223

FL/4/36W/GR/M3/5CCT/WH

White



G-01323

FL/4/36W/GR/M3/5CCT/BK

Black

Lumens:	3600 (1200 each head)
Wattage:	36W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12



Accessories:

NC Plate: G-98823 (2)

Lens: G-01520 24°/G-01521 40°/G-01522 60°

FLARION

4" FLOATING FOUR HEAD MULTIPLE

FLARION LENS OPTIONS

G-01520	G-01522
FL/L4/24-DEGREE	FL/L4/60-DEGREE



4"


Cut Out: 4.25" X 18.80"



G-01224

FL/4/48W/GR/M4/5CCT/WH

White



G-01324

FL/4/48W/GR/M4/5CCT/BK

Black

Lumens:	4600 (1150 each head)
Wattage:	48W
Voltage:	120/277V
CRI:	90
Beam Angle:	40° Clear (by Default)
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6



Accessories:

NC Plate: G-98823 (4)

Lens: G-01520 24°/G-01521 40°/G-01522 60°

DIPPER

2" ROUND RETRACTABLE DOWNLIGHT

2"

Cut Out: 1.92"

G-21050



DP2/RD/3W/5CCT/WT

White

G-21064

DP2/RD/3W/5CCT/BK

Black



Lumens:	170
Wattage:	3W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

Accessories:
NC Plate: G-19975 (0)

DIPPER

2" SINGLE HEAD RETRACTABLE DOWNLIGHT

2"

Cut Out: 1.70" X 1.85"

G-21051



DP2/SQ/3W/5CCT/WT

White

G-21065

DP2/SQ/3W/5CCT/BK

Black



Lumens:	170
Wattage:	3W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- ETL US
- FC

Accessories:
NC Plate: G-21062 (0)

DIPPER


2" DOUBLE HEAD RETRACTABLE DOWNLIGHT



G-21052
DP2/M2/6W/5CCT/WT
White



G-21066
DP2/M2/6W/5CCT/BK
Black



Lumens:	400 (200 each head)
Wattage:	6W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90° TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED



Accessories:
NC Plate: G-21062 (1)

DIPPER


2" FIVE HEAD RETRACTABLE DOWNLIGHT



G-21055
FL/4/48W/GR/M4/5CCT/WH
White



G-21069
DP2/M5/15W/5CCT/BK
Black



Lumens:	980 (196 each head)
Wattage:	15W
Voltage:	120V
CRI:	90
Beam Angle:	40°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

- 5CCT COLOR SELECTABLE
- CRI 90° TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED



Accessories:
NC Plate: G-21062 (3)

REGULUS

2" REGRESS SLIM

2"

Cut Out: 2.08"



G-48508


RS2/8W/R/LED/SCCT

Round

G-48509

RS2/8W/SQ/LED/SCCT

Square



Lumens:	500
Wattage:	8W
Voltage:	120V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:

NC Plate:	G-19975 (0)
Multi Light:	G-95823 8W

REGULUS

3" REGRESS SLIM

3"

Cut Out: 2.91"



G-48337


RS3/10W/R/LED/SCCT

Round

G-48338

RS3/10W/SQ/LED/SCCT

Square



Lumens:	750
Wattage:	10W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate:	G-19975 (2)
Multi Light:	G-95824 10W

REGULUS

4" REGRESS SLIM

4"

Cut Out: 4.25"



G-20241

RS4/15W/R/LED/SCCT

Round


G-20244

RS4/15W/SQ/LED/SCCT

Square

TRIM REPLACEMENT

G-48460	G-48461
RT4/R/COVER/BLACK	RT4/SQ/COVER/BLACK



Lumens:	1400
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate:	G-19975 (4)
Multi Light:	G-95825 14W

REGULUS

5" REGRESS SLIM

5"

Cut Out: 5.20"




G-20242
RS5/23W/R/LED/SCCT

Round

G-20245
RS5/23W/SO/LED/SCCT

Square



Lumens:	1800
Wattage:	23W
Voltage:	120V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18

Accessories:
NC Plate: G-19975 (6)
Multi Light: G-95826 22W

REGULUS

6" REGRESS SLIM

6"

Cut Out: 6.29"




G-20243
RS6/28W/R/LED/SCCT

Round

G-20246
RS6/28W/SO/LED/SCCT

Square



Lumens:	950/1750/2700
Wattage:	10W/18W/28W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:
NC Plate: G-19975 (7)
Multi Light: G-95824 10W / G-95825 18W

REGULUS

3" TRIMLESS REGRESS SLIM


3"

Cut Out: 2.72"



G-96721
RS3/10W/R/LED/TL/SCCT

Round



Lumens:	750
Wattage:	10W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18

Accessories:
NC Plate: G-19975 (1)
Multi Light: G-95824 10W

REGULUS

3" TRIMLESS REGRESS SLIM


3"

Cut Out: SQ 2.45" RD 3.24"

G-96821

RS3/10W/SQ/LED/TL/SCCT

Square



Lumens:	750
Wattage:	10W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate:	G-19975 (3)
Multi Light:	G-95824 10W

REGULUS

4" TRIMLESS REGRESS SLIM


4"

Cut Out: 3.85"

G-96722

RS4/15W/R/LED/TL/SCCT

Round



Lumens:	1300
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate:	G-19975 (4)
Multi Light:	G-95825 14W

REGULUS

4" TRIMLESS REGRESS SLIM



4"

Cut Out: SQ 3.23" RD 4.40"

G-96822

RS4/15W/SQ/LED/TL/SCCT

Square



Lumens:	1300
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate:	G-19975 (5)
Multi Light:	G-95825 14W



STAR

2" ROUND FLUSHED SLIM

2"

Cut Out: 2.08"

G-20219
S2/5W/R/LED/5CCT



Lumens:	300
Wattage:	5W
Voltage:	120V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:

NC Plate:	G-19957 (0)
Multi Light:	G-95823 5W


STAR

3" ROUND FLUSHED SLIM

3"

Cut Out: 2.94"

G-20220
S3/8W/R/LED/5CCT



Lumens:	600
Wattage:	8W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate:	G-19975 (2)
Multi Light:	G-95823 8W


STAR

4" ROUND FLUSHED SLIM

4"

Cut Out: 4.25"

G-20221
S4/12W/R/LED/5CCT



Lumens:	1000
Wattage:	12W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18




Accessories:

NC Plate:	G-19975 (4)
Multi Light:	G-95824 12W

STAR

5" ROUND FLUSHED SLIM

G-20222
S5/15W/R/LED/SCCT



5"

Cut Out: 5.25"

Lumens:	1350
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18




Accessories:

NC Plate:	G-19975 (6)
Multi Light:	G-95825 14W

STAR

6" ROUND FLUSHED SLIM

G-20223
S6/20W/R/LED/SCCT



6"

Cut Out: 6.20"

Lumens:	1800
Wattage:	20W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18




Accessories:

NC Plate:	G-19975 (7)
Multi Light:	G-95826 20W

STAR

8" ROUND FLUSHED SLIM

G-20224
S8/24W/R/LED/SCCT



8"

Cut Out: 8.25"

Lumens:	2200
Wattage:	24W
Voltage:	120V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:


NC Plate:	G-19982 (8)
------------------	-------------

STAR

12" ROUND FLUSHED SLIM



G-02320
S12/45W/R/LED/5CCT



12"

Cut Out: 11.90"

Lumens:	4000
Wattage:	45W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	6




FABULON

4" ROUND BAFFLE SLIM



G-97822
SB4/12W/R/LED/5CCT



4"

Cut Out: 4.20"

Lumens:	1000
Wattage:	12W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18




Accessories:


NC Plate:	G-19975 (4)
Multi Light:	G-95824 12W

FABULON

6" ROUND BAFFLE SLIM



G-97824
SB6/20W/R/LED/5CCT



6"

Cut Out: 6.20"

Lumens:	1800
Wattage:	20W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate:	G-19975 (7)
Multi Light:	G-95826 20W


STAR

2" SQUARE FLUSHED SLIM

2"

Cut Out: 2.08"

G-20217
S2/5W/SQ/LED/5CCT



Lumens:	300
Wattage:	5W
Voltage:	120V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:

NC Plate:	G-19975 (0)
Multi Light:	G-95823 5W


STAR

3" SQUARE FLUSHED SLIM

3"

Cut Out: 2.94"

G-20225
S3/8W/SQ/LED/5CCT



Lumens:	500
Wattage:	8W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:

NC Plate:	G-19975 (2)
Multi Light:	G-95823 8W



STAR

4" SQUARE FLUSHED SLIM

4"

Cut Out: 4.25"

G-20226
S4/12W/SQ/LED/5CCT



Lumens:	850
Wattage:	12W
Voltage:	120V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	18



Accessories:


NC Plate:	G-19975 (4)
Multi Light:	G-95824 12W

STAR


5" SQUARE FLUSHED SLIM

5"

Cut Out: 5.25"



G-20227
S5/15W/SQ/LED/5CCT



Lumens:	1350
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:


NC Plate:	G-19975 (6)
Multi Light:	G-95825 14W

STAR


6" SQUARE FLUSHED SLIM

6"

Cut Out: 6.20"



G-20228
S6/18W/SQ/LED/5CCT



Lumens:	1400
Wattage:	18W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:

NC Plate:	G-19975 (7)
Multi Light:	G-95825 18W

STAR


8" SQUARE FLUSHED SLIM

8"

Cut Out: 8.25"



G-20229
S8/24W/SQ/LED/3CCT



Lumens:	2200
Wattage:	24W
Voltage:	120V
CRI:	90
Beam Angle:	100°
CCT:	30,41,50K
Dimmable:	Yes
Pack:	18



STAR

3" ROUND TRIMLESS FLUSHED



3"

Cut Out: 2.83"

G-96621

SR3/15W/R/5CCT/TL

Round



Lumens:	800/1200
Wattage:	10/15W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18
IC rated-at 10W	



Accessories:
NC Plate: G-19975 (2)
Multi Light: G-95824 10W / G-95825 14W

STAR

4" ROUND TRIMLESS FLUSHED



4"

Cut Out: 4.17"

G-96622

SR4/20W/R/5CCT/TL

Round



Lumens:	1400/1700
Wattage:	15/20W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18
IC rated-at 15W	



Accessories:
NC Plate: G-19975 (4)
Multi Light: G-95825 14W / G-98526 20W

STAR

3" SQUARE TRIMLESS FLUSHED



3"

Cut Out: 2.28"

G-96625

SR3/15W/SQ/5CCT/TL

Square



Lumens:	750/1100
Wattage:	10/15W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18
IC rated-at 10W	



Accessories:
NC Plate: G-19975 (3)
Multi Light: G-95824 10W / G-95825 14W

STAR

4" SQUARE TRIMLESS FLUSHED



4"

Cut Out: 2.95"

G-96626

SR4/20W/SQ/5CCT/TL

Square



Lumens:	1400/1700
Wattage:	15/20W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18
IC rated-at 15W	



Accessories:
NC Plate: G-19975 (4)
Multi Light: G-95825 14W / G-98526 20W

FIRE RATED

3" FIRE RATED ROUND SLIM


3"

Cut Out: 2.85"

G-96921

S3/8W/R/LED/5CCT FR

Fire Rated



Lumens:	600
Wattage:	8W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Wire:	FT6 Plenum rated
Certified:	UL 263 & ASTM E119
Pack:	18



Accessories:
NC Plate: G-19975 (2)
Multi Light: G-95823 8W

FIRE RATED

4" FIRE RATED ROUND SLIM


4"

Cut Out: 3.90"

G-96922

S4/12W/R/LED/5CCT FR

Fire Rated



Lumens:	925
Wattage:	12W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Wire:	FT6 Plenum rated
Certified:	UL 263 & ASTM E119
Pack:	18



Accessories:
NC Plate: G-19975 (4)
Multi Light: G-95824 12W


FIRE RATED

5" FIRE RATED ROUND SLIM

5"

Cut Out: 4.90"

G-96923
S5/15W/R/LED/SCCT FR
Fire Rated



Lumens:	1200
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Wire:	FT6 Plenum rated
Certified:	UL 263 & ASTM E119
Pack:	18

Accessories:

NC Plate:	G-19975 (6)
Multi Light:	G-95825 14W


FIRE RATED

6" FIRE RATED ROUND SLIM

6"

Cut Out: 6.10"

G-96924
RS6/18W/R/LED/SCCT FR
Fire Rated



Lumens:	1600
Wattage:	18W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Wire:	FT6 Plenum rated
Certified:	UL 263 & ASTM E119
Pack:	18

Accessories:

NC Plate:	G-19975 (7)
Multi Light:	G-95825 18W


FIRE RATED

3" FIRE RATED SQUARE SLIM

3"

Cut Out: 2.85"

G-97021
S3/8W/SQ/LED/SCCT FR
Fire Rated



Lumens:	550
Wattage:	8W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Wire:	FT6 Plenum rated
Certified:	UL 263 & ASTM E119
Pack:	18

Accessories:

NC Plate:	G-19975 (2)
Multi Light:	G-92523 8W

FIRE RATED

4" FIRE RATED SQUARE SLIM


4"

Cut Out: 3.95"

G-97022

S4/12W/SQ/LED/5CCT FR

Fire Rated



Lumens:	850
Wattage:	12W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Wire:	FT6 Plenum rated
Certified:	UL 263 & ASTM E119
Pack:	18

Accessories:
NC Plate: G-19975 (4)
Multi Light: G-95824 12W

FIRE RATED

5" FIRE RATED SQUARE SLIM


5"

Cut Out: 5.10"

G-97023

S5/15W/SQ/LED/5CCT FR

Fire Rated



Lumens:	1600
Wattage:	18W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Wire:	FT6 Plenum rated
Certified:	UL 263 & ASTM E119
Pack:	18

Accessories:
NC Plate: G-19975 (6)
Multi Light: G-95825 18W

FIRE RATED

6" FIRE RATED SQUARE SLIM



6"

Cut Out: 6.10"

G-97024

S6/18W/SQ/LED/5CCT FR

Fire Rated



Lumens:	1600
Wattage:	18W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Wire:	FT6 Plenum rated
Certified:	UL 263 & ASTM E119
Pack:	18

Accessories:
NC Plate: G-19975 (7)
Multi Light: G-95825 18W

COMMERCIAL


3" COMMERCIAL REGRESS DOWNLIGHT

3"

Cut Out: 2.95"

G-98521

RS3/10W-IC/15W-NIC/RD/LED/5CCT/BX



Lumens:	750/1050
Wattage:	10/15W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:
NC Plate: G-19975 (2)
Multi Light: G-95824 10W / G-95825 14W

COMMERCIAL


4" COMMERCIAL REGRESS DOWNLIGHT

4"

Cut Out: 4.20"

G-98522

RS4/15W-IC/20W-NIC/RD/LED/5CCT/BX



Lumens:	1400/2000
Wattage:	15/20W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	18



Accessories:
NC Plate: G-19975 (4)
Multi Light: G-95825 14W / G-95826 20W

COMMERCIAL


5" COMMERCIAL REGRESS DOWNLIGHT

5"

Cut Out: 5.20"

G-98523

RS5/23W-IC/32W-NIC/RD/LED/5CCT/BX



Lumens:	2000/3000
Wattage:	23/32W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12



Accessories:
NC Plate: G-19975 (6)
Multi Light: G-95826 22W

COMMERCIAL


6" COMMERCIAL REGRESS DOWNLIGHT

6"

Cut Out: 6.20"

G-98524

RS6/28W-1C/48W-NIC/RD/LED/5CCT/BX



Lumens:	2700/5000
Wattage:	28/48W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac or 0-10V
Pack:	12



JA8
TITLE 24



Accessories:

NC Plate: G-19975 (7)

COMMERCIAL


8" COMMERCIAL REGRESS DOWNLIGHT

8"

Cut Out: 8.00"

G-98526

RS8/50W-1C/80W-NIC/RD/LED/5CCT/BX



Lumens:	5000/8000
Wattage:	50/80W
Voltage:	120/277V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Triac at 58W/0-10V at 58/80W
Pack:	4



JA8
TITLE 24



Accessories:

NC Plate: G-19982 (8)


STAR

BLACK ROUND COVERS



- G-97920 2"**
T2/RD/COVER/BLACK
- G-48370 3"**
T3/R/COVER/BLACK
- G-48373 4"**
T4/R/COVER/BLACK
- G-48376 5"**
T5/R/COVER/BLACK
- G-48379 6"**
T6/R/COVER/BLACK

BLACK SQUARE COVERS



- G-97925 2"**
T2/SQ/COVER/BLACK
- G-48385 3"**
T3/SQ/COVER/BLACK
- G-48388 4"**
T4/SQ/COVER/BLACK
- G-48391 5"**
T5/SQ/COVER/BLACK
- G-48394 6"**
T6/SQ/COVER/BLACK

BRUSHED NICKEL ROUND COVERS




- G-97921 2"**
T2/RD/COVER/NICKEL
- G-48371 3"**
T3/R/COVER/NICKEL
- G-48374 4"**
T4/R/COVER/NICKEL
- G-48377 5"**
T5/R/COVER/NICKEL
- G-48380 6"**
T6/R/COVER/NICKEL

BRUSHED NICKEL SQUARE COVERS



- G-97926 2"**
T2/SQ/COVER/NICKEL
- G-48386 3"**
T3/SQ/COVER/NICKEL
- G-48389 4"**
T4/SQ/COVER/NICKEL
- G-48392 5"**
T5/SQ/COVER/NICKEL
- G-48395 6"**
T6/SQ/COVER/NICKEL

BRONZE ROUND COVERS



- G-97922 2"**
T2/RD/COVER/BRONZE
- G-48372 3"**
T3/R/COVER/BRONZE
- G-48375 4"**
T4/R/COVER/BRONZE
- G-48378 5"**
T5/R/COVER/BRONZE
- G-48381 6"**
T6/R/COVER/BRONZE

BRONZE SQUARE COVERS




- G-97927 2"**
T2/SQ/COVER/BRONZE
- G-48387 3"**
T3/SQ/COVER/BRONZE
- G-48390 4"**
T4/SQ/COVER/BRONZE
- G-48393 5"**
T5/SQ/COVER/BRONZE
- G-48396 6"**
T6/SQ/COVER/BRONZE

BRUSHED BRASS ROUND COVERS



- G-97923 2"**
T2/RD/COVER/BRASS
- G-48382 3"**
T3/R/COVER/BRASS
- G-48383 4"**
T4/R/COVER/BRASS
- G-48384 5"**
T5/R/COVER/BRASS
- G-48408 6"**
T6/R/COVER/BRASS

BRUSHED BRASS SQUARE COVERS




- G-97928 2"**
T2/SQ/COVER/BRASS
- G-48397 3"**
T3/SQ/COVER/BRASS
- G-48398 4"**
T4/SQ/COVER/BRASS
- G-48399 5"**
T5/SQ/COVER/BRASS
- G-48409 6"**
T6/SQ/COVER/BRASS

Pack: 10/100

ACCESSORIES

WHITE GOOF RING


G-98420
Goof/2.2ID-3.75OD/R/White



G-98421
Goof/2.75ID-4.5OD/R/White



G-98422
Goof/4.50ID-6.5OD/R/White



G-98423
Goof/6.5ID-8.0OD/R/White



Pack: 100

ACCESSORIES

MULTI LIGHT DRIVER

G-95823
Multi Light Driver, 5,7,8 Watt
5-7-8W



G-95824
Multi Light Driver, 9,10,12 Watt
9-10-12W



G-95825
Multi Light Driver, 14,16,18 Watt
14-16-18W



G-95826
Multi Light Driver, 20,22,24 Watt
20-22-24W




ACCESSORIES

EMERGENCY LED DRIVER 15W

15W



G-48410
EM/15W/14.8Vdc/2000mA



mA:	2000mA
Voltage:	120/347V
Illumination time:	90 mins
Recharging time:	24 hours
Pack:	15




ACCESSORIES

EMERGENCY LED DRIVER 25W

25W



G-95525
EM/120-347v /25w /170v DC/0-10
NEW



mA:	3500mA
Voltage:	120/347V
Illumination time:	90 mins
Recharging time:	24 hours
Pack:	10




ACCESSORIES

EMERGENCY LED DRIVER 30W

30W



G-48411
EM/30W/29.6Vdc/2000mA




mA:	2000mA
Voltage:	120/347V
Illumination time:	90 mins
Recharging time:	24 hours
Pack:	15




ACCESSORIES

EMERGENCY LED DRIVER 60W

60W



G-95521
EM/60W/28.8Vdc/4000mA




mA:	4000mA
Voltage:	120/347V
Illumination time:	90 mins
Recharging time:	24 hours
Pack:	10



ACCESSORIES

LED 120-277 DRIVER



3 PIN

G-48306

5W/277V/3PIN/Driver

Wattage: 5W

Voltage: 120/277V

mA: 110

G-48300

8W/277V/3PIN/Driver/5CCT

Wattage: 8W

Voltage: 120/277V

mA: 170

G-48301

12W/277V/3PIN/Driver/5CCT

Wattage: 12W

Voltage: 120/277V

mA: 270

G-48302

15W/277V/3PIN/Driver/3CCT

Wattage: 14/15W

Voltage: 120/277V

mA: 340

G-48303

17W/277V/3PIN/Driver/5CCT

Wattage: 17W

Voltage: 120/277V

mA: 390


G-48304

23W/277V/3PIN/Driver/5CCT

Wattage: 23W

Voltage: 120/277V

mA: 540



2 PIN

G-20127

DIMMABLE

24W/277V/2PIN/Driver

Wattage: 24W

Voltage: 120/277V

mA: 550



TWIST LOCK

G-48327

25W/277V/Twist-Lock/Driver

Wattage: 25W

Voltage: 120/277V

mA: 600

ACCESSORIES

LED EXTENSION CORDS



2 PIN

G-20210

6FT

Extenders 6 Ft

G-20211

10FT

Extenders 10 Ft



3 PIN

G-20247

5FT

Extenders 5 Ft

G-20248

10FT

Extenders 10 Ft



TWIST LOCK

G-48328

10FT


Extenders 10 Ft

ACCESSORIES

NEW CONSTRUCTION PLATES

G-19982


Uni. Sizes 2-1/16", 3-1/3", 3.3/4", 4-5/16", 5-1/4", 6-5/16", 6-7/8", 8-7/16", 9-5/16", 10-5/16"



 Pack:10

G-48318


Uni. Sizes 5.11"/6.29"/7.48"/9.44" x 3.35"



 Pack:12

G-19969


Uni. Sizes 2.95"/4.33"/6.29"



 Pack:24

G-48448

Uni. Sizes 7.68"/11.42"/3.94"



 Pack:12

G-19981


Uni. Sizes 2.08"/2.75"/3.75"/5.20"



 Pack:24

G-48449


Uni. Sizes 9.92" X 2.83"/12.52" X 3.54"/15.27" X 4.33"



 Pack:12

G-19979


Uni. Sizes 2.12"/2.75"/3.15"/3.75"/4.25"/4.64"/5.34"/6.35"



 Pack:20

G-19975

Uni. Sizes 2.12"/2.75"/3.15"/3.75"/4.25"/4.64"/5.34"/6.35"




 Pack:24

ACCESSORIES

NEW CONSTRUCTION PLATES


G-98821

Uni. Sizes 3" - 5.71"/6.30"/8.70"/9.49"/11.73"/13.23"




G-98822

Uni. Sizes 3.70"-7.17"/7.68"/10.79"/12.00"/14.49"/16.22"




G-98823

Uni. Sizes 4.68"-9.05"/9.72"/14.05"/14.76"/19.13"/19.80"



G-21062

Uni. Sizes 2"W/2.00"-5.00"-5.78"-9.48"-18.74"



GLIMMER

5" EDGELESS SURFACE MOUNT FIXTURE


5"

G-48540
ED5/12W/R/LED/SCCT

White

G-48544
ED5/12W/R/LED/SCCT/BK

Black



Lumens:	780
Wattage:	12W
Voltage:	120V
CRI:	90
Beam Angle:	120°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	20



GLIMMER

7" EDGELESS SURFACE MOUNT FIXTURE

7"



Lumens:	1350
Wattage:	15W
Voltage:	120V
CRI:	90
Beam Angle:	120°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	12



GLIMMER

9" EDGELESS SURFACE MOUNT FIXTURE

9"



Lumens:	1550
Wattage:	18W
Voltage:	120V
CRI:	90
Beam Angle:	120°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	12



GLIMMER

11" EDGELESS SURFACE MOUNT FIXTURE

11"



Lumens:	2000
Wattage:	20W
Voltage:	120V
CRI:	90
Beam Angle:	100°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	8




SPICA

4" SURFACE MOUNT DISK LIGHT

4"

G-19931
D4/12W/R/LED/SCCT



Lumens:	725
Wattage:	12W
Voltage:	120V
CRI:	90
Beam Angle:	120°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	20




SPICA

6" SURFACE MOUNT DISK LIGHT

6"

G-19932
D6/15W/R/LED/SCCT



Lumens:	950
Wattage:	15W
Voltage:	120V
CRI:	90
Beam Angle:	120°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	20




SPICA

8" SURFACE MOUNT DISK LIGHT

8"

G-19933
D8/27W/R/LED/SCCT




Lumens:	1875
Wattage:	27W
Voltage:	120V
CRI:	90
Beam Angle:	120°
CCT:	27, 30, 35, 41, 50k
Dimmable:	Yes
Pack:	10



GLAWRE'

1X1 SURFACE MOUNT FIXTURE

G-12020
GL/SM/1X1/20W/WS3/LED/SCCT



1X1

Lumens:	1400/1800/2200
Wattage:	12W/16W/20W
Voltage:	120/277V
CRI:	80
Beam Angle:	120°
CCT:	30, 35, 41, 50, 65k
Dimmable:	0-10V
Pack:	4


- SCCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

GLAWRE'

1X2 SURFACE MOUNT FIXTURE

G-12021
GL/SM/1X2/30W/LED/WS3/SCCT



1X2

Lumens:	2100/2700/3300
Wattage:	18W/24W/30W
Voltage:	120/277V
CRI:	90
Beam Angle:	120°
CCT:	30, 35, 41, 50, 65k
Dimmable:	0-10V
Pack:	4


- SCCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

GLAWRE'

1X4 SURFACE MOUNT FIXTURE

G-12022
GL/SM/1X4/50W/LED/WS3/SCCT



1X4

Lumens:	3660/4720/5750
Wattage:	30W/40W/50W
Voltage:	120/277V
CRI:	80
Beam Angle:	120°
CCT:	30, 35, 41, 50, 65k
Dimmable:	0-10V
Pack:	2

- SCCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC


GLAWRE'

2X2 SURFACE MOUNT FIXTURE

2X2

G-12023

GL/SM/2X2/50W/LED/WS3/5CCT



Lumens:	3660/4720/5750
Wattage:	30W/40W/50W
Voltage:	120/277V
CRI:	80
Beam Angle:	120°
CCT:	30, 35, 41, 50, 65k
Dimmable:	0-10V
Pack:	4

- SCCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL US
- FC


GLAWRE'

2X4 SURFACE MOUNT FIXTURE

2X4

G-12024

GL/SM/2X4/62W/LED/WS3/5CCT



Lumens:	5000/6000/7500
Wattage:	40W/50W/62W
Voltage:	120/277V
CRI:	80
Beam Angle:	120°
CCT:	30, 35, 41, 50, 65k
Dimmable:	0-10V
Pack:	2

- SCCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 5%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL US
- FC

NEPTUNE

2X2 CENTER BASKET FIXTURE


2X2

G-98020

F/2X2/50W/CB/WS3/4CCT

G-98021 EM

F/2X2/50W/CB/WS3/4CCT/EM 8w



Lumens:	3775/5150/6130
Wattage:	30/40/50W
Voltage:	120/277V
CRI:	90
Beam Angle:	120°
CCT:	30, 35, 41, 50k
Dimmable:	0-10V
Pack:	1

- 4CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

NEPTUNE

2X4 CENTER BASKET FIXTURE


2X4

G-98022

F/2X4/72W/CB/WS3/4CCT

G-98023-EM

F/2X4/72W/CB/WS3/4CCT/EM



Lumens:	6220/7410/8580
Wattage:	50W/60W/72W
Voltage:	120/277V
CRI:	90
Beam Angle:	120°
CCT:	30, 35, 41, 50k
Dimmable:	0-10V
Pack:	1

- 4CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

NEPTUNE

2X2 CENTER LINE FIXTURE


2X2

G-98028

F/2X2/50W/CL/WS3/5CCT

G-98029-EM

F/2X2/50W/CL/4CCT/WS3/EM



Lumens:	3280/4330/5390
Wattage:	30W/40W/50W
Voltage:	120/277V
CRI:	90
Beam Angle:	120°
CCT:	30, 35, 41, 50k
Dimmable:	0-10V
Pack:	1

- 4CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

NEPTUNE

2X4 CENTER LINE FIXTURE


2X4

G-98120

F/2X4/72W/CL/WS3/4CCT

G-98121-EM

F/2X4/72W/CL/4CCT/WS3/EM



Lumens:	5910/6920/7560
Wattage:	50W/60W/72W
Voltage:	120/277V
CRI:	90
Beam Angle:	120°
CCT:	30, 35, 41, 50k
Dimmable:	0-10V
Pack:	1

- 4CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

NEPTUNE

2X2 CENTER INDIRECT FIXTURE


2X2

G-98126

F/2X2/50W/CI/WS3/4CCT

G-98127-EM

F/2X2/50W/CI/WS3/4CCT/EM



Lumens:	3310/4535/5360
Wattage:	30W/40W/50W
Voltage:	120/277V
CRI:	90
Beam Angle:	120°
CCT:	30, 35, 41, 50k
Dimmable:	0-10V
Pack:	1

- 4CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC

NEPTUNE

2X4 CENTER INDIRECT FIXTURE


2X4

G-98128

F/2X4/72W/CI/WS3/4CCT

G-98129-EM

F/2X4/72W/CI/WS3/4CCT/EM



Lumens:	5400/6615/7780
Wattage:	50W/60W/72W
Voltage:	120/277V
CRI:	90
Beam Angle:	120°
CCT:	30, 35, 41, 50k
Dimmable:	0-10V
Pack:	1

- 4CCT COLOR SELECTABLE
- CRI 90+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC



NEPTUNE

1X4 BACKLIT FLAT PANEL

1X4

G-11920

NP/BP/1X4/50W/WS3/5CCT



Lumens:	3750/5000/6250
Wattage:	30W/40W/50W
Voltage:	120/277V
CRI:	80
Beam Angle:	120°
CCT:	30, 35, 41, 50, 65k
Dimmable:	0-10V
Pack:	1

- 5CCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC


NEPTUNE

2X2 BACKLIT FLAT PANEL

2X2

G-11921

NP/BP/2X2/50W/WS3/5CCT



Lumens:	3750/5000/6250
Wattage:	30W/40W/50W
Voltage:	120/277V
CRI:	80
Beam Angle:	120°
CCT:	30, 35, 41, 50, 65k
Dimmable:	0-10V
Pack:	1

- 5CCT COLOR SELECTABLE
- CRI 80+ TRUE COLORS
- AIR TIGHT
- WET LOCATION
- DIMMABLE DOWN TO 10%
- IC RATED

- JA8 TITLE 24
- DLC LISTED PREMIUM
- ETL LISTED US
- FC



NEPTUNE

2X4 BACKLIT FLAT PANEL

2X4

G-11922

NP/BP/2X4/70W/WS3/5CCT



Lumens:	6250/7500/8750
Wattage:	50W/60W/70W
Voltage:	120/277V
CRI:	80
Beam Angle:	120°
CCT:	30, 35, 41, 50, 65k
Dimmable:	0-10V
Pack:	1

-
-
-
-
-
-

-
-
-
-

NEPTUNE


SURFACE MOUNT KIT 2X2, 2X4



G-98222

2X2/Surface/Kit

Size:	24.68" X 24.68"
Height:	4.52"
Pack:	6



G-98224

2X4/Surface/Kit

Size:	24.68" X 48.42"
Height:	4.52"
Pack:	6

FLANGE KIT 2X2, 2X4



G-48305

F/KIT/2X2 KIT

Height:	1.50"
Pack:	20



G-48307

F/KIT/2X4 KIT

Height:	1.50"
Pack:	20

LED VERTICAL STEP LIGHT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	125
Wattage:	3W
Voltage:	120V
CRI:	90
Dimmable:	Yes
Pack:	18



LED HORIZONTAL STEP LIGHT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	250
Wattage:	5W
Voltage:	120V
CRI:	90
Dimmable:	Yes
Pack:	18



LED UNIVERSAL STEP LIGHT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	125
Wattage:	2W
Voltage:	120V
CRI:	90
Dimmable:	Yes
Pack:	18



LED UNIVERSAL STEP LIGHT




Black

- G-20019** ST/2W/V/H/LED/30k B 3000K Warm White
- G-20021** ST/2W/V/H/LED/50k B 5000K Super White

Lumens:	125
Wattage:	2W
Voltage:	120V
CRI:	90
Dimmable:	No
Pack:	18



VERTICAL TRIMLESS STEP LIGHT



G-48530

ST/TL/3W/V/LED/SCCT W

White

G-48531

ST/TL/3W/V/LED/SCCT B


Black

SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	75
Wattage:	3W
Voltage:	120V
CRI:	90
Dimmable:	Yes
Pack:	18



HORIZONTAL TRIMLESS STEP LIGHT



G-48532

ST/TL/3W/H/LED/SCCT W

White

G-48533

ST/TL/3W/H/LED/SCCT B

Black

SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	110
Wattage:	3W
Voltage:	120V
CRI:	90
Dimmable:	Yes
Pack:	18



3 WATT COB TAPE LIGHT



G-99420 TP/COB/10W/27K	2700K Soft White	Lumens:285 FT/950 M
G-99421 TP/COB/10W/30K	3000K Warm White	Lumens:300 FT/1000 M
G-99422 TP/COB/10W/35K	3500K Neutral White	Lumens:315 FT/1050 M
G-99423 TP/COB/10W/41K	4100K Cool White	Lumens:315 FT/1050 M
G-99424 TP/COB/10W/50K	5000K Super White	Lumens:315 FT/1050 M

3W
16.4 FT

Wattage:	3W FT - 10W M
Voltage:	24V
CRI:	95
Beam Angle:	120°
Dimmable:	Yes
Pack:	25

CONNECTORS



ITEM	G-48516	G-48517	G-48518
DESCRIPTION	C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6"/JUMPER/CONNECTOR



5.5 WATT COB TAPE LIGHT



G-48485 T/COB/18W/27K	2700K Soft White	
G-48486 T/COB/18W/30K	3000K Warm White	
G-48487 T/COB/18W/35K	3500K Neutral White	
G-48488 T/COB/18W/41K	4100K Cool White	
G-48489 T/COB/18W/50K	5000K Super White	

5.5W
16.4 FT

Lumens:	520 FT / 1700 M
Wattage:	5.5 FT / 18W M
Voltage:	24V DC
CRI:	>93
Beam Angle:	120°
Dimmable:	Yes
Pack:	20

CONNECTORS



ITEM	G-48516	G-48517	G-48518
DESCRIPTION	C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6"/JUMPER/CONNECTOR



5.5 WATT COB TAPE LIGHT



G-48490 T/COB/18W/27K 100FT	2700K Soft White	Lumens:548FT/1800 M
G-48491 T/COB/18W/30K 100FT	3000K Warm White	Lumens:564 FT/1850 M
G-48492 T/COB/18W/35K	3500K Neutral White	Lumens:579 FT/1900 M
G-48493 T/COB/18W/41K 100FT	4100K Cool White	Lumens:594 FT/1950 M
G-48494 T/COB/18W/50K 100FT	5000K Super White	Lumens:609 FT/2000 M

5.5W
100 FT

Wattage:	5.5 FT / 18W M
Voltage:	24V DC
CRI:	95
Beam Angle:	120°
Dimmable:	Yes
Pack:	25

CONNECTORS



ITEM	G-48516	G-48517	G-48518
DESCRIPTION	C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6"/JUMPER/CONNECTOR



5.5 WATT 2835 TAPE LIGHT



G-48495 T160/2835/18W/27K	2700K Soft White	Lumens:883 Ft / 2900 M
G-48496 T160/2835/18W/30K	3000K Warm White	Lumens:892 Ft / 2928 M
G-48497 T160/2835/18W/35K	3500K Neutral White	Lumens:913 Ft / 2998 M
G-48498 T160/2835/18W/41K	4100K Cool White	Lumens:919 Ft / 3016 M
G-48499 T160/2835/18W/50K	5000K Super White	Lumens:925 Ft / 3038 M

5.5W
16.4 FT

Wattage:	5.48 FT / 18W M
Voltage:	24V DC
CRI:	94
Beam Angle:	120°
Dimmable:	Yes
Pack:	25/100

CONNECTORS



ITEM	G-48516	G-48517	G-48518
DESCRIPTION	C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6"/JUMPER/CONNECTOR



7.3 WATT 2835 TAPE LIGHT



G-48500 T224/2835/24W/27K	2700K Soft White	Lumens: 1179 Ft / 3871 M
G-48501 T224/2835/24W/30K	3000K Warm White	Lumens: 1183 Ft / 3884 M
G-48502 T224/2835/24W/35K	3500K Neutral White	Lumens: 1203 Ft / 3948 M
G-48503 T224/2835/24W/41K	4100K Cool White	Lumens: 1207 Ft / 3962 M
G-48504 T224/2835/24W/50K	5000K Super White	Lumens: 1220 Ft / 4003 M

7.3W
16.4 FT

Wattage:	7.31 FT / 24W M
Voltage:	24V DC
CRI:	94
Beam Angle:	120°
Dimmable:	Yes
Pack:	25/100



CONNECTORS



ITEM	G-48516	G-48517	G-48518
DESCRIPTION	C/PTS/CONNECTOR	C/STS/CONNECTOR	C/6'/JUMPER/CONNECTOR



4.6 WATT COB TAPE LIGHT 6CCT




G-48520
TP/COB/15W/6CCT

SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 4100K - 5000K - 6500K

CCT
16.4 FT

Lumens:	425 FT / 1394 M
Wattage:	4.6W FT / 15W M
Voltage:	24V
CRI:	90
Beam Angle:	120°
Dimmable:	Yes
Pack:	25/100



CONNECTORS



ITEM	G-48522	G-48523	G-48524
DESCRIPTION	C/PTS/CONN/CCT	C/STS/CONN/CCT	C/6'/STS/CONN/CCT



5.48 WATT COB TAPE LIGHT RGBWW



G-48525
TP/COB/21W/RGBWW

RGBWW 27K - 65K
RGB + 2700K - 3000K - 3500K - 4100K - 5000K - 6500K

RGBWW
16.4 FT

Lumens:	365 FT / 1200 M
Wattage:	6.4W FT / 21W M
Voltage:	24V DC
CRI:	90
Beam Angle:	120°
Dimmable:	Yes
Pack:	25/100



CONNECTORS



ITEM	G-48527	G-48528	G-48529
DESCRIPTION	C/PTS/CONN/RGB	C/STS/CONN/RGB	C/6'/STS/CONN/RGB



TAPE LIGHT CHANNELS & ACCESSORIES

RECESSED




G-96320
CH/R/OP/8

Length: 96"
Material: ALUMINUM
Pack: Master 90, 10 Tube, 1 in a bag
Includes: Channel, Cover, End Caps

SURFACE MOUNT



G-96321
CH/SM/OP/8



Length: 96"
Material: ALUMINUM
Pack: Master 90, 10 Tube, 1 in a bag
Includes: Channel, Cover, End Caps, Mounting Clips



G-96426
CH/SM/1I/OP/8

Length: 96"
Material: ALUMINUM
Pack: 4/24
Includes: Channel, Cover, End Caps, Mounting Clips

SURFACE MOUNT FLEXIBLE



G-96322
CH/SM/FLEX/OP/8

Length: 96"
Material: ALUMINUM
Pack: Master 90, 10 Tube, 1 in a bag
Includes: Channel, Cover, End Caps, Mounting Clips

SURFACE MOUNT CORNER



G-96323
CH/SMC/OP/8

Length: 96"
Material: ALUMINUM
Pack: Master 90, 10 Tube, 1 in a bag
Includes: Channel, Cover, End Caps, Mounting Clips

ACCESSORIES

U COVER SQUARE

Compatible with G-96320 G-96321 G-96324G-96324




G-96428
CH/PC/OPAL/U/Cover

Length: 96"
Material: OPAL
Pack: Master 40, 1 in a bag

COVER ROLL

Compatible with G-96320 G-96321 G-96324G-96324



G-96420
CH/PC/OPAL/Cover

Length: 165"
Pack: 10

TAPE LIGHT CHANNELS & ACCESSORIES

1/2" TRIMLESS CHANNEL



G-96324

CH/TL/OP/8

1/2"

Length: 96"

Material: ALUMINUM

Pack: Master 90, 10 Tube, 1 in a bag

Includes: Channel, Cover, End Caps

1/2" TRIMLESS CHANNEL CONNECTORS

Compatible with G-96324

L CORNER

INSIDE CORNER

OUTSIDE CORNER

T CORNER

X CONNECTOR

CONNECTOR 180°

CONNECTOR 90°



G-96325

CH/TL/OP/L




G-96326

CH/TL/OP/90/IN



G-96327

CH/TL/OP/90/OUT



G-96328

CH/TL/OP/T



G-96329

CH/TL/OP/X



G-96223

1/2"-1"/CH/TL/CONN/180°



G-96224

1/2"-1"/CH/TL/CONN/90°

SATURN

1" TRIMLESS CHANNEL



G-96421

1"CH/TL/12'

1"

CONNECTOR 180°

Accessory



G-96223

1/2"-1"/CH/TL/CONN/180°

CONNECTOR 90°

Accessory



G-96224

1/2"-1"/CH/TL/CONN/90°

L CORNER

Accessory



G-96423

1"/CH/TL/L

Length: 144"

Material: ALUMINUM

Pack: Master 12, 2 Tube, 1 in a bag

Includes: Channel, Cover, End Caps

2" TRIMLESS CHANNEL



G-96422

2"CH/TL/12'

2"

CONNECTOR 180°

Accessory



G-96225

2"/CH/TL/CONN/180°

CONNECTOR 90°

Accessory



G-96226

2"/CH/TL/CONN/90°

L CORNER

Accessory



G-96424

2"/CH/TL/L

Length: 144"

Material: ALUMINUM

Pack: Master 12, 2 Tube, 1 in a bag

Includes: Channel, Cover, End Caps

ELECTRONIC LED DRIVER 24V (MULTI DIMMING)



G-97620 ^{30W}

30W/24V/ECV/Driver CL2

Wattage:	30W
Input Volts:	100/277V
Dimmable:	Multi Dimming
Pack:	20

G-97621 ^{60W}

60W/24V/ECV/Driver

Wattage:	60W
Input Volts:	100/277V
Dimmable:	Multi Dimming
Pack:	20

G-97525 ^{96W}

96W/24V/ECV/Driver CL2

Wattage:	96W
Input Volts:	100/277V
Dimmable:	Multi Dimming
Pack:	10

G-97622 ^{100W}

100W/24V/ECV/Driver

Wattage:	100W
Input Volts:	100/277V
Dimmable:	Multi Dimming
Pack:	10

G-97623 ^{150W}

150W/24V/ECV/Driver

Wattage:	150W
Input Volts:	100/277V
Dimmable:	Multi Dimming
Pack:	10

G-97624 ^{200W}

200W/24V/ECV/Driver

Wattage:	200W
Input Volts:	100/277V
Dimmable:	Multi Dimming
Pack:	10

G-97626 ^{300W}

300W/24V/ECV/Driver

Wattage:	300W
Input Volts:	100/277V
Dimmable:	Multi Dimming
Pack:	10

G-97627 ^{600W}

600W/24V/ECV/Driver

Wattage:	600W
Input Volts:	100/277V
Dimmable:	Multi Dimming
Pack:	5



CLASS 2 MULTI CIRCUIT ELECTRONIC DRIVER 24V (MULTI DIMMING)



G-97526 ^{192W}

192W/24V/ECV/Driver CL2

Wattage:	192W
Input Volts:	100/277V
Circuits:	2
Dimmable:	Multi Dimming
Pack:	10

CLASS 2

G-97527 ^{288W}

288W/24V/ECV/Driver CL2

Wattage:	288W
Input Volts:	100/277V
Circuits:	3
Dimmable:	Multi Dimming
Pack:	10

G-97528 ^{384W}

384W/24V/ECV/Driver CL2

Wattage:	384W
Input Volts:	100/277V
Circuits:	4
Dimmable:	Multi Dimming
Pack:	5



SPACE

3" LED ROUND RETROFIT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K



Lumens:	700
Wattage:	9W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	12



3"

SPACE

4" LED ROUND RETROFIT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K



Lumens:	850
Wattage:	10W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	12



4"

SPACE

4" HO LED ROUND RETROFIT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K



TRIM REPLACEMENT



G-97720	G-97721	G-97722
T4/RF/RD/COVER/BK	T4/RF/RD/COVER/BZ	T4/RF/RD/COVER/BN

Lumens:	1100
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	12



4"

SPACE

5" AND 6" LED ROUND RETROFIT



SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K



TRIM REPLACEMENT



G-97728	G-97729	G-97820
T6/RF/RD/COVER/BK	T6/RF/RD/COVER/BZ	T6/RF/RD/COVER/BN

Lumens:	1350
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	6



5" & 6"

SPACE

3" LED SQUARE RETROFIT

3"



G-48329
R3.5/9W/SQ/LED/SCCT
GU10 Adapter

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	700
Wattage:	9W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	12



SPACE

4" LED SQUARE RETROFIT

4"



G-48334
R4/14W/SQ/LED/SCCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	1000
Wattage:	14W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	12



TRIM REPLACEMENT



G-97724	G-97725	G-97726
T4/RF/SQ/COVER/BK	T4/RF/SQ/COVER/BZ	T4/RF/SQ/COVER/BN

SPACE

5" LED SQUARE RETROFIT

5"



G-19960
R5/16W/SQ/LED/30k

3000K Warm White

Lumens:	1200
Wattage:	16W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	6



SPACE

6" LED SQUARE RETROFIT

6"



G-48336
R6/15W/SQ/LED/SCCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

Lumens:	1350
Wattage:	15W
Voltage:	120V
CRI:	90
Beam Angle:	100°
Dimmable:	Yes
Pack:	6



TUBE SERIES

T5 2 FT LED HO BYPASS 4CCT

2ft




G-10890

F12/T5/BP/35-65k/4CCT/2FT

SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens:	1800
Wattage:	12W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	25



TUBE SERIES

T5 3 FT LED HO BYPASS 4CCT

3ft




G-10891

F18/T5/BP/35-65k/4CCT/3FT

SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens:	2300
Wattage:	18W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	25



TUBE SERIES

T5 4 FT LED HO BYPASS 4CCT

4ft



G-10892

F24/T5/BP/35-65k/4CCT/4FT

SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K - 6500K

Lumens:	3500
Wattage:	24W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	25



TUBE SERIES

T5 2 FT LED HO BYPASS



- G-19874**
F12T5/835/HO/F/LED 3500K Neutral White
- G-19875**
F12T5/841/HO/F/LED 4100K Cool White
- G-19876**
F12T5/850/HO/F/LED 5000K Super White

Lumens:	1500
Wattage:	12W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	25



2ft

TUBE SERIES

T5 4 FT LED HO BYPASS



- G-19883**
F24T5/830/HO/F/LED 3000K Warm White
- G-19884**
F24T5/835/HO/F/LED 3500K Neutral White
- G-20188**
F24T5/841/HO/F/LED 4100K Cool White
- G-20189**
F24T5/850/HO/F/LED 5000K Super White
- G-20190**
F24T5/865/HO/F/LED 6500K Daylight

Lumens:	3500
Wattage:	24W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	25



4ft

TUBE SERIES

T8 2 FT LED UNIVERSAL FROSTED



- G-83406**
F9T8/830/F/LED 3000K Warm White
- G-19803**
F9T8/835/F/LED 3500K Neutral White
- G-83407**
F9T8/841/F/LED 4100K Cool White
- G-83408**
F9T8/850/F/LED 5000K Super White
- G-83409**
F9T8/865/F/LED 6500K Daylight

Lumens:	1000
Wattage:	9W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	30



2ft

TUBE SERIES

T8 2 FT LED UNIVERSAL CLEAR



- G-83457**
F9T8/841/C/LED 3000K Cool White
- G-83458**
F9T8/850/C/LED 5000K Super White
- G-83459**
F9T8/865/C/LED 6500K Daylight

Lumens:	1000
Wattage:	9W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	30



2ft

TUBE SERIES


T8 3 FT LED UNIVERSAL FROSTED

3ft



- G-83487**
F12/T8/830/F/LED/Uni 3000K Warm White
- G-83488**
F12/T8/835/F/LED/Uni 3500K Neutral White
- G-83489**
F12/T8/841/F/LED/Uni 4100K Cool White
- G-83490**
F12/T8/850/F/LED/Uni 5000K Super White
- G-83491**
F12/T8/865/F/LED/Uni 6500K Daylight

Lumens:	1400
Wattage:	12W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	30



TUBE SERIES

T8 4 FT LED UNIVERSAL FROSTED 5CC

4ft



- G-20052**
F18/T8/F/30,35,41,50,65K/5CCT
- SELECTABLE COLOR TEMPERATURE**
3000K - 3500K - 4100K - 5000K - 6500K

Lumens:	2400
Wattage:	18W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	30



TUBE SERIES


T8 4 FT LED UNIVERSAL CLEAR 3CCT

4ft



- G-20051**
F18/T8/C/41,50,65K/3CCT
- SELECTABLE COLOR TEMPERATURE**
4100K - 5000K - 6500K

Lumens:	2400
Wattage:	18W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	30



TUBE SERIES

T8 4 FT LED UNIVERSAL FROSTED

4ft



- G-83401**
F18T8/835/F/LED 3500K Neutral White
- G-83404**
F18T8/850/F/LED 5000K Super White

Lumens:	2400
Wattage:	18W
Voltage:	120/277V
CRI:	82
Beam Angle:	320°
Dimmable:	No
Pack:	30



TUBE SERIES

T8 4 FT LED UNIVERSAL CLEAR

4ft



- G-83460**
F18/T8/830/C/LED 3000K Warm White
- G-83462**
F18/T8/841/C/LED 4100K Cool White
- G-83463**
F18/T8/850/C/LED 5000K Super White
- G-83464**
F18/T8/865/C/LED 6500K Daylight

Lumens:	2400
Wattage:	18W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	30



TUBE SERIES

T8 5 FT LED BYPASS

5ft



- G-83494**
F25/T8/841/F/LED 4100K Cool White
- G-83495**
F25/T8/850/F/LED 5000K Super White

Lumens:	3000
Wattage:	25W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



TUBE SERIES

T8 6 FT LED BYPASS FA8 PIN

6ft



- G-83499**
F30T8/841/F/LED 4100K Cool White
- G-83500**
F30T8/850/F/LED 5000K Super White
- G-83501**
F30T8/865/F/LED 6500K Daylight

Lumens:	4000
Wattage:	26W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



TUBE SERIES

T8 6 FT LED BYPASS G13 PIN

6ft



- G-19993**
F30T8/841/F/LED 4100K Cool White
- G-19994**
F30T8/850/F/LED 5000K Super White
- G-19996**
F30T8/865/F/LED 6500K Daylight

Lumens:	4000
Wattage:	26W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



TUBE SERIES

T8 6 FT LED BYPASS HO R17 PIN




- G-19984**
F30/T8/B41/F/HO/LED 4100K Cool White
- G-19985**
F30/T8/B50/F/HO/LED 5000K Super White
- G-19986**
F30/T8/B65/F/HO/LED 6500K Daylight



TUBE SERIES

T8 8 FT BYPASS FA8 PIN 5CCT



- G-20053**
F42/T8/F/30,35,41,50,65K/5CCT
SELECTABLE COLOR TEMPERATURE
3000K - 3500K - 4100K - 5000K - 6500K



TUBE SERIES

T8 8 FT BYPASS FA8 PIN



- G-83502**
F42T8/830/F/LED 3000K Warm White
- G-83503**
F30T8/835/F/LED 3500K Neutral White
- G-83504**
F30/T8/B41/F/HO/LED 4100K Cool White
- G-83506**
F30/T8/B65/F/HO/LED 6500K Daylight



TUBE SERIES

T8 8 FT BYPASS HO R17 PIN



- G-19774**
F42/T8/B41/F/HO/LED 4100K Cool White
- G-19775**
F42/T8/B50/F/HO/LED 5000K Super White
- G-19776**
F42/T8/B65/F/HO/LED 6500K Daylight



6ft

Lumens:	4000
Wattage:	26W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



8ft

Lumens:	5500
Wattage:	42W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



8ft

Lumens:	5500
Wattage:	42W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10




8ft

Lumens:	5500
Wattage:	42W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



TUBE SERIES

T8 8 FT BYPASS FA8 PIN 5CCT




G-20054

F42/T8/C/30,35,41,50,65K/5CCT

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K



TUBE SERIES

T8 8 FT BYPASS FA8 PIN



G-19951

F42T8/841/C/LED

4100K Cool White

G-19952

F42T8/850/C/LED

5000K Super White

G-19953

F42T8/865/C/LED

6500K Daylight



TUBE SERIES

U BEND UNIVERSAL 5CCT



G-20056

FB15/T8/F/LED/3CCT A+B

SELECTABLE COLOR TEMPERATURE

3500K - 4100K - 5000K



TUBE SERIES

U BEND UNIVERSAL



G-19769

FB13T8/830/F/LED

3000K Warm White

G-19770

FB13T8/835/F/LED

3500K Neutral White

G-83432

FB13T8/840/F/LED

4100K Cool White

G-83433

FB13T8/850/F/LED

5000K Super White

G-19771

FB13T8/865/F/LED

6500K Daylight



8ft

Lumens:	5500
Wattage:	42W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



8ft

Lumens:	5500
Wattage:	42W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	10



U6

Lumens:	2200
Wattage:	15W
Voltage:	120/277V
CRI:	90
Beam Angle:	320°
Dimmable:	No
Pack:	12



U6

Lumens:	2000
Wattage:	13W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	12



TUBE SERIES

FB31 LED U-BEND UNIVERSAL A+B



G-20112
FB13T8/840/F/LED U1 4100K Cool White

G-20113
FB13T8/850/F/LED U1 5000K Super White



A SERIES

U1

Lumens:	2000
Wattage:	13W
Voltage:	120/277V
CRI:	85
Beam Angle:	320°
Dimmable:	No
Pack:	24



A19 6W LED BULB 5CCT DIMMABLE



G-10880
A19/6/LED/D/5CCT
SELECTABLE COLOR TEMPERATURE
3000K - 3500K - 4100K - 5000K - 6500K



A SERIES

A19

Lumens:	450
Wattage:	6W
Voltage:	120V
CRI:	80
Beam Angle:	220°
Dimmable:	Yes
Pack:	25/50



A19 9W LED BULB 5CCT DIMMABLE



G-10881
A19/9/LED/D/5CCT
SELECTABLE COLOR TEMPERATURE
3000K - 3500K - 4100K - 5000K - 6500K



A19

Lumens:	800
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	220°
Dimmable:	Yes
Pack:	25/50



A SERIES

A19 12W LED BULB 5CCT DIMMABLE

A19



G-10882

A19/9/LED/D/5CCT

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens:	1100
Wattage:	12W
Voltage:	120V
CRI:	80
Beam Angle:	220°
Dimmable:	Yes
Pack:	25/50



A SERIES

A19 15W LED BULB 5CCT DIMMABLE

A19



G-10883

A19/9/LED/D/5CCT

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens:	1500
Wattage:	15W
Voltage:	120V
CRI:	80
Beam Angle:	220°
Dimmable:	Yes
Pack:	25/50



A SERIES

A19 9W NON DIM

A19



G-20425 3000K Warm White
A19/9/LED/30K

G-20427 4100K Cool White
A19/9/LED/41K

G-20428 5000K SuperWhite
A19/9/LED/50K

G-20435 6500K Daylight
A19/9/LED/65K

Lumens:	900
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	270°
Dimmable:	No
Pack:	25/50



A SERIES

A19 9W DIMMABLE

A19



G-83349
A19/9/LED/D/41K 4100K Cool White

G-83352
A19/9/LED/D/50K 5000K Super White

Lumens:	900
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	25/50



A SERIES

A19 9W 4 PACK NON DIM

A19



G-83485
A19/9/LED/4B/30K 3000K Warm White

G-19805
A19/9/LED/4B/41K 4100K Cool White

G-83486
A19/9/LED/4B/65K 6500K Daylight

Lumens:	900
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	No
Pack:	7/14



A SERIES

A19 11W LED BULB DIMMABLE

A19



G-19757
A19/11W/LED/D/30k 3000K Warm White

Lumens:	1200
Wattage:	11W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/40



A SERIES

A19 15W LED BULB DIMMABLE

A19



G-19970 2700K Soft White
A19/15W/LED/D/27k

G-83440 3000K Warm White
A19/15W/LED/D/30k

G-83441 4100K Cool White
A19/15W/LED/D/41k

G-83442 5000K Super White
A19/15W/LED/D/50k

G-19761 6500K Daylight
A19/15W/LED/D/65k

Lumens: 1600

Wattage: 15W

Voltage: 120V

CRI: 80

Beam Angle: 300°

Dimmable: Yes

Pack: 20/40



A SERIES

A21 22W LED BULB DIMMABLE

A21



G-19864 3000K Warm White
A21/22W/LED/D/30k

G-19863 3500K Neutral White
A21/22W/LED/D/35k

G-19865 4100K Cool White
A21/22W/LED/D/41k

G-19866 5000K Super White
A21/22W/LED/D/50k

Lumens: 2600

Wattage: 22W

Voltage: 120V

CRI: 80

Beam Angle: 260°

Dimmable: Yes

Pack: 20



A SERIES

A23 27W LED BULB DIMMABLE

A23



G-20205 3000K Warm White
A23/27W/LED/D/30k

G-20206 3500K Neutral White
A23/27W/LED/D/35k

G-20207 4100K Cool White
A23/27W/LED/D/41k

G-20208 5000K Super White
A23/27W/LED/D/50k

Lumens: 4000

Wattage: 27W

Voltage: 120V

CRI: 80

Beam Angle: 260°

Dimmable: Yes

Pack: 20



A SERIES

A19 14W 3-WAY LED BULB

A19



G-19930
A19/14W/LED/D/27k/3w 2700K Soft White

Lumens:	500/1000/1600
Wattage:	14W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	No
Pack:	20/40



A SERIES

A21 19W 3-WAY LED BULB

A21



G-19934
A21/19W/LED/D/27k/3w 2700K Soft White

Lumens:	700/1300/2250
Wattage:	19W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	No
Pack:	20



A SERIES

A19 GU24 9W LED BULB 5CCT DIMMABLE

A19



G-10886
A19/9/LED/GU24/5CCT
SELECTABLE COLOR TEMPERATURE
3000K - 3500K - 4100K - 5000K - 6500K

Lumens:	800
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	220°
Dimmable:	Yes
Pack:	25/50



A SERIES

A19 GU24 12W LED BULB 5CCT DIMMABLE

A19



G-10887

A19/12/LED/GU24/5CCT

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens:	1100
Wattage:	12W
Voltage:	120V
CRI:	80
Beam Angle:	220°
Dimmable:	Yes
Pack:	25/50



A SERIES

A19 GU24 15W LED BULB 5CCT DIMMABLE

A19



G-10888

A19/15/LED/GU24/5CCT

SELECTABLE COLOR TEMPERATURE

3000K - 3500K - 4100K - 5000K - 6500K

Lumens:	1500
Wattage:	15W
Voltage:	120V
CRI:	80
Beam Angle:	220°
Dimmable:	Yes
Pack:	25/50



A SERIES

A19 GU24 9W LED BULB DIMMABLE

A19



G-19781

A19/9/LED/GU24/30k

3000K Warm White

G-19782

A19/9/LED/GU24/41k

4100K Cool White

G-19784

A19/9/LED/GU24/65k

6500K Daylight

Lumens:	900
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/40



A SERIES

A19 GU24 14W LED BULB DIMMABLE

A19



- G-48511**
A19/14/LED/GU24/30K 3000K Warm White
- G-48513**
A19/14/LED/GU24/41K 4100K Cool White
- G-48515**
A19/14/LED/GU24/65K 6500K Daylight

Lumens:	1600
Wattage:	14W
Voltage:	120V
CRI:	80
Beam Angle:	240°
Dimmable:	Yes
Pack:	20/40



MR SERIES

LED MR16 75W

MR16



- G-19792**
8MR16/LED/A40/27k 12V 2700K Soft White
- G-19794**
8MR16/LED/A40/30k 12V 3000K Warm White

Lumens:	700
Wattage:	8W
Voltage:	12V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/100



MR SERIES

LED MR16 GU10 75W

MR16



- G-83481**
8GU10/LED/A40/27k 2700K Soft White
- G-19797**
8GU10/LED/A40/30k 3000K Warm White

Lumens:	650/700
Wattage:	8W
Voltage:	120V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/100



MR SERIES

MR11 LED BULB



G-83374 2700K Soft White
3MR11/LED/A42/27K 12V

MR11

Lumens:	300
Wattage:	3W
Voltage:	12V
CRI:	80
Beam Angle:	40°
Dimmable:	No
Pack:	10/100



MR SERIES

MR16 LED BULB



G-19893 2700K Soft White
7MR16/LED/A40/27k 12V

G-19894 3000K Warm White
7MR16/LED/A40/30k 12V

G-19895 3500K Neutral White
7MR16/LED/A40/35k 12V

G-19896 4100K Cool White
7MR16/LED/A40/41k 12V

G-19897 5000K Super White
7MR16/LED/A40/50k 12V

MR16

Lumens:	530
Wattage:	7W
Voltage:	12V
CRI:	90
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/100



MR SERIES

MR16 GU10 LED BULB



G-19898 2700K Soft White
7GU10/LED/A40/27k

G-19899 3000K Warm White
7GU10/LED/A40/30k

G-19900 3500K Neutral White
7GU10/LED/A40/35k

G-19901 4100K Cool White
7GU10/LED/A40/41k

G-19902 5000K Super White
7GU10/LED/A40/50k

MR16

Lumens:	530
Wattage:	7W
Voltage:	120V
CRI:	90
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/100



PAR SERIES

PAR 16 LED BULB



G-83367
7PAR16SN/A35/27k 2700K Soft White

PAR 16

Lumens:	530
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/100



PAR SERIES

PAR 16 LED BULB



G-83365
7PAR16LN/A35/27k 2700K Soft White

PAR 16

Lumens:	530
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/100



PAR SERIES

PAR 20 LED BULB



G-83328
PAR20/7/LED/30K 3000K Warm White

G-83331
PAR20/7/LED/50K 5000K Super White

PAR 20

Lumens:	550
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/20



PAR SERIES

PAR 30 LED BULB



- G-83334**
PAR30L/9/LED/30K 3000K Warm White
- G-83337**
PAR30L/9/LED/50K 5000K Super White

Lumens:	850
Wattage:	9W
Voltage:	120V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/20

WET LOCATION DIMMABLE DOWN TO 5% E26 BASE

UL US LISTED FC

PAR SERIES

PAR 38 LED BULB



- G-83340**
PAR38/14/LED/30K 3000K Warm White
- G-83343**
PAR38/14/LED/50K 5000K Super White

Lumens:	1200
Wattage:	14W
Voltage:	120V
CRI:	80
Beam Angle:	40°
Dimmable:	Yes
Pack:	10/20

WET LOCATION DIMMABLE DOWN TO 5% E26 BASE

UL US LISTED FC

BR SERIES

BR20 5CCT LED BULB



- G-83385**
BR20/7/LED/5CCT
SELECTABLE COLOR TEMPERATURE
2700K - 3000K - 3500K - 41000 - 5000K

Lumens:	550
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	125°
Dimmable:	Yes
Pack:	20

5CCT COLOR SELECTABLE DAMP LOCATION DIMMABLE DOWN TO 5% E26 BASE

UL US LISTED FC

BR SERIES

BR30 5CCT LED BULB



G-83391

BR30/10/LED/5CCT

SELECTABLE COLOR TEMPERATURE

2700K - 3000K - 3500K - 4100K - 5000K

BR30

Lumens:	900
Wattage:	10W
Voltage:	120V
CRI:	80
Beam Angle:	125°
Dimmable:	Yes
Pack:	20



BR SERIES

BR20 LED BULB



G-83384

BR20/7/LED/30K

3000K Warm White

G-83387

BR20/7/LED/50K

5000K Super White

BR20

Lumens:	550
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	100°
Dimmable:	Yes
Pack:	20



BR SERIES

BR30 LED BULB



G-83393

BR30/11/LED/50K

5000K Super White

BR30

Lumens:	900
Wattage:	11W
Voltage:	120V
CRI:	80
Beam Angle:	100°
Dimmable:	Yes
Pack:	20



BR SERIES

BR40 LED BULB



- G-83396**
BR40/17/LED/30K 3000K Warm White
- G-83399**
BR40/17/LED/50K 5000K Super White

BR40

Lumens:	1400
Wattage:	17W
Voltage:	120V
CRI:	80
Beam Angle:	100°
Dimmable:	Yes
Pack:	20



MINIATURE SERIES

G4 LED BULB



- G-83413**
G4/3/LED/D/27K 12V 2700K Soft White
- G-83421**
G4/3/LED/D/50K 12V 5000K Super White

G4

Lumens:	300
Wattage:	3W
Voltage:	12V
CRI:	80
Beam Angle:	360°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

G4 LED BULB



- G-83412**
G4/2/LED/D/F/27K 12V 2700K Soft White

G4

Lumens:	200
Wattage:	2W
Voltage:	12V
CRI:	80
Beam Angle:	360°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

G4 LED BULB

G4



G-19908 2700K Soft White
G4/5/LED/D/27K 12V

Lumens:	500
Wattage:	5W
Voltage:	12V
CRI:	80
Beam Angle:	360°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

GY6.35 LED BULB

GY6.35



G-83415 2700K Soft White
GY6.35/2/LED/D/27 12V

Lumens:	200
Wattage:	2W
Voltage:	12V
CRI:	80
Beam Angle:	360°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

G9 2W LED BULB

G9



G-83417 2700K Soft White
G9/2/LED/D/27K

G-83425 5000K Super White
G9/2/LED/D/50K

Lumens:	200
Wattage:	2W
Voltage:	12V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

G9 2W LED BULB

G9



G-83416
G9/2/F/LED/D/27K 2700K Soft White

Lumens:	200
Wattage:	2W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

G9 3.5W LED BULB

G9



G-83419
G9/3.5/LED/D/27K 2700K Soft White

G-83427
G9/3.5/LED/D/50K 5000K Super White

Lumens:	400
Wattage:	3.5W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

G9 3.5W LED BULB

G9



G-83418
G9/3.5/LED/D/F/27K 2700K Soft White

Lumens:	400
Wattage:	3.5W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

G9 5W LED BULB

G9



G-19964
G9/5/LED/D/27K 2700K Soft White

Lumens:	525
Wattage:	5W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

G9 7.5W LED BULB

G9



G-83515
G9/7.5/LED/D/30k 3000K Warm White

G-83516
G9/7.5/LED/D/41K 4100K Cool White

G-83517
G9/7.5/LED/D/50k 5000K Super White

Lumens:	750
Wattage:	7.5W
Voltage:	120V
CRI:	80
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

G9 6W LED BULB

G9



G-20197
G9/6/LED/30k 3000K Warm White

G-20198
G9/6/LED/41k 4100K Cool White

G-20199
G9/6/LED/50k 5000K Super White

Lumens:	900
Wattage:	6W
Voltage:	120V
CRI:	80
Beam Angle:	360°
Dimmable:	No
Pack:	20/300



MINIATURE SERIES

G9 10W LED BULB

G9



- G-95921**
G9/10/LED/30k 3000K Warm White
- G-95922**
G9/10/LED/35k 3500K Neutral White
- G-95923**
G9/10/LED/41k 4100K Cool White
- G-95924**
G9/10/LED/50k 5000K Super White

Lumens:	1150
Wattage:	10W
Voltage:	120V
CRI:	80
Beam Angle:	360°
Dimmable:	Yes
Pack:	20/300



MINIATURE SERIES

T6 LED BULB

T6



- G-19868**
T6/4.5/LED/D/27K 2700K Soft White

Lumens:	500
Wattage:	4.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



MINIATURE SERIES

T6 LED BULB

T6



- G-19914**
T6/7.5/LED/D/30K 3000K Warm White

Lumens:	750
Wattage:	7.5W
Voltage:	120V
CRI:	85
Beam Angle:	300°
Dimmable:	Yes
Pack:	20/300



CANDELEBRA SERIES

2W CANDELEBRA LED BULB

C32



G-83507
B10/2/LED/D/30k 3000K Warm White

Lumens:	200
Wattage:	2W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



CANDELEBRA SERIES

3.5W CANDELEBRA LED BULB

C32



G-83372
C32/3.5/LED/D/27k 2700K Soft White

G-83509
C32/3.5/LED/D/30k 3000K Warm White

G-20200
C32/3.5/LED/D/35k 3500K Neutral White

G-19790
C32/3.5/LED/D/41k 4100K Cool White

G-83373
C32/3.5/LED/D/50k 5000K Super White

Lumens:	400
Wattage:	3.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



CANDELEBRA SERIES

5W CANDELEBRA LED BULB

C32



G-83370
C32/5/LED/D/27k 2700K Soft White

G-83510
C32/5/LED/D/30k 3000K Warm White

G-20202
C32/5/LED/D/35k 3500K Neutral White

G-19791
C32/5/LED/D/41k 4100K Cool White

G-83371
C32/5/LED/D/50k 5000K Super White

Lumens:	600
Wattage:	5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



CANDELEBRA SERIES

7W CANDELEBRA LED BULB

C32



- G-20142**
C32/7/LED/D/27k 2700K Soft White
- G-20143**
C32/7/LED/D/30k 3000K Warm White
- G-20144**
C32/7/LED/D/35k 3500K Neutral White
- G-20145**
C32/7/LED/D/41k 4100K Cool White
- G-20146**
C32/7/LED/D/50k 5000K Super White

Lumens:	800
Wattage:	7W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



CANDELEBRA SERIES

8W CANDELEBRA LED BULB

C32



- G-95925**
C32/8/LED/D/27K 2700K Soft White
- G-95926**
C32/8/LED/D/30K 3000K Warm White
- G-95927**
C32/8/LED/D/35K 3500K Neutral White
- G-95928**
C32/8/LED/D/41K 4100K Cool White
- G-95929**
C32/8/LED/D/50K 5000K Super White

Lumens:	1000
Wattage:	8W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



CANDELEBRA SERIES

3.5W CANDELEBRA FLAME TIP LED

CA32



- G-83380**
CA32/3.5/LED/D/27k 2700K Soft White

Lumens:	400
Wattage:	3.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



CANDELEBRA SERIES

5W CANDELEBRA FLAME TIP LED

CA32



- G-83382** CA32/5/LED/D/27k 2700K Soft White
- G-83514** CA32/5/LED/D/30k 3000K Warm White

Lumens:	600
Wattage:	5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



CANDELEBRA SERIES

5W CANDELEBRA LED BULB

C32



- G-83428** C32/5/F/LED/D/27K 2700K Soft White

Lumens:	600
Wattage:	5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



CANDELEBRA SERIES

5W CANDELEBRA LED BULB

C32



- G-83429** C32/5/LED/D/27K E26 2700K Soft White

Lumens:	600
Wattage:	5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



DECORATIVE SERIES

A19 CLEAR LED

A19



G-83445
A19/7/LED/D/CL/30k 3000K Warm White

G-83446
A19/7/LED/D/CL/50k 5000K Super White


Lumens:	850
Wattage:	7W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/50



DECORATIVE SERIES

A21 CLEAR LED

A21



G-20011
A21/15/LED/D/CL/30K 3000K Warm White

Lumens:	1600
Wattage:	15W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/20



DECORATIVE SERIES

A23 CLEAR LED

A23



G-20012
A23/21/LED/D/CL/30K 3000K Warm White

Lumens:	2900
Wattage:	21W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/40



DECORATIVE SERIES

A15 CLEAR LED



- G-19754**
A15/5/LED/D/30K 3000K Warm White
- G-19755**
A15/5/LED/D/50K 5000K Super White

Lumens:	500
Wattage:	5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/50



DECORATIVE SERIES

A15 FROSTED LED



- G-19768**
A15/5/LED/D/F/30k 3000K Warm White

Lumens:	500
Wattage:	5W
Voltage:	120V
CRI:	80
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/50



DECORATIVE SERIES

T10 LED BULB



- G-19750**
T10/4.5/LED/D/30K 3000K Warm White
- G-19751**
T10/4.5/LED/D/41K 4100K Cool White
- G-19752**
T10/4.5/LED/D/50K 5000K Super White

Lumens:	500
Wattage:	4.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/50



DECORATIVE SERIES

T10 LED BULB



G-19753
T10/4.5/LED/F/D/30K 3000K Warm White

Lumens:	500
Wattage:	4.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/50



DECORATIVE SERIES

T10 12 INCH LED BULB



G-19842
T10/6.5/LED/D/30K 12" 3000K Warm White

G-19843
T10/6.5/LED/D/41K 12" 4100K Cool White

G-19844
T10/6.5/LED/D/50K 12" 5000K Super White

Lumens:	850
Wattage:	6.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/50



DECORATIVE SERIES

ST21 4W LED BULB



G-83472
ST21/4W/LED/D/CL/27K 2700K Soft White

G-83473
ST21/4W/LED/D/CL/50K 5000K Super White

Lumens:	400
Wattage:	4W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/50



DECORATIVE SERIES

ST21 7W LED BULB



G-83474
ST21/7W/LED/D/CLJ/27K 2700K Soft White

Lumens:	850
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/50



G SERIES

G16 LED BULB



G-83411
G16/3.5/LED/D/27K 2700K Soft White

G-19801
G16/3.5/LED/D/50K 5000K Super White

Lumens:	350
Wattage:	3.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



G SERIES

G16 LED BULB



G-83476
G16/4.5/LED/D/27K 2700K Soft White

G-19779
G16/4.5/LED/D/50K 5000K Super White

Lumens:	600
Wattage:	4.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



G SERIES

G16 LED BULB E26 BASE

G16



40W EQ.

G-20027
G16/3.5/LED/D/27K E26 2700K Soft White

Lumens:	400
Wattage:	3.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



G SERIES

G16 LED BULB E26 BASE

G16



60W EQ.

G-20031
G16/4.5/LED/D/27K E26 2700K Soft White

Lumens:	600
Wattage:	4.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



G SERIES

G16 LED BULB

G16



FROSTED

G-20034
G16/4.5/LED/D/F/30K 3000K Warm White

Lumens:	600
Wattage:	4.5W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/100



G SERIES

G25 LED FROSTED

G25



G-83376
G25/7/LED/30K 3000K Warm White

G-83378
G25/7/LED/50K 5000K Super White

Lumens:	500
Wattage:	7W
Voltage:	120V
CRI:	80
Beam Angle:	330°
Dimmable:	Yes
Pack:	25/50



G SERIES

G25 LED CLEAR

G25



G-83468
G25/7/LED/D/CL/30K 3000K Warm White

Lumens:	850
Wattage:	7W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/20



DECORATIVE SERIES

A19 LED HALF MIRROR

A19



G-20136
A19/7/LED/D/C/HM/27K 2700K Soft White

Lumens:	750
Wattage:	7W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/50



DECORATIVE SERIES

G25 LED HALF MIRROR

G25



G-20139
G25/7/LED/D/C/HM/27K 2700K Soft White

Lumens:	750
Wattage:	7W
Voltage:	120V
CRI:	85
Beam Angle:	330°
Dimmable:	Yes
Pack:	10/20



G SERIES

G30 LED CLEAR

G30



G-20128
G30/15W/LED/C/D/30K 3000K Warm White

G-20130
G30/15W/LED/C/D/41K 4100K Cool White

G-20131
G30/15W/LED/C/D/50K 5000K Super White

Lumens:	1600
Wattage:	15W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/20



G SERIES

G30 LED FROSTED

G30



G-20132
G30/15W/LED/F/D/30K 3000K Warm White

G-20133
G30/15W/LED/F/D/41K 4100K Cool White

G-20135
G30/15W/LED/F/D/50K 5000K Super White

Lumens:	1600
Wattage:	15W
Voltage:	120V
CRI:	85
Beam Angle:	360°
Dimmable:	Yes
Pack:	10/20



ALPHABETICAL INDEX

G-00820	46	G-10890	93	G-12020	77	G-19901	106	G-20110	13	G-20425	100
G-00821	47	G-10891	93	G-12021	77	G-19902	106	G-20111	13	G-20427	100
G-00822	47	G-10892	39	G-12022	77	G-19908	111	G-20112	99	G-20428	100
G-00823	48	G-10900	7	G-12023	78	G-19914	114	G-20113	99	G-20435	100
G-00824	48	G-10901	7	G-12024	78	G-19930	103	G-20127	72	G-21050	53
G-00920	46	G-10902	7	G-19750	119	G-19931	76	G-20128	124	G-21051	53
G-00921	47	G-10903	7	G-19751	119	G-19932	76	G-20130	124	G-21052	54
G-00922	47	G-10904	7	G-19752	119	G-19933	76	G-20131	124	G-21055	54
G-00923	48	G-10906	7	G-19753	120	G-19934	103	G-20132	124	G-21062	74
G-00924	48	G-10907	7	G-19754	119	G-19951	98	G-20133	124	G-21064	53
G-01020	46	G-10908	7	G-19755	119	G-19952	98	G-20135	124	G-21065	53
G-01021	49	G-10909	7	G-19757	101	G-19953	98	G-20136	123	G-21066	54
G-01022	49	G-10910	7	G-19761	102	G-19960	92	G-20139	124	G-21069	54
G-01023	50	G-10913	9	G-19768	119	G-19964	113	G-20142	116	G-43841	9
G-01024	50	G-10914	9	G-19769	98	G-19969	73	G-20143	116	G-48300	72
G-01120	46	G-10915	9	G-19770	98	G-19970	102	G-20144	116	G-48301	72
G-01121	49	G-10916	9	G-19771	98	G-19975	73	G-20145	116	G-48302	72
G-01122	49	G-10917	9	G-19774	97	G-19979	73	G-20146	116	G-48303	72
G-01123	50	G-10921	9	G-19775	97	G-19981	73	G-20188	94	G-48304	72
G-01124	50	G-10922	9	G-19776	97	G-19982	73	G-20189	94	G-48305	83
G-01220	46	G-10923	9	G-19779	121	G-19984	97	G-20190	94	G-48306	72
G-01221	51	G-10924	9	G-19781	104	G-19985	97	G-20191	13	G-48307	83
G-01222	51	G-10925	9	G-19782	104	G-19986	97	G-20192	13	G-48313	12
G-01223	52	G-10927	11	G-19784	104	G-19993	96	G-20193	13	G-48314	38
G-01224	52	G-10928	11	G-19790	115	G-19994	96	G-20194	13	G-48315	38
G-01320	46	G-10929	11	G-19791	115	G-19996	96	G-20195	16	G-48316	39
G-01321	51	G-10930	11	G-19792	105	G-19997	35	G-20196	17	G-48317	39
G-01322	51	G-10931	11	G-19794	105	G-19998	35	G-20197	113	G-48318	73
G-01323	52	G-10933	11	G-19797	105	G-19999	30	G-20198	113	G-48318	12
G-01324	52	G-10934	11	G-19801	121	G-20000	30	G-20199	113	G-48323	12
G-01425	46	G-10935	11	G-19803	94	G-20001	31	G-20200	115	G-48324	12
G-02320	60	G-10936	11	G-19805	101	G-20004	32	G-20202	115	G-48325	72
G-10020	14	G-10937	11	G-19833	28	G-20005	31	G-20205	102	G-48327	72
G-10025	14	G-11120	3	G-19834	28	G-20006	31	G-20206	102	G-48328	92
G-10120	15	G-11121	4	G-19835	28	G-20007	32	G-20207	102	G-48329	91
G-10121	15	G-11122	4	G-19836	28	G-20008	32	G-20208	102	G-48330	91
G-10122	15	G-11123	4	G-19837	28	G-20011	118	G-20210	72	G-48331	91
G-10123	15	G-11124	4	G-19839	28	G-20012	118	G-20211	72	G-48332	92
G-10124	15	G-11125	4	G-19842	120	G-20019	85	G-20213	8	G-48333	92
G-10125	15	G-11220	4	G-19843	120	G-20019	85	G-20213	8	G-48336	55
G-10126	15	G-11221	4	G-19844	120	G-20021	85	G-20215	8	G-48337	55
G-10127	15	G-11222	4	G-19845	29	G-20022	84	G-20216	16	G-48338	55
G-10128	15	G-11223	4	G-19846	29	G-20027	122	G-20217	61	G-48338	91
G-10129	15	G-11224	4	G-19847	29	G-20031	122	G-20218	17	G-48339	8
G-10130	15	G-11320	4	G-19848	29	G-20034	122	G-20219	58	G-48340	9
G-10131	15	G-11321	4	G-19848	29	G-20051	95	G-20219	58	G-48342	9
G-10132	15	G-11322	4	G-19849	29	G-20052	95	G-20220	58	G-48343	9
G-10133	15	G-11323	4	G-19851	29	G-20053	97	G-20221	58	G-48344	9
G-10134	15	G-11324	4	G-19855	30	G-20054	98	G-20222	59	G-48345	9
G-10135	15	G-11420	5	G-19856	30	G-20056	98	G-20223	59	G-48346	9
G-10136	15	G-11421	5	G-19863	102	G-20058	32	G-20224	59	G-48347	9
G-10137	15	G-11422	5	G-19864	102	G-20080	32	G-20225	61	G-48348	9
G-10138	15	G-11423	5	G-19865	102	G-20083	33	G-20226	61	G-48349	13
G-10139	15	G-11424	5	G-19866	102	G-20087	32	G-20227	62	G-48350	13
G-10140	15	G-11520	5	G-19868	114	G-20088	33	G-20228	62	G-48351	13
G-10141	15	G-11521	5	G-19874	94	G-20089	33	G-20229	62	G-48352	13
G-10142	15	G-11522	5	G-19875	94	G-20090	34	G-20231	18	G-48353	9
G-10143	15	G-11523	5	G-19876	94	G-20091	35	G-20232	18	G-48354	9
G-10144	15	G-11620	5	G-19883	94	G-20092	36	G-20233	20	G-48355	9
G-10145	15	G-11621	5	G-19884	94	G-20093	37	G-20234	20	G-48356	31
G-10146	15	G-11622	5	G-19884	94	G-20094	37	G-20241	55	G-48357	31
G-10147	15	G-11623	5	G-19888	106	G-20095	37	G-20242	56	G-48358	31
G-10148	15	G-11624	5	G-19894	106	G-20096	37	G-20243	56	G-48359	31
G-10149	15	G-11920	82	G-19895	106	G-20098	13	G-20244	55	G-48360	33
G-10150	15	G-11921	82	G-19896	106	G-20099	13	G-20245	56	G-48361	33
G-10151	15	G-11922	83	G-19897	106	G-20106	13	G-20246	56	G-48362	34
G-10152	15			G-19898	106	G-20107	13	G-20247	72	G-48363	34
G-10153	15			G-19899	106	G-20108	13	G-20248	72	G-48364	34
G-10154	15			G-19900	106	G-20109	13	G-20249	18	G-48365	34

ALPHABETICAL INDEX

G-48366	35	G-48464	39	G-83352	77	G-83499	96	G-96324	89	G-97928	69
G-48367	36	G-48465	39	G-83365	77	G-83500	96	G-96325	89	G-98020	79
G-48368	33	G-48468	6	G-83367	77	G-83501	96	G-96326	89	G-98021	79
G-48369	34	G-48469	17	G-83370	78	G-83502	97	G-96327	89	G-98022	79
G-48370	69	G-48470	6	G-83371	78	G-83503	97	G-96328	89	G-98023	79
G-48371	69	G-48471	7	G-83372	119	G-83504	97	G-96329	89	G-98028	80
G-48372	69	G-48472	7	G-83373	119	G-83506	97	G-96420	88	G-98029	80
G-48373	69	G-48473	7	G-83374	119	G-83507	115	G-96421	89	G-98120	80
G-48374	69	G-48474	7	G-83376	120	G-83509	115	G-96422	89	G-98121	80
G-48375	69	G-48475	7	G-83378	119	G-83510	115	G-96423	89	G-98126	81
G-48376	69	G-48476	7	G-83380	119	G-83514	117	G-96424	89	G-98127	81
G-48377	69	G-48477	7	G-83382	101	G-83515	113	G-96426	88	G-98128	81
G-48378	69	G-48478	7	G-83384	102	G-83516	113	G-96428	88	G-98129	81
G-48379	69	G-48479	7	G-83385	119	G-83517	113	G-96621	63	G-98222	83
G-48380	69	G-48480	7	G-83387	98	G-95521	71	G-96622	63	G-98224	83
G-48381	69	G-48481	7	G-83391	98	G-95525	71	G-96625	63	G-98420	70
G-48382	69	G-48482	7	G-83393	98	G-95620	22	G-96626	64	G-98421	70
G-48383	69	G-48485	86	G-83396	97	G-95621	22	G-96721	56	G-98422	70
G-48384	69	G-48486	86	G-83399	97	G-95622	23	G-96722	57	G-98423	70
G-48385	69	G-48487	86	G-83401	97	G-95623	24	G-96821	57	G-98521	67
G-48386	69	G-48488	86	G-83404	121	G-95624	24	G-98522	57	G-98522	67
G-48387	69	G-48489	86	G-83406	104	G-95625	25	G-96921	64	G-98523	67
G-48388	69	G-48490	86	G-83407	104	G-95626	21	G-96922	64	G-98524	68
G-48389	69	G-48491	86	G-83408	104	G-95720	22	G-96923	65	G-98526	68
G-48390	69	G-48492	86	G-83409	115	G-95721	22	G-96924	65	G-98720	44
G-48391	69	G-48493	86	G-83411	115	G-95722	23	G-97021	65	G-98721	44
G-48392	69	G-48494	86	G-83412	105	G-95723	24	G-97022	66	G-98722	44
G-48393	69	G-48495	86	G-83413	105	G-95724	24	G-97023	66	G-98723	45
G-48394	69	G-48496	86	G-83415	105	G-95725	25	G-97024	66	G-98724	45
G-48395	69	G-48497	86	G-83416	121	G-95726	21	G-97124	39	G-98725	44
G-48396	69	G-48498	86	G-83417	94	G-95820	21	G-97125	39	G-98726	44
G-48397	69	G-48499	86	G-83418	101	G-95821	21	G-97126	23	G-98727	44
G-48398	69	G-48500	87	G-83419	28	G-95823	70	G-97127	23	G-98728	45
G-48399	69	G-48501	87	G-83421	28	G-95824	70	G-97128	41	G-98729	45
G-48400	20	G-48502	87	G-83425	28	G-95825	70	G-97129	41	G-98821	74
G-48402	19	G-48503	87	G-83427	28	G-95826	70	G-97220	25	G-98822	74
G-48403	19	G-48504	87	G-83428	28	G-95921	114	G-97221	25	G-98823	74
G-48404	21	G-48508	55	G-83429	28	G-95922	114	G-97320	34	G-99022	42
G-48405	21	G-48509	55	G-83432	120	G-95923	114	G-97321	34	G-99023	43
G-48406	20	G-48511	105	G-83433	120	G-95924	114	G-97325	35	G-99024	43
G-48408	69	G-48513	105	G-83440	120	G-95925	116	G-97326	35	G-99122	42
G-48409	69	G-48515	105	G-83441	29	G-95926	116	G-97420	36	G-99123	43
G-48410	71	G-48520	87	G-83442	29	G-95927	116	G-97421	36	G-99124	43
G-48411	71	G-48525	87	G-83445	29	G-95928	116	G-97425	36	G-99221	26
G-48412	17-18	G-48530	85	G-83446	29	G-95929	116	G-97425	42	G-99222	26
G-48413	17-18	G-48531	85	G-83457	29	G-96022	10	G-97426	36	G-99223	27
G-48414	17	G-48532	85	G-83458	29	G-96023	10	G-97426	42	G-99224	27
G-48415	17	G-48533	85	G-83459	30	G-96024	10	G-97525	90	G-99321	26
G-48416	18	G-48535	84	G-83460	30	G-96025	11	G-97526	90	G-99322	26
G-48417	18	G-48536	84	G-83462	102	G-96026	11	G-97527	90	G-99323	27
G-48420	16	G-48537	84	G-83463	102	G-96027	11	G-97528	90	G-99324	27
G-48421	16	G-48538	84	G-83464	102	G-96028	11	G-97620	90	G-99420	86
G-48425	16	G-48540	74	G-83468	102	G-96029	11	G-97621	90	G-99421	86
G-48428	19	G-48541	75	G-83472	114	G-96120	11	G-97622	90	G-99422	86
G-48429	19	G-48542	75	G-83473	94	G-96121	11	G-97623	90	G-99423	86
G-48430	19	G-48543	75	G-83474	94	G-96122	11	G-97624	90	G-99424	86
G-48431	19	G-48544	74	G-83476	94	G-96123	11	G-97626	90		
G-48440	40	G-48545	75	G-83481	94	G-96124	11	G-97627	90		
G-48441	40	G-48546	75	G-83485	94	G-96125	11	G-97822	60		
G-48442	40	G-48547	75	G-83486	106	G-96126	11	G-97824	60		
G-48443	41	G-83328	107	G-83487	106	G-96127	11	G-97920	69		
G-48444	40	G-83331	107	G-83488	106	G-96128	11	G-97921	69		
G-48445	41	G-83334	108	G-83489	106	G-96129	11	G-97922	69		
G-48448	73	G-83337	108	G-83490	106	G-96320	88	G-97923	69		
G-48449	73	G-83340	108	G-83491	106	G-96321	88	G-97925	69		
G-48460	55	G-83343	108	G-83494	106	G-96322	88	G-97926	69		
G-48461	55	G-83349	101	G-83495	106	G-96323	88	G-97927	69		



CONTACT INFO

369 Essex Rd
Tinton Falls Nj 07753



 718 697 7502

 718 697 7503

 718 697 7502



 Sales@gllite.com



Goodlite

Life's light source