




STAR TRIMLESS FLUSHED SLIM




G-96621 3"



G-96625 3"



G-96622 4"



G-96626 4"



ITEM	G-96621	G-96622	G-96625	G-96626
DESCRIPTION	SR3/15W/R/5CCT/TL	SR4/20W/R/5CCT/TL	SR3/15W/SQ/5CCT/TL	SR4/20W/SQ/5CCT/TL
FIXTURE	ROUND	ROUND	SQUARE	SQUARE
WATTAGE	10/15W	15/20W	10/15W	15/20W
OUTPUT LUMEN	800/1200	1400/1700	750/1100	1400/1700
INPUT VOLTS	120/277V	120/277V	120/277V	120/277V
OUTPUT VOLTS	33-38V	33-38V	33-38V	33-38V
mA	230mA / 355mA	355mA / 515mA	230mA / 355mA	355mA / 515mA
COLOR TEMP	27, 30, 35, 41, 50k	27, 30, 35, 41, 50k	27, 30, 35, 41, 50k	27, 30, 35, 41, 50k
CRI	90>	90>	90>	90>
DIMMABLE	Triac or 0-10V	Triac or 0-10V	Triac or 0-10V	Triac or 0-10V
BEAM ANGLE	100°	100°	100°	100°
CUT OUT	2.83"	4.17"	2.28"	Sq 2.95" Rd 4.25"
OD	4.72"	6.88"	5.11"	6.88"
HEIGHT	2.07"	2.07"	2.14"	2.14"
PACK	18	18	18	18
IC RATED	Only at 10W	Only at 15W	Only at 10W	Only at 15W
PLENUM RATED	FT6	FT6	FT6	FT6
WIRE SPACE	4.8 Cubic inch	11.2 Cubic inch	4.8 Cubic inch	11.2 Cubic inch



Dimmable:
5%



Lifetime:
50 000 hours





Warranty:
3 years





P. 1



G-96621





G-96622



G-96625



G-96626



Dimmer List


BRAND	SERIES	MODEL	LODAL	BRAND	SERIES	MODEL	LODAL
LUTRON	SKYLARK CONTOUR	LECL-153P	150W	LUTRON	TOGGLER	TGCL-153P	150W
		CTCL-150H	150W		ARIADNI	AYCL-153P	150W
		LGCL-153PHLH	150W		MAESTRO	MACL-153M	600W
		CTCL-153P	150W	LEVITON	ILLUMATECH	IPL06	150W
		SCL-153P	150W		SURESLIDE	6672	150W
		S-600P	600W			6674	150W
	CASETA	PD-6WCL	150W	EATON	SMART DIMMER	AAL06	300W
		PD-5NE	150W	PASS & SEYMOUR	HARMONY	DCL453PTCCCV6	150W
		PD-10NXD	250W	GE	ROCKER	10464	150W
	DIVA	DVCL-153P	150W		TOGGLER	18027 Release	150W

Accessories



Emergency LED Driver

15W G-48410 60W G-95521
30W G-48411 25W G-95525



New Construction Plate

G-96621 use G-19975 2 Punch Out
G-96622 use G-19975 4 Punch Out
G-96625 use G-19975 3 Punch Out
G-96626 use G-19975 4 Punch Out



Extension Cords

G-20247 5ft G-20248 10ft



Multi Driver Converter

G-96621 use G-95824 10W / G-95825 14W
G-96622 use G-95825 14W / G-95826 20W
G-96625 use G-95824 10W / G-95825 14W
G-96626 use G-95825 14W / G-95826 20W

Installation Instructions

